



QSLM Level 2/3
Cage code: 07ZN5



NORTH EAST FASTENERS
C O R P O R A T I O N

Telephone:
(860) 589-3242

Fax:
(860) 589-6969

Web-Site: www.NEF1.com
E-mail: nef@NEF1.com

DFARS Compliant Stock List

Part#	Description	Qty / M
	6-32 x 11/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated Air Dried	3
	M2 x .4 X 5 MM 1A 90/92° Flat MS (6g) 302 Stainless DFARS Compliant	16
	2-56 x 7/32" Phillips Fillister MS (2A) 302 Stainless DFARS Compliant	4
	3-48 x 3/16" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant	2
	4-40 x 3/16" Phillips Fillister MS (2A) 302 Stainless DFARS Compliant	7
	2-56 x 7/32" Slotted Bind MS (2A) 302 Stainless DFARS Compliant	3
	0-80 x 3/16" Saw Slotted 80/82° Flat MS (2A) 302 Stainless DFARS Compliant	10
	4-40 x 1-1/4" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant	5
	1-72 x 1/4" 6 - Lobe 80/82° Flat MS (2A) 302 Stainless DFARS Compliant	6
	4-40 x 1/8"+/-0.010 Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant	3
	0-80 x 3/32" Phillips Round MS (2A) 302 Stainless DFARS Compliant	4
	0-42 x 3/8" 6 - Lobe Pan PTRS 60-1 302 Stainless DFARS Compliant	12
	0-80 x 3/16" Struck Slotted Fillister MS (2A) 302 Stainless DFARS Compliant	86
	1-72 x 3/32" Socket Button Head Cap MS 3A 302 Stainless DFARS Compliant	8
	4-40 x 3/8" Saw Slotted 80/82° Flat MS (2A) 302 Stainless DFARS Compliant	5
	M1.6 x .35 x 3mm Saw Slotted Cheese MS (6g) 302 Stainless DFARS Compliant	9
	1-72 x 3/8" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant	9
	1-72 x 3/16" Saw Slotted 80/82° Flat MS (2A) 302 Stainless DFARS Compliant	109
	1-72 x 1/2" Phillips Round MS (2A) 302 Stainless DFARS Compliant	4
	M1.6 x .35 x 6.7mm +/-0.24mm Saw Slotted Cheese MS (6g) 302 Stainless DFARS Compliant Passivated Air Dried	3
	8-32 x 3/4" Phillips Round MS (2A) 302 Stainless DFARS Compliant	11
	0-80 x 3/16" 6 - Lobe 80/82° Flat MS (2A) 302 Stainless DFARS Compliant	3
	M1.6x.64 x 4mm Phillips 90/92° Flat PTRS 60-1 302 Stainless DFARS Compliant	3
	1-64 x 1/8" Phillips 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant	5
	4-40 x 7/16" Saw Slotted 80/82° Flat MS (2A) 302 Stainless DFARS Compliant	3
	4-40 x 1/4" 6 - Lobe 99/101° Flat MS (2A) 302 Stainless DFARS Compliant	2
	1-72 x 3/4" Socket Flat Head Cap Screw MS 3A 302 Stainless DFARS Compliant Black Oxide	5
	4-24 x 3/8" 6 - Lobe Pan Type 25 302 Stainless DFARS Compliant	4
	00-90 x 1/8" Slotted Bind MS (2A) 302 Stainless DFARS Compliant	11
	0-48 x 1/8" Phillips Pan Type AB 302 Stainless DFARS Compliant	8
	0-80 x 3/32" Slotted Bind MS (2A) 302 Stainless DFARS Compliant	4
	0-80 x 3/16" Saw Slotted 80/82° Flat MS (2A) 302 Stainless DFARS Compliant	9
	4-40 x 1/4" 6 - Lobe 99/101° Flat MS (2A) 302 Stainless DFARS Compliant	2

Part#	Description	Qty / M
	1-72 x 1/8" 6 - Lobe 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant	1
	4-40 x 1/4" Phillips Bind MS (2A) 302 Stainless DFARS Compliant	3
	8-32 x 1/4" Combo Phil Slot Round MS (2A) 302 Stainless DFARS Compliant	1
	4-40 x 1/4" Phillips Fillister MS (2A) 302 Stainless DFARS Compliant Passivate ASTM A380	8
	M1.6 x .35 X 5 MM 1A 90/92° Flat MS (6g) 302 Stainless DFARS Compliant	3
	M1.6 x .35 X 8 MM 1A 90/92° Flat MS (6g) 302 Stainless DFARS Compliant	8
	1-72 x 0.1300" 6 - Lobe T-5 SPECIAL 80/82° Flat MS (2A) 302 Stainless DFARS Compliant	5
	6-32 x 3/8" Conventional Indented Hex MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	1
	1-64 x 1/8" Saw Slotted 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant	2
	0-80 x 3/8" 6 - Lobe Button MS (2A) 302 Stainless DFARS Compliant	3
	1-72 x 5/32" Saw Slotted 80/82° Flat MS (2A) 302 Stainless DFARS Compliant	4
	0-80 x 3/32" Saw Slotted 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	17
	0-48 x 1/4" 6 - Lobe Pan Type AB 302 Stainless DFARS Compliant	9
	6-32 x 3/16" Phillips Fillister MS (2A) 302 Stainless DFARS Compliant	11
	0-80 x 3/32" Slotted Pan MS (2A) 302 Stainless DFARS Compliant	1
	1-72 x 3/16" Struck Slotted Fillister MS (2A) 302 Stainless DFARS Compliant	40
	6-32 x 5/8" Phillips Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	1
	2-56 x 1/4" Saw Slotted 80/82° Flat MS (2A) 302 Stainless DFARS Compliant	3
	0-80 x 1/8" Struck Slotted Bind MS (2A) 302 Stainless DFARS Compliant	9
	0-80 x 5/16" Struck Slotted Bind MS (2A) 302 Stainless DFARS Compliant	7
	0-80 x 3/4" Struck Slotted Fillister MS (2A) 302 Stainless DFARS Compliant	1
	0-80 x 9/32" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant	2
	M3 x .5 x 4mm Saw Slotted Cheese MS (6g) 302 Stainless DFARS Compliant	4
	0-80 x 3/16" 6 - Lobe Button Head Cap MS 3A 302 Stainless DFARS Compliant	8
	1-72 x 3/8" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant	13
	0-80 x 1/2" Phillips Bind MS (2A) 302 Stainless DFARS Compliant	5
	M1.6 x .35 X 18 MM Phillips Pan MS (6g) 302 Stainless DFARS Compliant	2
	2-56 x 13/32" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant	6
	6-32 x 7/32" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant	2
	0-80 x 3/8" Slotted Truss MS (2A) 302 Stainless DFARS Compliant	8
	0-80 x 3/16" Saw Slotted 80/82° Flat MS (2A) 302 Stainless DFARS Compliant	5
	1-72 x 1/4" Socket Button Head Cap MS 3A 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4	19
	6-32 x 1/2" Phillips 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant	5
	2-64 x 1/8" Phillips 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant	2
	0-80 x 1/8" 6 - Lobe 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant	6
	0-80 x 1/8" Struck Slotted Bind MS (2A) 302 Stainless DFARS Compliant	12
	8-32 x 1/4" Slotted Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	1
	M3 x .5 x 6mm Phillips 90/92° Flat MS (6g) 302 Stainless DFARS Compliant Passivated Air Dried	4
	0-80 x 1/8" 6 - Lobe U/C 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant	4
	2-56 x 1-3/8" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant	2

Part#	Description	Qty / M
	1-72 x 1/4" Struck Slotted Pan MS (2A) 302 Stainless DFARS Compliant	10
	M2 x .4 x 20mm Phillips Pan JIS B1111 MS (6g) 302 Stainless DFARS Compliant	6
	2-56 x 9/32" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated Air Dried	2
	1-72 x 1/4" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant	5
	6-40 x 1/4" Saw Slotted Oval MS (2A) 302 Stainless DFARS Compliant	2
	M2.5 x .45 x 4mm Phillips Pan TRS 302 Stainless DFARS Compliant	3
	0-80 x 3/8" Phillips Fillister MS (2A) 302 Stainless DFARS Compliant	4
	0-80 x 5/32" Phillips Pan MS (2A) 302 Stainless DFARS Compliant	4
	1-72 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant	12
	M2.5 x .45 X 5 MM 1A Pan MS (6g) 302 Stainless DFARS Compliant	4
	1-64 x 3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant	4
	1-64 x 1/4" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant	6
	8-8 x 3/8" Conventional Round Type U 302 Stainless DFARS Compliant Passivated ASTM A967-05	4
	8-18 x 3/8" Phillips 82/80° Flat U/C Type AB 302 Stainless DFARS Compliant Passivated ASTM A967-05	20
	1-72 x 3/8" 6 - Lobe Button M/S (2A) 302 Stainless DFARS Compliant	7
	4-48 x 9/16" Phillips Pan M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	6
	8-32 x 7/16" Phillips Special (Hd .346/.336) (U'C dia. .265/.255 depth .040/.030) Pan MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQP-35 (Misc)	2
	0-40 x 1/8" 6 - Lobe T-5 Pan PTRS 60-1 302 Stainless DFARS Compliant	3
	3-48 x 5/32" Slotted Pan MS (2A) 302 Stainless DFARS Compliant	5
	0-80 x 5/8" Saw Slotted 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	4
	4-40 x 1/8" +/- .010 Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant	7
	3-48 x 5/32" Slotted Pan MS (2A) 302 Stainless DFARS Compliant	25
	8-32 x 1/2" Phillips Special (Hd .346/.336) (U'C dia. .265/.255 depth .040/.030) Pan MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQP-35	1
	8-32 x 5/16" Phillips Special (Hd .346/.336) (U'C dia. .265/.255 depth .040/.030) Pan MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQP-35 (Misc)	2
	4-40 x 1/8" +/- .010 Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Black Oxide ROHS	3
10240.6250PPMSSSQF	10-24 x 1" Phillips Special (Hd dia .401/.390) (U'C dia. .310/.300 depth .040/.035) Pan MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQP-35 (Misc)	2
10320.5000PPMSDSSQC	10-32 x 1/2" Phillips Special (Hd dia .401/.390) (U'C dia. .310/.300 depth .040/.035) Pan MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQP-35 (Misc)	5
1106MPL188	10-32 x 3/8" Phillips Fillister MS (2A) 302 Stainless DFARS Compliant	2
12099-2640-01	M2.5 x .45 x 6mm Phillips Pan MS (6g) 302 Stainless DFARS Compliant Passivated Air Dried Black Oxide	2
1326641	4-40 x 3/16" Phillips 82/80° Flat U/C TRS 302 Stainless DFARS Compliant Passivated ASTM A967-05	17
160000363-2	1-72 x 3/16" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQP-35	4
16000362-16	1-72 x 5/32" Phillips #1 Drive Pan MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQP-35	9
16000364-2	1-72 x 3/16" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQP-35	14
18857	0-80 x 0.5310" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Plain	2
208940050140	6-32 x 14.5mm Phillips 80/82° Flat Captive 302 Stainless DFARS Compliant Passivated ASTM A967-05	4

Part#	Description	Qty / M
33-001424	1-72 x 0.1680" 6 - Lobe Flat Head Cap Screw MS 3A 302 Stainless DFARS Compliant Black Oxide	4
35119	M1.6 x .35 x 20.40mm (+0/- .25mm) Phillips Special Cheese MS (6g) 302 Stainless DFARS Compliant	5
4100UCF	4-40 x 1/4" Phillips 99/101° Flat U/C MS (2A) Special 302 Stainless DFARS Compliant Passivated AMS QQP-35	9
4100UCF	4-40 x 5/16" Phillips 99/101° Flat U/C MS (2A) Special 302 Stainless DFARS Compliant Passivated AMS QQP-35	6
4400.1250PPMSDSSQQI	4-40 x 1/8" Phillips Special (Hd .236/.225) (U'C dia. .185/.175 depth .030/.021) Pan MS (2A) 302 Stainless DFARS Passivated AMS QQP-35 (Misc)	17
4400.6250PPMSDSSQQI	4-40 x 5/8" Phillips Special (Hd .236/.225) (U'C dia. .185/.175 depth .030/.021) Pan MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQP-35 (Misc)	5
48882	2-28 x 3/16" 6 - Lobe Pan PTRS 48-2 302 Stainless DFARS Compliant	5
50-12800-559	M1.6 x .35 x 3.0/2.6mm 6 - Lobe (T6) Flat-Top Pan M/S (6g) 302 Stainless DFARS Compliant	11
50-12800-673	M2 x .4 x 10mm +0 -.6mm Phillips Pan MS (6g) 302 Stainless DFARS Compliant Passivated Air Dried Less Patch	5
50-12800-865	M1.6 x .35 x 5.5mm +0/-.4mm 6 - Lobe Special Pan TRS 302 Stainless DFARS Compliant Passivate ASTM A380	5
504797	M3 x .5 X 4mm Phillips 90/92° Flat MS (6g) 302 Stainless DFARS Compliant	4
5635TSS	8-32 x 0.1650" 6 - Lobe Truss MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	8
620-02283-00	M2 x .4 x 3mm Phillips Wafer MS (6g) W/ CHAMFER 302 Stainless DFARS Compliant Black Oxide	6
6320.7500PPMSDSSQQI	6-32 x 1" Phillips Special (Hd .293/.282) (U'C dia. .238/.228 depth .034/.028) Pan MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQP-35 (Misc)	1
700930	0-80 x 1/8" 6 - Lobe 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant	6
701000-251	1-72 x 0.281" +/- .007" Phillips Special Flat Top Pan MS With Header Point 302 Stainless DFARS Compliant	2
75023-036-01	3-48 x 1/8" 6 - Lobe T-8 Button Type C*(thread forming) 302 Stainless DFARS Compliant Plain	5
8320.3750PPMSDSSQQI	8-32 x 1/4" Phillips Special (Hd .346/.336) (U'C dia. .265/.255 depth .040/.030) Pan MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQP-35 (Misc)	2
832PPMS	8-32 x 5/8" Phillips Special (Hd .346/.336) (U'C dia. .265/.255 depth .040/.030) Pan MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQP-35	2
832SPMS-03	8-32 x 3/4" Slotted Pan (U'C dia. .265/.255 depth .035/.030) MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQP-35	5
903545	M4 x .7 x 6mm Combo Phil Slot Pan MS (6g) 302 Stainless DFARS Compliant Burnished Passivated Air Dried	6
980502	6-32 x 1/4" 6 - Lobe Button Head Cap MS 3A 302 Stainless DFARS Compliant Burnished	3
986153	** NO QUOTE ** 1-72 x **5" 6 - Lobe T6 Wafer MS 3A 302 Stainless DFARS Compliant	12
A3266196-1	4-40 x 1/2" Phillips Pan M/S Partial Thread Captivated A286 Alloy Heat Treated 160 PSI MIN Plain Finish - Less Patch	29
A3266196-9	4-40 x 3/8" Phillips Pan A-286 Alloy (BLANKS ONLY)!!!!!!!	5
AN500AD5-10	5-40 x 5/8" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	1
AN500AD5-4	5-40 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	2
AN500AD8-16	8-32 x 1" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	9
AN500AD8-18	8-32 x 1-1/8" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	3
AN500AD8-18	8-32 x 1-1/8" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	2
AN500D2-6	2-56 x 3/8" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	8

Part#	Description	Qty / M
AN500D4-10	4-40 x 5/8" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	7
AN500D4-3	4-40 x 3/16" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	7
AN500D6-16	6-32 x 1" Saw Slotted Fillister M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01	1
AN500D8-6	8-32 x 3/8" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	10
B-2230RA	1-42 x 0.2850" Phillips Flat Fillister (HD.101/.095 H.H .032/.024) Type AB (Major Dia. .072*/.069) 302 Stainless DFARS Compliant Black Oxide	20
B-2230RA	1-42 x 0.2850" Phillips Flat Fillister (HD.101/.095 H.H .032/.024) Type AB (Major Dia. .072*/.069) 302 Stainless DFARS Compliant Black Oxide	66
C-10485-TAL	2-56 x 0.1500" Phillips Pan MS (2A) 302 Stainless DFARS Compliant	9
H99-0007-017	4-40 x 1/2" Phillips Pan Captive 302 Stainless DFARS Compliant Passivated AMS QQP-35 Vibratite	2
K10605	2-56 x 0.2400" +- .005 6 - Lobe Button Head Cap MS 3A 302 Stainless DFARS Compliant	7
KAH MSN +SS 2X7.5-M	M2 x .4 x 7.5mm Phillips Pan Wafer Special MS (6g) 302 Stainless DFARS Compliant	10
M19972-P	M3 x .5 x 4mm Phillips U/C 90/92° Flat MS (6g) 302 Stainless DFARS Compliant Passivated Air Dried	2
M25460M	M2.5 x .45 x 6mm 6 - Lobe Pan MS (6g) 302 Stainless DFARS Compliant Passivate ASTM A380	5
M2SPMSSPECIAL	M2 x .4 x 4mm Slotted Pan Special Undercut MS (6g) 302 Stainless DFARS Compliant Passivated AMS QQP-35	5
M3-POZZ	M3 x .5 x 6mm 1A U/C 90/92° Flat MS (6g) 302 Stainless DFARS Compliant	9
MS21318-SPEC	0-6 x 1/8" Conventional Round Type U 302 Stainless DFARS Compliant Passivated ASTM A967-05	13
MS24693-276B	10-32 x 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc)	2
MS24693-C1	4-40 x 3/16" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	18
MS24693-C10	4-40 x 1" Phillips 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	4
MS24693-C11	4-40 x 1-1/8" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	3
MS24693-C16	2-56 x 1/8" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	21
MS24693-C17	2-56 x 5/32" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5
MS24693-C17	2-56 x 5/32" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	109
MS24693-C2	4-40 x 1/4" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	4
MS24693-C218	0-80 x 1/8" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	19
MS24693-C23	6-32 x 3/16" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	22
MS24693-C230	6-40 x 3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01	8
MS24693-C231	6-40 x 7/8" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01	12
MS24693-C232	6-40 x 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01	10
MS24693-C25	6-32 x 5/16" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	9
MS24693-C25	6-32 x 5/16" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	66

Part#	Description	Qty / M
MS24693-C252	8-36 x 3/4" Phillips Flat 100 (Marked With One Dash) MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01	6
MS24693-C26	6-32 x 3/8" Phillips 99/101° Flat Marked Heads M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	2
MS24693-C26	6-32 x 3/8" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	226
MS24693-C270	10-32 x 3/8" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	13
MS24693-C273	10-32 x 5/8" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	45
MS24693-C273	10-32 x 5/8" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	8
MS24693-C274	10-32 x 3/4" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	7
MS24693-C275	10-32 x 7/8" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	9
MS24693-C276	10-32 x 1" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	14
MS24693-C278	10-32 x 1-1/4" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	6
MS24693-C279	10-32 x 1-3/8" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	8
MS24693-C28	6-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	17
MS24693-C30	6-32 x 3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	19
MS24693-C36	6-32 x 1-1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	7
MS24693-C4	4-40 x 3/8" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	40
MS24693-C420	0-80 x 3/16" Phillips 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	14
MS24693-C423	0-80 x 3/8" Phillips 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	30
MS24693-C424	0-80 x 7/16" Phillips 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	7
MS24693-C47	8-32 x 5/16" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	13
MS24693-C49	8-32 x 7/16" Phillips 99/101° Flat W/Dash M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	17
MS24693-C51	8-32 x 5/8" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	16
MS24693-C51	8-32 x 5/8" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	22
MS24693-C52	8-32 x 3/4" Phillips 99/101° Flat W/Dash M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	8
MS24693-C53	8-32 x 7/8" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	5
MS24693-C54	8-32 x 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	6
MS24693-C60	8-32 x 1-3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	11

Part#	Description	Qty / M
MS24693-C7	4-40 x 5/8" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	64
MS24693-C70	10-24 x 3/8" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5
MS24693-C71	10-24 x 7/16" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	4
MS24693-C73	10-24 x 5/8" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6
MS24693-C74	10-24 x 3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	12
MS24693-C78	10-24 x 1-1/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6
MS24693-C8	4-40 x 3/4" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	29
MS24693-C9	4-40 x 7/8" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	5
MS35275-219	4-40 x 3/4" Saw Slotted Drilled Fillister M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01 (Misc)	5
MS35275-220	4-40 x 7/8" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	6
MS35275-230	6-32 x 1/2" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	6
MS35275-230	6-32 x 1/2" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	4
MS35275-233	6-32 x 7/8" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	2
MS35275-240	8-32 x 3/16" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	2
MS35275-247	8-32 x 3/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	4
MS35275-260	10-24 x 5/16" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6
MS35275-263	10-24 x 1/2" Saw Slotted Drilled Fillister M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	2
MS35276-213	4-48 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01	5
MS35276-215	4-48 x 3/8" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01	4
MS35276-226	6-40 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	2
MS51896-14	8-32 x 5/8" Phillips Pan Captive 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	7
MS51957-1	2-56 x 1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	14
MS51957-12	4-40 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	155
MS51957-120	4-40 x 9/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	17
MS51957-121	4-40 x 1-1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6
MS51957-123	6-32 x 9/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	64
MS51957-13	4-40 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	46

Part#	Description	Qty / M
MS51957-14	4-40 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	80
MS51957-142	2-56 x 1" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6
MS51957-14B	4-40 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc)	4
MS51957-16	4-40 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	7
MS51957-17	4-40 x 1/2" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	158
MS51957-19	4-40 x 3/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	52
MS51957-20	4-40 x 7/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	28
MS51957-21	4-40 x 1" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	19
MS51957-22	4-40 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	48
MS51957-22	4-40 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6
MS51957-22B	4-40 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc)	2
MS51957-25	6-32 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	3
MS51957-28	6-32 x 3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	165
MS51957-29	6-32 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	1
MS51957-32	6-32 x 3/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	45
MS51957-34	6-32 x 1" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	11
MS51957-35	6-32 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	3
MS51957-35B	6-32 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc)	1
MS51957-37	6-32 x 1-3/4" Phillips Pan M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	4
MS51957-40	8-32 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	12
MS51957-41	8-32 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	52
MS51957-42	8-32 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	7
MS51957-43	8-32 x 3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	129
MS51957-44	8-32 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	1
MS51957-44	8-32 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	3
MS51957-44B	8-32 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 Black Oxide Mil-DTL-13924 CL 4 (Misc)	8
MS51957-47	8-32 x 3/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5
MS51957-48	8-32 x 7/8" Phillips Pan M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01 (Misc)	5

Part#	Description	Qty / M
MS51957-49	8-32 x 1" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6
MS51957-5	2-56 x 3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	55
MS51957-50	8-32 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	8
MS51957-51	8-32 x 1-1/2" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6
MS51957-53	8-32 x 2" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	12
MS51957-59	10-24 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	10
MS51957-60	10-24 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	12
MS51957-61	10-24 x 3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	11
MS51957-61B	10-24 x 3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 Black Oxide Mil-DTL-13924 CL 4	8
MS51957-62	10-24 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	11
MS51957-63	10-24 x 1/2" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	22
MS51957-64	10-24 x 5/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5
MS51957-66	10-24 x 7/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	11
MS51957-69	10-24 x 1-1/2" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	8
MS51957-7	2-56 x 1/2" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	12
MS51957-7	2-56 x 1/2" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	53
MS51957-8	2-56 x 5/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	7
MS51957-9	2-56 x 3/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	4
MS51958-120	0-80 x 1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 Burnished (Misc)	4
MS51958-120B	0-80 x 1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc)	4
MS51958-121	0-80 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	31
MS51958-121B	0-80 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc)	4
MS51958-122B	0-80 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc)	7
MS51958-18	4-48 x 5/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	3
MS51958-25	6-40 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	7
MS51958-27	6-40 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6
MS51958-29	6-40 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5
MS51958-31	6-40 x 5/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	2

Part#	Description	Qty / M
MS51958-44	8-36 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5
MS51958-47	8-36 x 3/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	1
MS51958-48	8-36 x 7/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6
MS51958-58	10-32 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6
MS51958-60	10-32 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5
MS51958-64B	10-32 x 5/8" Phillips Pan M/S (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4	11
MS51958-65	10-32 x 3/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	2
MS51958-65	10-32 x 3/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	17
MS51958-65B	10-32 x 3/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc)	4
MS51958-66	10-32 x 7/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	1
MS51958-66	10-32 x 7/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6
MS51958-67	10-32 x 1" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	11
MS51958-68	10-32 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5
MS51958-70	10-32 x 1-3/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6
MS51958-71	10-32 x 2" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	12
MS51959-1	2-56 x 1/8" Phillips 82/80° Flat U/C M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	10
MS51959-12	4-40 x 3/16" Phillips 82/80° Flat U/C M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	3
MS51959-15	4-40 x 3/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	9
MS51959-16	4-40 x 7/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5
MS51959-18	4-40 x 5/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	8
MS51959-18	4-40 x 5/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	2
MS51959-18	4-40 x 5/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	55
MS51959-2	2-56 x 3/16" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	79
MS51959-20	4-40 x 7/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	4
MS51959-20	4-40 x 7/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	11
MS51959-26	6-32 x 1/4" Phillips 80/82° Flat M/S 302 Stainless DFARS Compliant Passivated ASTM A967-05	170
MS51959-28B	6-32 x 3/8" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 Black Oxide Mil-DTL-13924 CL 4	29
MS51959-31	6-32 x 5/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	4

Part#	Description	Qty / M
MS51959-32	6-32 x 3/4" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6
MS51959-33	6-32 x 7/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6
MS51959-37	6-32 x 1-3/4" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6
MS51959-4	2-56 x 5/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	18
MS51959-4	2-56 x 5/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	53
MS51959-40	8-32 x 3/16" Phillips 82/80° Flat U/C M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5
MS51959-42	8-32 x 5/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	7
MS51959-43	8-32 x 3/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	3
MS51959-44	8-32 x 7/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	5
MS51959-45	8-32 x 1/2" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	20
MS51959-45B	8-32 x 1/2" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01 Black Oxide Mil-DTL-13924 CL 4	3
MS51959-47	8-32 x 3/4" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	9
MS51959-5	2-56 x 3/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	8
MS51959-53	8-32 x 2" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	3
MS51959-7	2-56 x 1/2" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	46
MS51959-8	2-56 x 5/8" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	25
MS51959-9	2-56 x 3/4" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	14
MS51960-1	0-80 x 1/8" Phillips 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	89
MS51960-2	0-80 x 3/16" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	45
MS51960-3B	0-80 x 1/4" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4	5
MS51960-65	10-32 x 1/2" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6
MS51960-69	10-32 x 1" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01	5
NAS1635-00-10	0-80 x 5/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	8
NAS1635-00-14	0-80 x 7/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	1
NAS1635-00-16	0-80 x 1" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5
NAS1635-00-3	0-80 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	10
NAS1635-00-6	0-80 x 3/8" Phillips Pan M/S 302 Stainless DFARS Compliant Passivated AMS QQP-35	5
NAS1635-01-16	1-64 x 1" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	2
NAS1635-01-3	1-64 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01 (Misc)	9

Part#	Description	Qty / M
NAS1635-01-5	1-64 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	19
NAS1635-02-18	2-56 x 1-1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	13
NAS1635-06-8	6-32 x 1/2" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	59
NAS1635-3-10	10-32 x 5/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5
NAS662C0-2	0-80 x 1/8" Saw Slotted 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	20
NAS662C0-3	0-80 x 3/16" Saw Slotted 99/101° Flat M/S 302 Stainless DFARS Compliant Passivated ASTM A967-05	5
NAS662C1-4	1-64 x 1/4" Saw Slotted 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	97
NAS662C2R14	2-56 x 7/8" Phillips 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	3
NAS662C2R4	2-56 x 1/4" Phillips 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	32
NAS662C2R5	2-56 x 5/16" Phillips 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	39
NAS662C2R7	2-56 x 7/16" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5
NAS662C3R6	3-48 x 3/8" Phillips 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	4
PHX-0411	M1.6 x .35 x 4mm 6 - Lobe Pan MS (6g) 302 Stainless DFARS Compliant Less Passivate	6
Q154174-3-00	2-56 x 1/4" Phillips 80/82° Flat Special Head Dia .147-.155 MS (2A) 302 Stainless DFARS Compliant	3
REF DWG.800326	1-64 x 3/16" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	11
VJ1008/1210	10-32 x 1-1/4" Combo Phil Slot Pan M/S Partial Thread 302 Stainless DFARS Compliant	2
YES	8-32 x 5/16" Phillips 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant Black Oxide PER MIL-C-13924 CLASS 4	1
YSW016-009	M1.6 x .35 x 9mm Phillips Special Flat Fillister MS (6g) 302 Stainless DFARS Compliant	10