



## DFARS Compliant Stock List

Part#	Description	Qty / M
AN500AD4-4	4-40 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05e2 Nitric 2 (Misc.)	1.000
AN500AD5-10	5-40 x 5/8" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	1.000
AN500AD5-4	5-40 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	3.000
AN500AD8-16	8-32 x 1" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	9.000
AN500AD8-18	8-32 x 1-1/8" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05e2 (Misc.)	6.000
AN500D2-5	2-56 x 5/16" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5.000
AN500D6-12	6-32 x 3/4" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	6.000
AN500D6-5	6-32 x 5/16" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05e2 (Misc.)	2.000
AN500D8-6	8-32 x 3/8" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	7.000
AN520C0R2	0-80 x 1/8" Phillips Round MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQ-P-35	1.000
MS24693-C1	4-40 x 3/16" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	7.000
MS24693-C10	4-40 x 1" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	12.000
MS24693-C12	4-40 x 1-1/4" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	2.000
MS24693-C12	4-40 x 1-1/4" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	3.000
MS24693-C17	2-56 x 5/32" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	76.000
MS24693-C217	0-80 x 3/32" Phillips 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	2.000
MS24693-C224	6-40 x 1/4" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	6.000
MS24693-C23	6-32 x 3/16" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	31.000
MS24693-C230	6-40 x 3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01	8.000
MS24693-C232	6-40 x 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01	10.000
MS24693-C24	6-32 x 1/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	4.000
MS24693-C25	6-32 x 5/16" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	9.000

Part#	Description	Qty / M
MS24693-C25	6-32 x 5/16" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	60.000
MS24693-C252	8-36 x 3/4" Phillips Flat 100 (Marked With One Dash) MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01	6.000
MS24693-C26	6-32 x 3/8" Phillips 99/101° Flat Marked Heads M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	2.000
MS24693-C26	6-32 x 3/8" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	28.000
MS24693-C268	10-32 x 1/4" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	5.000
MS24693-C27	6-32 x 7/16" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	85.000
MS24693-C271	10-32 x 7/16" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	9.000
MS24693-C278	10-32 x 1-1/4" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	6.000
MS24693-C278	10-32 x 1-1/4" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	5.000
MS24693-C28	6-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	100.000
MS24693-C280	10-32 x 1-1/2" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	5.000
MS24693-C29	6-32 x 5/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	41.000
MS24693-C3	4-40 x 5/16" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	75.000
MS24693-C31	6-32 x 7/8" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	5.000
MS24693-C36	6-32 x 1-1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6.000
MS24693-C4	4-40 x 3/8" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	31.000
MS24693-C420	0-80 x 3/16" Phillips 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	17.000
MS24693-C50	8-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	48.000
MS24693-C51	8-32 x 5/8" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	37.000
MS24693-C53	8-32 x 7/8" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	5.000
MS24693-C54	8-32 x 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	2.000
MS24693-C60	8-32 x 1-3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	11.000
MS24693-C7	4-40 x 5/8" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	49.000
MS24693-C71	10-24 x 7/16" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	4.000
MS24693-C73	10-24 x 5/8" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	2.000
MS24693-C74	10-24 x 3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	11.000

Part#	Description	Qty / M
MS24693-C76	10-24 x 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	1.000
MS24693-C78	10-24 x 1-1/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5.000
MS24693-C8	4-40 x 3/4" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	1.000
MS24693-C8	4-40 x 3/4" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	6.000
MS24693-C9	4-40 x 7/8" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	10.000
MS35233-3	2-56 x 1/4" Slotted Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4	4.000
MS35249-9	2-56 x 3/16" Saw Slotted 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05e2	2.000
MS35275-202	2-56 x 3/16" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	5.000
MS35275-204	2-56 x 5/16" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	21.000
MS35275-205	2-56 x 3/8" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	21.000
MS35275-207	2-56 x 1/2" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	20.000
MS35275-212	4-40 x 3/16" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	7.000
MS35275-212	4-40 x 3/16" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	3.000
MS35275-213	4-40 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	2.000
MS35275-215	4-40 x 3/8" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	15.000
MS35275-215	4-40 x 3/8" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	10.000
MS35275-217	4-40 x 1/2" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	14.000
MS35275-218	4-40 x 5/8" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	6.000
MS35275-219	4-40 x 3/4" Saw Slotted Drilled Fillister M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01 (Misc)	5.000
MS35275-219	4-40 x 3/4" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	10.000
MS35275-225	6-32 x 3/16" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	18.000
MS35275-226	6-32 x 1/4" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	12.000
MS35275-227	6-32 x 5/16" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	13.000
MS35275-228	6-32 x 3/8" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	14.000
MS35275-229	6-32 x 7/16" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	7.000
MS35275-230	6-32 x 1/2" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	8.000
MS35275-230	6-32 x 1/2" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	14.000

Part#	Description	Qty / M
MS35275-231	6-32 x 5/8" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	8.000
MS35275-232	6-32 x 3/4" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	2.000
MS35275-232	6-32 x 3/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	3.000
MS35275-232	6-32 x 3/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	2.000
MS35275-233	6-32 x 7/8" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	2.000
MS35275-233	6-32 x 7/8" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	8.000
MS35275-234	6-32 x 1" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	8.000
MS35275-241	8-32 x 1/4" Saw Slotted UN- Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	13.000
MS35275-242	8-32 x 5/16" Saw Slotted UN- Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	5.000
MS35275-243	8-32 x 3/8" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	12.000
MS35275-244	8-32 x 7/16" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	14.000
MS35275-245	8-32 x 1/2" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	9.000
MS35275-246	8-32 x 5/8" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	2.000
MS35275-247	8-32 x 3/4" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	9.000
MS35275-247	8-32 x 3/4" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	2.000
MS35275-248	8-32 x 7/8" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	10.000
MS35275-249	8-32 x 1" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	6.000
MS35275-250	8-32 x 1-1/4" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05e2 (Misc.)	1.000
MS35275-260	10-24 x 5/16" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	6.000
MS35275-263	10-24 x 1/2" Saw Slotted Drilled Fillister M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	2.000
MS35275-267	10-32 x 1" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	11.000
MS35275-268	10-24 x 1-1/4" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	9.000
MS35276-226	6-40 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	2.000
MS35276-260	10-32 x 5/16" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	8.000
MS35276-263	10-32 x 1/2" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	5.000
MS35276-263	10-32 x 1/2" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	8.000

Part#	Description	Qty / M
MS35276-265	10-32 x 3/4" Saw Slotted Un-drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	7.000
MS35276-268	10-32 x 1-1/4" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	8.000
MS51896-1B	4-40 x 3/8" Phillips Pan Captive 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc.)	2.000
MS51896-8	6-32 x 7/16" Phillips Pan Captive 302 Stainless DFARS Compliant Passivated AMS QQ-P-35 (Misc.)	1.000
MS51957-1	2-56 x 1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	4.000
MS51957-1	2-56 x 1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	8.000
MS51957-1	2-56 x 1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	60.000
MS51957-10	2-56 x 7/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	4.000
MS51957-11	4-40 x 1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	13.000
MS51957-12	4-40 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	21.000
MS51957-120	4-40 x 9/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05e2 (Misc.)	3.000
MS51957-120	4-40 x 9/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	28.000
MS51957-124	6-32 x 1-1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05e2 (Misc.)	2.000
MS51957-125	6-32 x 1-3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	10.000
MS51957-13	4-40 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	309.000
MS51957-14	4-40 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	107.000
MS51957-14B	4-40 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc.)	4.000
MS51957-15	4-40 x 3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	745.000
MS51957-16	4-40 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05e2 (Misc.)	3.000
MS51957-2	2-56 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	58.000
MS51957-22B	4-40 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc.)	2.000
MS51957-27	6-32 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	350.000
MS51957-3	2-56 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	392.000
MS51957-31	6-32 x 5/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	21.000
MS51957-32	6-32 x 3/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	4.000
MS51957-33	6-32 x 7/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	35.000
MS51957-34	6-32 x 1" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	15.000

Part#	Description	Qty / M
MS51957-34B	6-32 x 1" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4 (Misc.)	3.000
MS51957-35	6-32 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	3.000
MS51957-35	6-32 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	6.000
MS51957-36	6-32 x 1-1/2" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	4.000
MS51957-37	6-32 x 1-3/4" Phillips Pan M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	10.000
MS51957-4	2-56 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	191.000
MS51957-40	8-32 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	12.000
MS51957-41	8-32 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	7.000
MS51957-41	8-32 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	33.000
MS51957-44B	8-32 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 Black Oxide Mil-DTL-13924 CL 4 (Misc.)	8.000
MS51957-46	8-32 x 5/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	4.000
MS51957-48	8-32 x 7/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	4.000
MS51957-5	2-56 x 3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	106.000
MS51957-50	8-32 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	8.000
MS51957-51	8-32 x 1-1/2" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	6.000
MS51957-53	8-32 x 2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	6.000
MS51957-59	10-24 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	9.000
MS51957-6	2-56 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	141.000
MS51957-60	10-24 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	12.000
MS51957-60	10-24 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05e2 (Misc.)	3.000
MS51957-62	10-24 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	11.000
MS51957-69	10-24 x 1-1/2" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	8.000
MS51957-7	2-56 x 1/2" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	25.000
MS51957-7	2-56 x 1/2" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	59.000
MS51957-9	2-56 x 3/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	31.000
MS51958-120B	0-80 x 1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc.)	4.000

Part#	Description	Qty / M
MS51958-121	0-80 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	24.000
MS51958-121	0-80 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	23.000
MS51958-121B	0-80 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc)	4.000
MS51958-122B	0-80 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc)	7.000
MS51958-123	0-80 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	8.000
MS51958-124	0-80 x 3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	11.000
MS51958-15	4-48 x 3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	7.000
MS51958-27	6-40 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	4.000
MS51958-27	6-40 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	4.000
MS51958-29	6-40 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5.000
MS51958-44	8-36 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5.000
MS51958-48	8-36 x 7/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6.000
MS51958-58	10-32 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6.000
MS51958-60	10-32 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	7.000
MS51958-65B	10-32 x 3/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc)	4.000
MS51958-67	10-32 x 1" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	1.000
MS51958-68	10-32 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	6.000
MS51958-68	10-32 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	11.000
MS51959-1	2-56 x 1/8" Phillips 82/80° Flat U/C M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	16.000
MS51959-10	2-56 x 7/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	10.000
MS51959-13	4-40 x 1/4" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	175.000
MS51959-16	4-40 x 7/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	14.000
MS51959-16	4-40 x 7/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	20.000
MS51959-2	2-56 x 3/16" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	20.000
MS51959-26	6-32 x 1/4" Phillips 80/82° Flat M/S 302 Stainless DFARS Compliant Passivated ASTM A967-05	97.000
MS51959-28	6-32 x 3/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc)	5.000
MS51959-28	6-32 x 3/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	2.000

Part#	Description	Qty / M
MS51959-28	6-32 x 3/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	11.000
MS51959-29	6-32 x 7/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	11.000
MS51959-31	6-32 x 5/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	5.000
MS51959-33	6-32 x 7/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6.000
MS51959-37	6-32 x 1-3/4" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6.000
MS51959-4	2-56 x 5/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	29.000
MS51959-40	8-32 x 3/16" Phillips 82/80° Flat U/C M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5.000
MS51959-41	8-32 x 1/4" Phillips 82/80° Flat U/C M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5.000
MS51959-42	8-32 x 5/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	2.000
MS51959-42	8-32 x 5/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6.000
MS51959-45B	8-32 x 1/2" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01 Black Oxide Mil-DTL-13924 CL 4	2.000
MS51959-46	8-32 x 5/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	4.000
MS51959-5	2-56 x 3/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	21.000
MS51959-53	8-32 x 2" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	3.000
MS51959-64	10-24 x 5/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	7.000
MS51959-68	10-24 x 1-1/4" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	3.000
MS51959-9	2-56 x 3/4" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	14.000
MS51960-17	4-48 x 1/4" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	2.000
MS51960-3	0-80 x 1/4" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	14.000
MS51960-3B	0-80 x 1/4" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4 (Misc.)	6.000
MS51960-43	8-36 x 1/4" Phillips 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	5.000
MS51960-63	10-32 x 3/8" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	1.000
MS51960-69	10-32 x 1" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01	5.000
NAS1635-00-10	0-80 x 5/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	6.000
NAS1635-00-14	0-80 x 7/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	1.000
NAS1635-00-6	0-80 x 3/8" Phillips Pan M/S 302 Stainless DFARS Compliant Passivated AMS QQP-35	4.000
NAS1635-01-16	1-64 x 1" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	2.000
NAS1635-01-2	1-64 x 1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate To ASTM A380 code F (Misc.)	23.000

<b>Part#</b>	<b>Description</b>	<b>Qty / M</b>
NAS1635-01-3	1-64 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate To ASTM A380 code F (Misc.)	4.000
NAS1635-01-6	1-64 x 3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	3.000
NAS1635-02-18	2-56 x 1-1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate To ASTM A380 code F (Misc.)	2.000
NAS662C1-2	1-64 x 1/8" Saw Slotted 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	14.000
NAS662C1-4	1-64 x 1/4" Saw Slotted 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	97.000
NAS662C1R3	1-64 x 3/16" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	9.000
NAS662C2R6	2-56 x 3/8" Phillips 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	89.000
NAS662C3R6	3-48 x 3/8" Phillips 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	2.000