



QSLM Level 2/3
Cage code: 07ZN5



NORTH EAST FASTENERS
CORPORATION

Telephone:
(860) 589-3242

Fax:
(860) 589-6969

Web-Site: www.NEF1.com
E-mail: nef@NEF1.com

Mil - Spec Stock List

Part#	Description	Qty / M
AN500-2-3		
AN500-2-3	2-56 x 3/16" Saw Slotted Fillister MS (2A) Steel 1022 Cad SAE-AMS-QQ-P-416,Type1,Class 3	6.000
AN500-2-3	2-56 x 3/16" Saw Slotted Fillister MS (2A) Steel 1022 Cad SAE-AMS-QQ-P-416C,Type1,Class 3	3.000
AN500-2-4		
AN500-2-4	2-56 x 1/4" Saw Slotted Fillister M/S (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416C	2.000
AN500A3-10		
AN500A3-10	3-48 x 5/8" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cad SAE-AMS-QQ-P-416,Type1,Class 3	2.000
AN500A8-22		
AN500A8-22	8-32 x 1-3/8" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416 B	1.000
AN500AD4-10 Rev: 1		
AN500AD4-10 Rev: 7	4-40 X 5/8" Slotted Fillister MS (2A) 302 Stainless Steel Passivated ASTM A967-05e2 Nitric 2	17.000
AN500AD5-10		
AN500AD5-10	5-40 x 5/8" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	1.000
AN500AD5-4		
AN500AD5-4	5-40 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	3.000
AN500AD8-16		
AN500AD8-16	8-32 x 1" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	9.000
AN500AD8-18		
AN500AD8-18	8-32 x 1-1/8" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05e2 (Misc.)	6.000
AN500B2-5		
AN500B2-5	2-56 x 5/16" Saw Slotted Fillister MS (2A) Brass Plain	11.000
AN500D4-3		
AN500D4-3	4-40 x 3/16" Saw Slotted Fillister MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05 (Misc)	12.000

Part#	Description	Qty / M
AN500D6-12		
AN500D6-12	6-32 x 3/4" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	6.000
AN500D6-4		
AN500D6-4	6-32 x 1/4" Saw Slotted Fillister MS (2A) 302 Stainless Steel Passivated ASTM A967-05 (Misc)	3.000
AN500D6-4	6-32 x 1/4" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	2.000
AN500D6-5		
AN500D6-5	6-32 x 5/16" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05e2 (Misc.)	2.000
AN500D8-5		
AN500D8-5	8-32 x 5/16" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	6.000
AN500D8-6		
AN500D8-6	8-32 x 3/8" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	7.000
AN501B1-2		
AN501B1-2	1-72 x 1/8" Saw Slotted Fillister MS (2A) Brass	3.000
AN507-632-7		
AN507-632-7	6-32 x 7/16" Saw Slotted 99/101° Flat MS (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416C	2.000
AN515-3R4		
AN515-3R4	3-48 x 1/4" Phillips Round MS (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416C	3.000
AN515-4-8		
AN515-4-8	4-40 x 1/2" Slotted Round MS (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416 B	1.000
AN515B2-3		
AN515B2-3	2-56 x 3/16" Slotted Round MS (2A) Brass Black Oxide	6.000
AN515C2R4		
AN515C2R4	2-56 x 1/4" Phillips Round MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05	3.000
AN520-1-2		
AN520-1-2	1-72 x 1/8" Slotted Round M/S (2A) Steel 1022 Cad QQ-P-416,Type1,Class 3	11.000
AN520-1-7		
AN520-1-7	1-72 x 7/16" Slotted Round M/S (2A) Steel 1022 Cad QQ-P-416,Type1,Class 3	10.000
AN520C0R2		
AN520C0R2	0-80 x 1/8" Phillips Round MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQ-P-35	1.000

Part#	Description	Qty / M
MS21093-0409	4-40 x 1/4" Phillips 99/101° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS- Locking Element - Nylon Patch Type. Cert. Required (Misc.)	3.000
MS21093-0413 Rev I		
MS21093-0413 Rev NEW	4-40 x 1/2" Phillips 99/101° Flat MS (2A) Steel 1022 Cad QQ-P-416,Type11,Class 3 With Locking Element	27.000
MS21207C10-8		
MS21207C10-8	10-16 x 1/2" Phillips Flat 100° Marked With One Dash Type B Stainless Steel 410 Brite Hardened Passivate SAE-AMS2700C Method 1, Type 2 Class 4	2.000
MS21318-1		
MS21318-1	00-6 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416C (Misc.)	10.000
MS21318-13		
MS21318-13	2-8 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416C (Misc.)	4.000
MS21318-14		
MS21318-14	2-8 x 3/16" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416C (Misc.)	3.000
MS21318-15		
MS21318-15	2-8 x 1/4" Conventional Round Type U Steel 1022 Heat Treat Cad QQ-P-416,Type II,Class 3	8.000
MS21318-19		
MS21318-19	4-7 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416B (Misc)	6.000
MS21318-7		
MS21318-7	0-6 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416B (Misc.)	103.000
MS24628-48		
MS24628-48	10-24 x 1/2" Phillips 82/80° Flat U/C Type F Stainless Steel 410 Brite Hardened Passivate SAE-AMS2700C Method 1, Type 2 Class 4	3.000
MS24629-1		
MS24629-1	2-56 x 1/8" Phillips Pan Type F Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416C	2.000
MS24629-46		
MS24629-46	10-24 x 1/2" Phillips Pan Type F Steel 1022 Heat Treat Cadmium Plate Yellow Chromate Baked Type 2 Class 3 AMS-QQ-P-416B	7.000
MS24630-11		
MS24630-11	4-40 x 5/16" Phillips Pan Type F Stainless Steel 410 Heat Treat Passivated ASTM A967-05e2	5.000
MS24630-14		
MS24630-14	4-40 x 5/8" Phillips Pan Type F Stainless Steel 410 Brite Hardened Passivated ASTM A967-05e2	6.000
MS24630-21		

Part#	Description	Qty / M
MS24630-21	6-32 x 1/4" Phillips Pan Type F Stainless Steel 410 Brite Hardened Passivated ASTM A967-05e2 Nitric 2	6.000
MS24667-1		
MS24667-1	4-40 x 1/4" Mortorq ® Flat Head Cap Screw MS 3A 4037 Alloy Steel Heat Treat RC 39-42 ASTM F835 Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416B	5.000
MS24693-28B		
MS24693-28B	6-32 x 1/2" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc)	1.000
MS24693-B17		
MS24693-B17	2-56 x 0.1560" Phillips 99/101° Flat MS (2A) Brass Plain (Misc)	6.000
MS24693-B228		
MS24693-B228	6-40 x 1/2" Phillips 99/101° Flat MS (2A) Brass Plain (Misc)	1.000
MS24693-B5		
MS24693-B5	4-40 x 7/16" Phillips 99/101° Flat MS (2A) Brass Plain (Misc)	3.000
MS24693-BB34		
MS24693-BB34	6-32 x 1-1/4" Phillips 99/101° Flat MS (2A) Brass Black On Brass MIL-F-495 (Misc)	7.000
MS24693-C1		
MS24693-C1	4-40 x 3/16" Phillips 99/101° Flat M/S (2A) 302 Stainless Steel Passivated ASTM A967-05 (Misc)	5.000
MS24693-C1	4-40 x 3/16" Phillips 99/101° Flat M/S (2A) 302 Stainless Steel Passivated ASTM A967-05 (Misc)**	9.000
MS24693-C10		
MS24693-C10	4-40 x 1" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	7.000
MS24693-C12		
MS24693-C12	4-40 x 1-1/4" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	2.000
MS24693-C12	4-40 x 1-1/4" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	3.000
MS24693-C217		
MS24693-C217	0-80 x 3/32" Phillips 99/101° Flat M/S (2A) 302 HQ Stainless Steel Passivated ASTM A967-05	4.000
MS24693-C219		
MS24693-C219	0-80 x 5/32" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	5.000
MS24693-C224		
MS24693-C224	6-40 x 1/4" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	6.000
MS24693-C23		
MS24693-C23	6-32 x 3/16" Phillips Flat 100° Marked With One Dash MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05	41.000

Part#	Description	Qty / M
MS24693-C230		
MS24693-C230	6-40 x 3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01	8.000
MS24693-C232		
MS24693-C232	6-40 x 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01	7.000
MS24693-C252		
MS24693-C252	8-36 x 3/4" Phillips Flat 100 (Marked With One Dash) MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01	6.000
MS24693-C26		
MS24693-C26	6-32 x 3/8" Phillips 99/101° Flat Marked Heads M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	2.000
MS24693-C268		
MS24693-C268	10-32 x 1/4" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	5.000
MS24693-C270		
MS24693-C270	10-32 x 3/8" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless Steel Passivated ASTM A967-05**	91.000
MS24693-C272		
MS24693-C272	10-32 x 1/2" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	2.000
MS24693-C272	10-32 x 1/2" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	4.000
MS24693-C272	10-32 x 1/2" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	177.000
MS24693-C272	10-32 x 1/2" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	3.000
MS24693-C276		
MS24693-C276	10-32 x 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05	3.000
MS24693-C276	10-32 x 1" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Burnished Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	3.000
MS24693-C278		
MS24693-C278	10-32 x 1-1/4" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	6.000
MS24693-C278	10-32 x 1-1/4" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	5.000
MS24693-C28		
MS24693-C28	6-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	4.000
MS24693-C280		
MS24693-C280	10-32 x 1-1/2" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	5.000
MS24693-C29		

Part#	Description	Qty / M
MS24693-C29	6-32 x 5/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	16.000
MS24693-C3		
MS24693-C3	4-40 x 5/16" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	8.000
MS24693-C31		
MS24693-C31	6-32 x 7/8" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	5.000
MS24693-C32 Rev: I		
MS24693-C32 Rev: NEW	6-32 X 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless Steel Passivated ASTM A967, Nitric 5**	5.000
MS24693-C32 Rev: NEW	6-32 X 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless Steel Passivated ASTM A967-05e2 Nitric 2**	75.000
MS24693-C4		
MS24693-C4	4-40 x 3/8" Phillips 99/101° Flat MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05	2.000
MS24693-C421 Rev:		
MS24693-C421 Rev: NEW	0-80 X 1/4" Phillips 99/101° Flat MS (2A) 302 Stainless Steel Passivated ASTM A967-05e2 Nitric 2**	10.000
MS24693-C421 Rev: NEW	0-80 X 1/4" Phillips 99/101° Flat MS (2A) 302 Stainless Steel Passivated ASTM A967-05e2 Nitric 2	160.000
MS24693-C48		
MS24693-C48	8-32 x 3/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	54.000
MS24693-C50		
MS24693-C50	8-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	6.000
MS24693-C51		
MS24693-C51	8-32 x 5/8" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	22.000
MS24693-C51	8-32 x 5/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	4.000
MS24693-C54		
MS24693-C54	8-32 x 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	1.000
MS24693-C54	8-32 x 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	2.000
MS24693-C55		
MS24693-C55	8-32 x 1-1/8" Phillips 99/101° Flat W/Dash M/S (2A) 302 Stainless Steel Passivated ASTM A967-01 (Misc)	25.000
MS24693-C60		
MS24693-C60	8-32 x 1-3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	11.000
MS24693-C69		

Part#	Description	Qty / M
MS24693-C69	10-24 x 5/16" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	2.000
MS24693-C71		
MS24693-C71	10-24 x 7/16" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	4.000
MS24693-C73		
MS24693-C73	10-24 x 5/8" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	2.000
MS24693-C74		
MS24693-C74	10-24 x 3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	11.000
MS24693-C76		
MS24693-C76	10-24 x 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	1.000
MS24693-C78		
MS24693-C78	10-24 x 1-1/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5.000
MS24693-C8		
MS24693-C8	4-40 x 3/4" Phillips 99/101° Flat MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05 (Misc)	6.000
MS24693-C8	4-40 x 3/4" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	1.000
MS24693-C9		
MS24693-C9	4-40 x 7/8" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	10.000
MS24693-S23		
MS24693-S23	6-32 x 3/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)	7.000
MS24693-S268		
MS24693-S268	10-32 x 1/4" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)	2.000
MS24693-S269		
MS24693-S269	10-32 x 5/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)	3.000
MS24693-S270		
MS24693-S270	10-32 x 3/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)	1.000
MS24693-S274		
MS24693-S274	10-32 x 3/4" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)	6.000
MS24693-S275		

Part#	Description	Qty / M
MS24693-S275	10-32 x 7/8" Phillips 99/101° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B	1.000
MS24693-S276		
MS24693-S276	10-32 x 1" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)	1.000
MS24693-S279		
MS24693-S279	10-32 x 1-3/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)	8.000
MS24693-S281		
MS24693-S281	10-32 x 1-5/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)	2.000
MS24693-S283		
MS24693-S283	10-32 x 1-7/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)	2.000
MS24693-S48		
MS24693-S48	8-32 x 3/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)	7.000
MS24693-S53		
MS24693-S53	8-32 x 7/8" Phillips 99/101° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B	1.000
MS24693-S56		
MS24693-S56	8-32 x 1-1/4" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)	4.000
MS24693-S69		
MS24693-S69	10-24 x 5/16" Phillips 99/101° Flat MS (2A) Steel 1022 SAE-AMS-QQ-P-416, Type II, Class 3 (Misc)	4.000
MS35190-229		
MS35190-229	4-40 x 1" Phillips 80/82° Flat MS (2A) Steel 1022 Cad QQ-P-416, Type II, Class 3	8.000
MS35190-246		
MS35190-246	6-32 x 2" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)	13.000
MS35190-252		
MS35190-252	8-32 x 7/16" Phillips 82/80° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)	2.000
MS35190-253		
MS35190-253	8-32 x 1/2" Phillips 82/80° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)	4.000
MS35191-202 Rev: N		
MS35191-202 Rev: NEW	0-80 X 3/16" Phillips 80/82° Flat MS (2A) Steel SAE-AMS-QQ-P-416C, Type II, Class 3	5.000
MS35191-203		

Part#	Description	Qty / M
MS35191-203	0-80 x 1/4" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C	2.000
MS35191-215		
MS35191-215	2-64 x 1/4" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C	11.000
MS35206-206		
MS35206-206	2-56 x 7/16" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)	2.000
MS35206-208		
MS35206-208	2-56 x 5/8" Phillips Pan MS (2A) Steel 1022 Cad QQ-P-416,Type11,Class 3	46.000
MS35206-213		
MS35206-213	4-40 x 1/4" Phillips Pan MS (2A) Steel 1022 SAE-AMS-QQ-P-416,Type II,Class 3	2.000
MS35206-227		
MS35206-227	6-32 x 5/16" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)	5.000
MS35206-228		
MS35206-228	6-32 x 3/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B	2.000
MS35206-230Z		
MS35206-230Z	6-32 x 1/2" Phillips Pan MS (2A) Steel 1022 Zinc Yellow per ASTM B633, Fe/Zn 5 Type II (Misc.)	1.000
MS35206-234		
MS35206-234	6-32 x 1" Phillips Pan MS (2A) Steel 1022 SAE-AMS-QQ-P-416,Type II,Class 3	95.000
MS35206-237		
MS35206-237	6-32 x 1-3/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)	6.000
MS35206-242 Rev: N		
MS35206-242 Rev: NEW	8-32 X 5/16" Phillips Pan MS (2A) Steel 1022 SAE-AMS-QQ-P-416C,Type II,Class 3	21.000
MS35206-249 Rev: N		
MS35206-249 Rev: NEW	8-32 x 1" Phillips Pan MS (2A) Steel 1022 PLAIN	45.000
MS35206-252		
MS35206-252	8-32 x 1-3/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)	8.000
MS35206-253		
MS35206-253	8-32 x 2" Phillips Pan MS (2A) Steel 1022 SAE-AMS-QQ-P-416,Type II,Class 3	2.000
MS35206-253	8-32 x 2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)	4.000
MS35206-260		

Part#	Description	Qty / M
MS35206-260	10-24 x 5/16" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)	6.000
MS35206-270		
MS35206-270	10-24 x 1-3/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)	7.000
MS35207-212		
MS35207-212	4-48 x 3/16" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)	2.000
MS35207-231		
MS35207-231	6-40 x 5/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)	1.000
MS35207-259		
MS35207-259	10-32 x 1/4" Phillips Pan M/S (2A) Steel 1022 SAE-AMS-QQ-P-416,Type II,Class 3	4.000
MS35207-260		
MS35207-260	10-32 x 5/16" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)	6.000
MS35207-261		
MS35207-261	10-32 x 3/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)	5.000
MS35207-263		
MS35207-263	10-32 x 1/2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)	6.000
MS35207-267		
MS35207-267	10-32 x 1" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)	1.000
MS35207-271		
MS35207-271	10-32 x 2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)	12.000
MS35214-115		
MS35214-115	8-32 x 1.1200" Phillips Pan MS (2A) Brass Black On Brass MIL-F-495 (Misc)	2.000
MS35214-13		
MS35214-13	4-40 x 0.3100" Phillips Pan MS (2A) Brass Black On Brass MIL-F-495	13.000
MS35214-28		
MS35214-28	6-32 x 0.6200" Phillips Pan MS (2A) Brass Black On Brass MIL-F-495 (Misc)	4.000
MS35214-43		
MS35214-43	8-32 x 5/8" Phillips Pan M/S (2A) Brass Black On Brass MIL-F-495 (Misc)	8.000
MS35214-53		
MS35214-53	10-24 x 0.3800" Phillips Pan MS (2A) Brass Black On Brass MIL-F-495	11.000
MS35214-59		

Part#	Description	Qty / M
MS35214-59	10-24 x 1" Phillips Pan MS (2A) Brass Black On Brass MIL-F-495 (Misc)	1.000
MS35215-53		
MS35215-53	10-32 x 0.3800" Phillips Pan MS (2A) Brass Black On Brass MIL-F-495	4.000
MS35233-3		
MS35233-3	2-56 x 1/4" Slotted Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4	4.000
MS35249-9		
MS35249-9	2-56 x 3/16" Saw Slotted 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05e2	2.000
MS35265-1		
MS35265-1	2-56 x 0.1200" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)	2.000
MS35265-11		
MS35265-11	4-40 X 1/8" Slotted Drilled Fillister MS (2A) Steel 1022 SAE-AMS-QQ-P-416C,Type II,Class 3	3.000
MS35265-2		
MS35265-2	2-56 x 0.1900" Saw Slotted Drilled Fillister MS (2A) Steel 1022 SAE-AMS-QQ-P-416,Type II,Class 3	3.000
MS35265-40		
MS35265-40	8-32 x 0.1900" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C	1.000
MS35265-43		
MS35265-43	8-32 x 0.3800" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)	4.000
MS35265-65		
MS35265-65	10-24 x 3/4" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B	2.000
MS35266-61		
MS35266-61	10-32 x 0.3800" Saw Slotted Drilled Fillister MS (2A) Steel 1022 SAE-AMS-QQ-P-416,Type II,Class 3	5.000
MS35266-63		
MS35266-63	10-32 x 1/2" Saw Slotted Drilled Fillister MS (2A) Steel 1022 (PLAIN)	3.000
MS35266-63	10-32 x 1/2" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)	1.000
MS35275-202		
MS35275-202	2-56 x 0.1880" Saw Slotted Drilled Fillister MS (2A) 302 Stainless Steel Passivated ASTM A967-01	2.000
MS35275-202	2-56 x 0.1880" Saw Slotted Drilled Fillister MS (2A) 302 Stainless Steel Passivated ASTM A967-05	2.000
MS35275-203		

Part#	Description	Qty / M
MS35275-203	2-56 x 1/4" Saw Slotted Fillister MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05 (Misc.)	25.000
MS35275-203	2-56 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	5.000
MS35275-204		
MS35275-204	2-56 x 5/16" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	21.000
MS35275-205		
MS35275-205	2-56 x 3/8" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	21.000
MS35275-207		
MS35275-207	2-56 x 1/2" Saw Slotted Drilled Fillister M/S (2A) 302 Stainless Steel Passivated ASTM A967-01	4.000
MS35275-207	2-56 x 1/2" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	20.000
MS35275-212		
MS35275-212	4-40 x 3/16" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	7.000
MS35275-212	4-40 x 3/16" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	3.000
MS35275-215		
MS35275-215	4-40 x 3/8" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	15.000
MS35275-217		
MS35275-217	4-40 x 1/2" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	14.000
MS35275-218		
MS35275-218	4-40 x 5/8" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	6.000
MS35275-219		
MS35275-219	4-40 x 3/4" Saw Slotted Drilled Fillister M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01 (Misc.)	5.000
MS35275-219	4-40 x 3/4" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	10.000
MS35275-225		
MS35275-225	6-32 x 0.1880" Saw Slotted Drilled Fillister M/S (2A) 302 Stainless Steel Passivated AMS QQP-35	2.000
MS35275-225	6-32 x 3/16" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	18.000
MS35275-226		
MS35275-226	6-32 x 1/4" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	12.000
MS35275-227		

Part#	Description	Qty / M
MS35275-227	6-32 x 5/16" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	13.000
MS35275-228		
MS35275-228	6-32 x 3/8" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	14.000
MS35275-229		
MS35275-229	6-32 x 7/16" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	7.000
MS35275-230		
MS35275-230	6-32 x 1/2" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	8.000
MS35275-231		
MS35275-231	6-32 x 5/8" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	8.000
MS35275-232		
MS35275-232	6-32 x 3/4" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	2.000
MS35275-232	6-32 x 3/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	3.000
MS35275-232	6-32 x 3/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	2.000
MS35275-233		
MS35275-233	6-32 x 7/8" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	2.000
MS35275-233	6-32 x 7/8" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	8.000
MS35275-234		
MS35275-234	6-32 x 1" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	8.000
MS35275-241		
MS35275-241	8-32 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	2.000
MS35275-241	8-32 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	2.000
MS35275-242		
MS35275-242	8-32 x 5/16" Saw Slotted UN- Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	5.000
MS35275-243		
MS35275-243	8-32 x 3/8" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	12.000
MS35275-244		
MS35275-244	8-32 x 7/16" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	14.000

Part#	Description	Qty / M
MS35275-245		
MS35275-245	8-32 x 1/2" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	9.000
MS35275-246		
MS35275-246	8-32 x 5/8" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	2.000
MS35275-247		
MS35275-247	8-32 x 3/4" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	9.000
MS35275-247	8-32 x 3/4" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	2.000
MS35275-248		
MS35275-248	8-32 x 7/8" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	10.000
MS35275-249		
MS35275-249	8-32 x 1" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	6.000
MS35275-250		
MS35275-250	8-32 x 1-1/4" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05e2 (Misc.)	1.000
MS35275-260		
MS35275-260	10-24 x 5/16" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	6.000
MS35275-263		
MS35275-263	10-24 x 1/2" Saw Slotted Drilled Fillister M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	2.000
MS35275-267		
MS35275-267	10-32 x 1" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	11.000
MS35275-268		
MS35275-268	10-24 x 1-1/4" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	9.000
MS35276-260		
MS35276-260	10-32 x 5/16" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	8.000
MS35276-265		
MS35276-265	10-32 x 3/4" Saw Slotted Un-drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	7.000
MS35276-268		
MS35276-268	10-32 x 1-1/4" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	8.000
MS51492-14		

Part#	Description	Qty / M
MS51492-14	10-24 x 1/2" Phillips Pan MS (2A) Steel 1022 Zinc & Yellow .0002	13.000
MS51492-14	10-24 x 1/2" Phillips Pan MS (2A) Steel 1022 Zinc & Yellow .0002	10.000
MS51861-25		
MS51861-25	6-20 x 1/2" Phillips Pan Type AB Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416B	2.000
MS51896-14		
MS51896-14	8-32 x 5/8" Phillips Pan Captive 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	9.000
MS51896-1B		
MS51896-1B	4-40 x 3/8" Phillips Pan Captive 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc)	2.000
MS51896-8		
MS51896-8	6-32 x 7/16" Phillips Pan Captive 302 Stainless DFARS Compliant Passivated AMS QQ-P-35 (Misc.)	1.000
MS51896-9		
MS51896-9	6-32 x 1/2" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	12.000
MS51957-1		
MS51957-1	2-56 x 1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	4.000
MS51957-10		
MS51957-10	2-56 x 7/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	4.000
MS51957-11		
MS51957-11	4-40 x 1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	13.000
MS51957-12		
MS51957-12	4-40 x 3/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	358.000
MS51957-120		
MS51957-120	4-40 x 9/16" Phillips Pan M/S (2A) 302 HQ Stainless Steel Passivated ASTM A967-05	5.000
MS51957-123		
MS51957-123	6-32 x 9/16" Phillips Pan M/S (2A) 302 Stainless Steel Passivated ASTM A967-05	3.000
MS51957-124		
MS51957-124	6-32 x 1-1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05e2 (Misc.)	2.000
MS51957-125		
MS51957-125	6-32 x 1-3/8" Phillips Pan MS (2A) 302 Stainless Steel Passivated ASTM A967-01 (Misc)	1.000
MS51957-125	6-32 x 1-3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	10.000

Part#	Description	Qty / M
MS51957-128		
MS51957-128	8-32 x 1-3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	14.000
MS51957-13		
MS51957-13	4-40 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	675.000
MS51957-15		
MS51957-15	4-40 x 3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	69.000
MS51957-16		
MS51957-16	4-40 x 7/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	4.000
MS51957-18		
MS51957-18	4-40 x 5/8" Phillips Pan MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05	9.000
MS51957-18	4-40 x 5/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	17.000
MS51957-2		
MS51957-2	2-56 x 3/16" Phillips Pan M/S (2A) 302 Stainless Steel Passivated ASTM A967-05**	40.000
MS51957-21		
MS51957-21	4-40 x 1" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	26.000
MS51957-22		
MS51957-22	4-40 x 1-1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	28.000
MS51957-22B		
MS51957-22B	4-40 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc.)	2.000
MS51957-24		
MS51957-24	6-32 x 1/8" Phillips Pan MS (2A) 302 Stainless Steel Passivated ASTM A967-05	3.000
MS51957-26		
MS51957-26		23.000
MS51957-27		
MS51957-27	6-32 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	216.000
MS51957-29		
MS51957-29	6-32 x 7/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	10.000
MS51957-31B		
MS51957-31B	6-32 x 5/8" Phillips Pan M/S 302 Stainless Steel Passivated ASTM A967-05 Black Oxide Mil-DTL-13924 CL 4	3.000
MS51957-32		

Part#	Description	Qty / M
MS51957-32	6-32 x 3/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	4.000
MS51957-33		
MS51957-33	6-32 x 7/8" Phillips Pan MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05	5.000
MS51957-34		
MS51957-34	6-32 x 1" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	15.000
MS51957-34B		
MS51957-34B	6-32 x 1" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4 (Misc.)	3.000
MS51957-35		
MS51957-35	6-32 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	3.000
MS51957-36		
MS51957-36	6-32 x 1-1/2" Phillips Pan M/S (2A) 302 Stainless Steel Passivated ASTM A967-05	1.000
MS51957-36	6-32 x 1-1/2" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	4.000
MS51957-37		
MS51957-37	6-32 x 1-3/4" Phillips Pan M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	10.000
MS51957-40		
MS51957-40	8-32 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	12.000
MS51957-41		
MS51957-41	8-32 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	7.000
MS51957-41	8-32 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	14.000
MS51957-42		
MS51957-42	8-32 x 5/16" Phillips Pan MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05	3.000
MS51957-42S316		
MS51957-42S316	8-32 x 5/16" Phillips Pan MS (2A) 316 Stainless Steel Passivated ASTM A967-05 (Misc)	5.000
MS51957-43		
MS51957-43	8-32 x 3/8" Phillips Pan M/S (2A) 302 HQ Stainless Steel Passivated ASTM A967-05	5.000
MS51957-43	8-32 x 3/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	5.000
MS51957-44		
MS51957-44	8-32 x 7/16" Phillips Pan M/S 302 Stainless Steel Passivated ASTM A967-05 (Misc)	3.000
MS51957-44	8-32 x 7/16" Phillips Pan MS (2A) 302 Stainless Steel Passivated ASTM A967-05	112.000
MS51957-44B		

Part#	Description	Qty / M
MS51957-44B	8-32 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 Black Oxide Mil-DTL-13924 CL 4 (Misc)	8.000
MS51957-44B	8-32 x 7/16" Phillips Pan MS (2A) 302 Stainless Steel Passivated ASTM A967-05 Black Oxide Mil-DTL-13924 CL 4 (Misc)	3.000
MS51957-46		
MS51957-46	8-32 x 5/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	4.000
MS51957-48		
MS51957-48	8-32 x 7/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	4.000
MS51957-50		
MS51957-50	8-32 x 1-1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	3.000
MS51957-51		
MS51957-51	8-32 x 1-1/2" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6.000
MS51957-53		
MS51957-53	8-32 x 2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	6.000
MS51957-53S316		
MS51957-53S316	8-32 x 2" Phillips Pan MS (2A) 316L Stainless Steel Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	2.000
MS51957-59		
MS51957-59	10-24 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	9.000
MS51957-6		
MS51957-6	2-56 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	91.000
MS51957-6	2-56 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	91.000
MS51957-60		
MS51957-60	10-24 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	12.000
MS51957-60	10-24 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05e2 (Misc.)	3.000
MS51957-61B		
MS51957-61B	10-24 x 3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 Black Oxide Mil-DTL-13924 CL 4	1.000
MS51957-64		
MS51957-64	10-24 x 5/8" Phillips Pan M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01	1.000
MS51957-64	10-24 x 5/8" Phillips Pan MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05 (Misc)	3.000
MS51957-69		

Part#	Description	Qty / M
MS51957-69	10-24 x 1-1/2" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	8.000
MS51957-8		
MS51957-8	2-56 x 5/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	65.000
MS51957-9		
MS51957-9	2-56 x 3/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	20.000
MS51958-120B		
MS51958-120B	0-80 x 1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc)	4.000
MS51958-121B		
MS51958-121B	0-80 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc)	4.000
MS51958-122B		
MS51958-122B	0-80 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc)	7.000
MS51958-123		
MS51958-123	0-80 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	8.000
MS51958-124		
MS51958-124	0-80 x 3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	11.000
MS51958-15		
MS51958-15	4-48 x 3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	7.000
MS51958-27		
MS51958-27	6-40 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	4.000
MS51958-27	6-40 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	4.000
MS51958-29		
MS51958-29	6-40 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5.000
MS51958-44		
MS51958-44	8-36 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5.000
MS51958-48		
MS51958-48	8-36 x 7/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6.000
MS51958-58		

Part#	Description	Qty / M
MS51958-58	10-32 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6.000
MS51958-62		
MS51958-62	10-32 x 7/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1 (Misc.)	4.000
MS51958-65B		
MS51958-65B	10-32 x 3/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc)	4.000
MS51958-68		
MS51958-68	10-32 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	6.000
MS51958-68	10-32 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	11.000
MS51959-1		
MS51959-1	2-56 x 1/8" Phillips 82/80° Flat U/C M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	16.000
MS51959-10		
MS51959-10	2-56 x 7/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	10.000
MS51959-12		
MS51959-12	4-40 x 3/16" Phillips 82/80° Flat U/C M/S (2A) 302 HQ Stainless Steel Passivated ASTM A967-05 (Misc)	11.000
MS51959-12	4-40 x 3/16" Phillips 82/80° Flat U/C M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1 (Misc.)	50.000
MS51959-12	4-40 x 3/16" Phillips 82/80° Flat U/C M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	10.000
MS51959-13		
MS51959-13	4-40 x 1/4" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	50.000
MS51959-14		
MS51959-14	4-40 x 5/16" Phillips 80/82° Flat MS (2A) 302 Stainless Steel Passivated ASTM A967-05 (Misc)**	137.000
MS51959-14	4-40 x 5/16" Phillips 80/82° Flat MS (2A) 302 Stainless Steel Passivated ASTM A967-05 (Misc)**	243.000
MS51959-15		
MS51959-15	4-40 x 3/8" Phillips 80/82° Flat M/S 302 HQ Stainless Steel Passivated ASTM A967-05	4.000
MS51959-15	4-40 x 3/8" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1 (Misc.)	105.000
MS51959-16		
MS51959-16	4-40 x 7/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	14.000
MS51959-16	4-40 x 7/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	20.000
MS51959-2		

Part#	Description	Qty / M
MS51959-2	2-56 x 3/16" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	20.000
MS51959-2	2-56 x 3/16" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1 (Misc.)	216.000
MS51959-2	2-56 x 3/16" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1 (Misc.)	9.000
MS51959-26		
MS51959-26	6-32 x 1/4" Phillips 80/82° Flat M/S 302 Stainless DFARS Compliant Passivated ASTM A967-05	97.000
MS51959-29		
MS51959-29	6-32 x 7/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	11.000
MS51959-3		
MS51959-3	2-56 x 1/4" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1 (Misc.)	200.000
MS51959-30		
MS51959-30	6-32 x 1/2" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	13.000
MS51959-31		
MS51959-31	6-32 x 5/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	5.000
MS51959-33		
MS51959-33	6-32 x 7/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6.000
MS51959-36		
MS51959-36	6-32 x 1-1/2" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1 (Misc.)	3.000
MS51959-36	6-32 x 1-1/2" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1 (Misc.)	3.000
MS51959-37		
MS51959-37	6-32 x 1-3/4" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6.000
MS51959-40		
MS51959-40	8-32 x 3/16" Phillips 82/80° Flat U/C M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	5.000
MS51959-42		
MS51959-42	8-32 x 5/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	2.000
MS51959-42	8-32 x 5/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	6.000
MS51959-44		
MS51959-44	8-32 x 7/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	1.000

Part#	Description	Qty / M
MS51959-44	8-32 x 7/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	9.000
MS51959-45		
MS51959-45	8-32 x 1/2" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1 (Misc.)	2.000
MS51959-45B		
MS51959-45B	8-32 x 1/2" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01 Black Oxide Mil-DTL-13924 CL 4	2.000
MS51959-46		
MS51959-46	8-32 x 5/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	4.000
MS51959-53		
MS51959-53	8-32 x 2" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	3.000
MS51959-64		
MS51959-64	10-24 x 5/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	7.000
MS51959-68		
MS51959-68	10-24 x 1-1/4" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	3.000
MS51959-7		
MS51959-7	2-56 X 1/2" Phillips 80/82° Flat MS (2A) 302 Stainless Steel Passivated AMS QQ-P-35 Type VI**	35.000
MS51959-9		
MS51959-9	2-56 x 3/4" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)	14.000
MS51960-1		
MS51960-1	0-80 x 1/8" Phillips 82/80° Flat U/C MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	24.000
MS51960-17		
MS51960-17	4-48 x 1/4" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	2.000
MS51960-2		
MS51960-2	0-80 x 3/16" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	43.000
MS51960-3B		
MS51960-3B	0-80 x 1/4" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4 (Misc.)	6.000
MS51960-43		
MS51960-43	8-36 x 1/4" Phillips 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)	5.000
MS51960-62		

Part#	Description	Qty / M
MS51960-62	10-32 x 5/16" Phillips 82/80° Flat U/C MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4	2.000
MS51960-63		
MS51960-63	10-32 x 3/8" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	1.000
MS51960-69		
MS51960-69	10-32 x 1" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01	5.000
MS51960-69	10-32 x 1" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	3.000
NAS1352-04-4P		
NAS1352-04-4P	4-40 x 1/4" Socket Head Cap MS 3A A-8740 Alloy Steel DFARS H/T to AMS-H-6875/A; AMS 2759/1D Cadmium Plate Yellow Chromate Baked Type 2 Class 2 AMS-QQ-P-416C	9.000
NAS1635-00-10		
NAS1635-00-10	0-80 x 5/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	6.000
NAS1635-00-14		
NAS1635-00-14	0-80 x 7/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	1.000
NAS1635-00-6		
NAS1635-00-6	0-80 x 3/8" Phillips Pan M/S 302 Stainless DFARS Compliant Passivated AMS QQP-35	4.000
NAS1635-01-16		
NAS1635-01-16	1-64 x 1" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	2.000
NAS1635-01-2		
NAS1635-01-2	1-64 x 1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate To ASTM A380 code F (Misc.)	3.000
NAS1635-01-3		
NAS1635-01-3	1-64 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate To ASTM A380 code F (Misc.)	4.000
NAS1635-01-6		
NAS1635-01-6	1-64 x 3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	3.000
NAS1635-02LR4		
NAS1635-02LR4	2-56 x 1/4" Phillips Pan M/S (2A) 302 Stainless Steel Passivated ASTM A967-05 Patch	6.000
NAS1635-06-LE6P R		
NAS1635-06-LE6P Rev: 2	6-32 x .375 Phillips Pan (6 Dots on Head) M/S (2A) (Locking Patch) 18-8 Stainless Passivate Mil-F-14072-E300 Black Oxide Mil-C-13924 Cl. 3	5.000
NAS1635-06LL4P		
NAS1635-06LL4P	6-32 x 1/4" Phillips Pan (6 dots on head) M/S 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4 Locking Element - Nylon Strip Type Element (Misc.)	1.000
NAS514P1032-16		

Part#	Description	Qty / M
NAS514P1032-16	10-32 x 1" Marked Cruciform 99/101° Flat UNJF-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B (Misc)	21.000
NAS514P1032-18		
NAS514P1032-18	10-32 x 1-1/8" Marked Cruciform 99/101° Flat UNJF-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B (Misc)	10.000
NAS514P1032-7		
NAS514P1032-7	10-32 x 0.4380" Marked Cruciform 99/101° Flat UNJF-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC (AMS-H-6875/A) Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B (Misc)	24.000
NAS514P1032-8		
NAS514P1032-8	10-32 x 1/2" Marked Cruciform 99/101° Flat UNJF-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B (Misc)	4.000
NAS514P632-12		
NAS514P632-12	6-32 x 3/4" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B (Misc)	12.000
NAS514P632-4		
NAS514P632-4	6-32 x 1/4" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC (AMS-H-6875/A) Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B (Misc)	20.000
NAS514P632-5P		
NAS514P632-5P	6-32 x 5/16" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel Heat Treated 26-32 HRC (AMS-H-6875/A) Cadmium Plate Yellow Chromate Type 2 Class 3 AMS- (Misc)	11.000
NAS514P832-10		
NAS514P832-10	8-32 x 5/8" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B (Misc)	5.000
NAS514P832-10P		
NAS514P832-10P	8-32 x 5/8" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC Cadmium Plate Yellow Chromate Type 2 Class 2 AMS-QQ-P-416 B	5.000
NAS600-5		
NAS600-5	4-40 x 0.3100" Marked Cruciform Pan UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 36-40 HRC Cadmium Plate and Baked Type 1 Class 2 AMS-QQ-P-416 B (Misc)	8.000
NAS602-4		
NAS602-4	8-32 x 1/4" Marked Cruciform Pan UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 36-40 HRC Cadmium Plate and Baked Type 1 Class 2 AMS-QQ-P-416 B (Misc)	67.000
NAS603-4P		
NAS603-4P	10-32 x 1/4" Marked Cruciform Pan UNJF-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 36-40 HRC Cadmium Plate Yellow Chromate Baked Type 2 Class 2 AMS-QQ-P-416B (Misc)	10.000
NAS603-5P		

Part#	Description	Qty / M
NAS603-5P	10-32 x 0.3100" Marked Cruciform Pan UNJF-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC Cadmium Plate Yellow Chromate Baked Type 2 Class 2 AMS-QQ-P-416B (Misc)	3.000
NAS603-7		
NAS603-7	10-32 x 0.4400" Marked Cruciform Pan UNJF-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 36-40 HRC Cadmium Plate and Baked Type 1 Class 2 AMS-QQ-P-416 B (Misc)	11.000
NAS662C1-2		
NAS662C1-2	1-64 x 1/8" Saw Slotted 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	9.000
NAS662C1-4		
NAS662C1-4	1-64 x 1/4" Saw Slotted 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)	97.000
NAS662C1R3		
NAS662C1R3	1-64 x 3/16" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05	6.000
NAS662C2R3		
NAS662C2R3	2-56 x 3/16" Phillips 99/101° Flat M/S (2A) 302 HQ Stainless Steel Passivated ASTM A967-05 (Misc)	59.000
NAS662C2R3	2-56 x 3/16" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	376.000
NAS662C2R3	2-56 x 3/16" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	43.000
NAS662C2R4		
NAS662C2R4	2-56 x 1/4" Phillips 99/101° Flat M/S (2A) 302 HQ Stainless Steel Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	5.000
NAS662C2R4	2-56 x 1/4" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	25.000
NAS662C2R4	2-56 x 1/4" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	103.000
NAS662C2R7		
NAS662C2R7	2-56 x 7/16" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)	4.000
NAS662C2R9		
NAS662C2R9	2-56 x 9/16" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)	4.000
NAS662C3R6		
NAS662C3R6	3-48 x 3/8" Phillips 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)	2.000
NASM35190-270 Re		
NASM35190-270 Rev: NEW	10-24 X 0.438 Phillips 80/82° Flat MS (2A) Steel 1022 SAE-AMS-QQ-P-416C,Type II,Class 3	7.000
NASM35206-249 Re		

Part#
NASM35206-249
Rev: NEW

Description
8-32 X 1" Phillips Pan MS (2A) Steel 1022 SAE-AMS-QQ-P-416C,Type II,Class 3

Qty / M
7.000

**** These fasteners were manufactured at Wili Precision Fasteners Co., Ltd., NEF's wholly U.S. owned sister company located in Ningbo China. Wili Precision is a modern U.S. company and has been manufacturing superior quality fasteners for a global market since 2001. Wili Fasteners is ISO 9001-2000 registered and every part has a 100% NEF Quality Guarantee.**