



QSLM Level 2/3  
Cage code: 07ZN5



**NORTH EAST FASTENERS**  
C O R P O R A T I O N

Telephone:  
(860) 589-3242

Fax:  
(860) 589-6969

Web-Site: www.NEF1.com  
E-mail: nef@NEF1.com

## Stock List

*Qty* *Description*

### 00-56

- 26000 00-56 X 1/8" Phillips 80/82° Flat Type B 302 Stainless Steel  
4000 00-56 x 1/8" Phillips Pan Type AB Steel 1022 Heat Treat Brite Zinc / Bake & Chromate

### 00-6

- 3000 00-6 x 5/64" Conventional Round Special Type U Steel 1022 Heat Treat Cadmium & Bake Clear .0002 min thick  
8000 00-6 x 1/8" Conventional Round Type U 302 Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI  
10000 00-6 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416C (Misc.)  
8000 00-6 x 5/32" Slotted Round Type U 302 Stainless DFARS Compliant  
53000 00-6 x 1/4" Conventional Round Type U 18-8 Stainless  
19000 00-6 x 1/4" Special Round Type U Brass  
3000 00-6 x 1/4" Special Round Type U Brass  
24000 00-6 x 5/16" Conventional Round Type U 302 Stainless Steel  
5000 00-6 x 5/16" Conventional Round Type U 302 Stainless Steel  
5000 00-6 x 3/8" Conventional Round Type U 302HQ Stainless DFARS Compliant

### 00-90

- 33000 00-90 X 1/16" Slotted Pan MS (2A) 302 HQ Stainless Steel  
7000 00-90 x 3/32" Slotted Round MS (2A) 302 HQ Stainless Steel  
30000 00-90 x 1/8" Slotted Pan MS (2A) 302 Stainless Steel  
26000 00-90 x 1/8" Slotted Pan MS (2A) 302 HQ Stainless Steel  
10000 00-90 x 1/8" Slotted Bind MS (2A) 302 Stainless DFARS Compliant Passivate To ASTM A380 code F  
6000 00-90 x 1/8" Slotted Bind MS (2A) 302HQ Stainless DFARS Compliant Passivate To ASTM A380 code F  
20000 00-90 x 3/16" Phillips 80/82° Flat M/S (2A) Steel Bright Zinc & Clear Chromate

**NOT U/C**

<i>Qty</i>	<i>Description</i>
9000	00-90 x 3/16" Slotted Pan MS (2A) 302 Stainless DFARS Compliant
16000	00-90 x 3/16" Slotted Pan MS (2A) Steel 1022 Brite Zinc Trivalent Chromate
30000	00-90 x 1/4" Slotted Pan MS (2A) 302 Stainless Steel
4000	00-90 x 1/2" Slotted Pan MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQP-35
<hr/>	
00-96	
10000	00-96 x 3/32" Saw Slotted SPECIAL 90/92° Flat MS (2A) 302 HQ Stainless Steel
18000	00-96 x 1/8" Slotted Bind MS (2A) 302 Stainless Steel
20000	00-96 x 1/8" Phillips 80/82° Flat MS (2A) 302 Stainless Steel
7000	00-96 x 3/16" Slotted Bind MS (2A) 302 Stainless DFARS Compliant
<hr/>	
0-40	
4000	0-40 x 1/8" 6 - Lobe Pan PTRS 60-1 302 Stainless DFARS Compliant
7000	0-40 x 3/16" 6 - Lobe Pan PTRS 60-1 302HQ Stainless DFARS Compliant
61000	0-40 x 1/4" 6 - Lobe Pan PTRS 60-1 302 Stainless DFARS Compliant
3000	0-40 x 1/4" 6 - Lobe Pan PTRS 48-2 302 Stainless DFARS Compliant
7000	0-40 x 5/16" Slotted Round PTRS 48-2 Partial Thread 302 HQ Stainless Steel
25000	0-40 x 3/8" Phillips Pan PTRS 60-1 Steel 1022 Heat Treat Zinc/Bake & Wax
4000	0-40 x 3/8" Phillips Pan PTRS 60-1 302 Stainless DFARS Compliant
<hr/>	
0-42	
2000	0-42 x 3/16" 6 - Lobe Pan PTRS 60-1 Steel 1022 Heat Treat Black Oxide Mil-DTL-13924 CL 4
6000	0-42 x 3/16" 6 - Lobe Pan PTRS 60-1 Steel 1022 Heat Treat Black Oxide Mil-DTL-13924 CL 4
2000	0-42 x 3/16" Phillips Pan PTRS 60-1 302 Stainless DFARS Compliant
6000	0-42 x 1/4" Phillips Pan PTRS 60-1 302 Stainless DFARS Compliant
<hr/>	
0-48	
6000	0-48 x 3/32" Slotted Truss Type AB 302 Stainless Steel
29000	0-48 x 1/8" Phillips Pan Type B Steel 1022 Heat Treat Zinc W/Black Chromate Baked
7000	0-48 x 1/8" Phillips Pan Type B Steel 1022 Heat Treat Brite Zinc / Bake & Chromate
7000	0-48 x 1/8" Socket Button Head Cap Type B Steel 1022 Heat Treat(Standard) Black Oxide
7000	0-48 x 1/8" Phillips Pan Type AB 302 Stainless DFARS Compliant

**Qty****Description**

---

12000	0-48 x 5/32" Phillips Pan Type B Steel 1022 Heat Treat Zinc W/Black Chromate Baked
2000	0-48 x 1/4" Phillips Pan Type AB 302 Stainless Steel
10000	0-48 x 1/4" Phillips 80/82° Flat Type AB 302 Stainless Steel
4000	0-48 x 1/4" Phillips Pan Type AB Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
13000	0-48 x 3/8" Phillips 80/82° Flat Type AB 302 Stainless Steel
16000	0-48 x 3/8" Phillips 80/82° Flat Type AB Steel 1022 Heat T Brite Zinc / Bake & Chromate
19000	0-48 x 3/8" Phillips Pan Type AB Steel 1022 Heat T Brite Zinc / Bake & Chromate
2000	0-48 x 3/8" Slotted Round Type AB 316 Stainless Steel
12000	0-48 x 1/2" Phillips Pan Type AB 302 Stainless Steel
10000	0-48 x 1/2" Phillips 80/82° Flat Type AB 302 Stainless Steel
6000	0-48 x 1/2" Phillips Pan Type AB Steel 1022 Brite Zinc / Bake & Chromate
13000	0-48 x 1/2" Phillips 80/82° Flat Type AB Steel 1022 NO Brite Zinc / Bake & Chromate
8000	0-48 x 5/8" Phillips 80/82° Flat Type AB Steel 1022 Heat Treat Black Oxide

---

**0-6**

103000	0-6 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416B (Misc.)
4000	0-6 x 1/8" Conventional Round Type U 302 Stainless DFARS Compliant (Misc.)
7000	0-6 x 1/8" Conventional Round Type U Brass
2000	0-6 x 0.1870" +/-0.015" Conventional Round Special Type U 316 Stainless Steel
3000	0-6 X 3/16" Conventional Round Type U 316 Stainless Steel

---

**0-80**

29000	0-80 x 1/16" Phillips Pan M/S (2A) 18-8 Stainless Rinsed & Air Dried Passivated
8000	0-80 x 1/16" Slotted Pan MS (2A) Brass
9000	0-80 x 1/16" Slotted Bind MS (2A) 302 Stainless Steel
14000	0-80 x 1/16"+.010/-0 Slotted Bind M/S (2A) Brass Plain
15000	0-80 x 5/64" Slotted Truss MS (2A) 302 Stainless Steel
19000	0-80 x 5/64"+0/-1/64" Slotted Round MS (2A) Brass (Misc)
13000	0-80 x 3/32" Phillips Fillister MS (2A) 302 Stainless Steel
2000	0-80 x 3/32" 6 - Lobe Pan MS (2A) Steel 1022 Brite Zinc Trivalent Chromate
19000	0-80 x 3/32" Phillips Round MS (2A) 302 HQ Stainless Steel
4000	0-80 x 3/32" Saw Slotted 82/80° Flat U/C MS (2A) 302 HQ Stainless Steel

---

<i>Qty</i>	<i>Description</i>
4000	0-80 x 3/32" Phillips 99/101° Flat M/S (2A) 302 HQ Stainless Steel Passivated ASTM A967-05
5000	0-80 x 3/32" 6 - Lobe Pan MS (2A) Steel 1022 Brite Zinc Trivalent Chromate
4000	0-80 x 3/32" Phillips Round MS (2A) 302 Stainless DFARS Compliant
8000	0-80 x 3/32" Phillips 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant
5000	0-80 x 3/32" Phillips 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant
2000	0-80 x 3/32" Slotted Pan MS (2A) 302 Stainless DFARS Compliant
1000	0-80 x 3/32" Slotted Bind MS (2A) 302 Stainless DFARS Compliant
2000	0-80 x 3/32" Saw Slotted 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant
20000	0-80 x 1/8" Slotted Truss MS (2A) Brass
25000	0-80 x 1/8" Conventional Unindented Hex MS (2A) 302 Stainless Steel
5000	0-80 x 1/8" Phillips Special 82/80° Flat U/C MS (2A) 302 Stainless Steel
10000	0-80 x 1/8" Slotted Bind MS (2A) Brass Black Oxide
36000	0-80 x 1/8" Phillips 82/80° Flat U/C MS (2A) 302 HQ Stainless Steel
10000	0-80 x 1/8" Phillips Spec. Low HH U/C (HD .110/.099) 80/82° Flat (close to min.) M/S 302 HQ Stainless Steel Black Oxide
7000	0-80 x 1/8" Unslotted Unindented Hex MS (2A) Brass
8000	0-80 x 1/8" 6 - Lobe T-5 82/80° Flat U/C MS (2A) Steel 1022 Black Zinc Trivalent Chromate
<b>SPECIAL PARTS MADE PER PRINT NOT IFI</b>	
4000	0-80 x 1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc)
1000	0-80 x 1/8" Phillips Round MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQ-P-35
2000	0-80 x 1/8" Conventional Special Indented Hex MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQ-P-35
1000	0-80 x 1/8" Slotted Pan MS (2A) 302 Stainless DFARS Compliant
3000	0-80 x 1/8" Saw Slotted 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant
4000	0-80 x 1/8" Saw Slotted 82/80° Flat U/C MS (2A) Brass
24000	0-80 x 1/8" Phillips 82/80° Flat U/C MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
12000	0-80 x 1/8" Phillips 82/80° Flat U/C MS (2A) 302HQ Stainless DFARS Compliant
4000	0-80 x 1/8" 6 - Lobe 82/80° Flat U/C MS (2A) 302HQ Stainless DFARS Compliant
85000	0-80 x 5/32" Struck Slotted Fillister MS (2A) 302 HQ Stainless Steel
3000	0-80 x 5/32" Slotted Bind MS (2A) 302 Stainless DFARS Compliant
5000	0-80 x 5/32" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
5000	0-80 x 0.1780" Slotted Pan MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQ-P-35
10000	0-80 x 3/16" Phillips 80/82° Flat M/S (2A) Steel Bright Zinc & Clear Chromate

**Qty****Description**

---

5000	0-80 X 3/16" Phillips 80/82° Flat MS (2A) Steel SAE-AMS-QQ-P-416C, Type II, Class 3
	- QSLM Compliant
25000	0-80 x 3/16" Socket Flat Head Cap Screw MS 3A 4037 Alloy Steel Heat Treat
30000	0-80 x 3/16" Socket Button Head Cap MS 3A 4037 Alloy Steel Heat Treat
36000	0-80 x 3/16" Socket Button Head Cap MS 3A 18-8 Stainless Steel
24000	0-80 x 3/16" Phillips Round MS (2A) 302 HQ Stainless Steel
8000	0-80 x 3/16" +/-0.015 Slotted Bind MS (2A) 302 HQ Stainless Steel
4000	0-80 x 3/16" Saw Slotted Oval MS (2A) 302 HQ Stainless Steel
4000	0-80 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc)
5000	0-80 x 3/16" Slotted Pan MS (2A) 302 Stainless DFARS Compliant
28000	0-80 x 3/16" Saw Slotted 82/80° Flat U/C MS (2A) 18-8 Stainless Steel
3000	0-80 x 3/16" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant
10000	0-80 x 3/16" Phillips 99/101° Flat M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
43000	0-80 x 3/16" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
15000	0-80 X 7/32" Phillips 82/80° Flat U/C MS (2A) 18-8 Stainless Steel
11000	0-80 x 7/32" Phillips 99/101° Flat MS (2A) 302 HQ Stainless Steel
3000	0-80 x 1/4" 6 - Lobe Flat Head Cap Screw MS 3A 18-8 Stainless Steel
25000	0-80 x 1/4" Socket Button Head Cap MS 3A 4037 Alloy Steel Heat Treat
10000	0-80 X 1/4" Phillips 99/101° Flat MS (2A) 302 Stainless Steel Passivated ASTM A967-05e2 Nitric 2
160000	0-80 X 1/4" Phillips 99/101° Flat MS (2A) 302 Stainless Steel Passivated ASTM A967-05e2 Nitric 2
5000	0-80 x 1/4" Phillips Pan MS (2A) Brass
165000	0-80 X 1/4" Socket Button Head Cap MS 3A 18-8 Stainless Steel
7000	0-80 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc)
5000	0-80 x 1/4" Slotted Bind MS (2A) 302 Stainless DFARS Compliant
6000	0-80 x 1/4" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4 (Misc.)
2000	0-80 x 1/4" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C
5000	0-80 x 1/4" Phillips 80/82° Flat MS (2A) Steel 1022 Plain
2000	0-80 x 1/4" Phillips 80/82° Flat MS (2A) Stainless Steel 410
13000	0-80 x 1/4" Phillips 80/82° Flat MS (2A) Steel 1022 Brite Zinc Trivalent Chromate
3000	0-80 x 1/4" Phillips Fillister MS (2A) 302HQ Stainless DFARS Compliant
2000	0-80 x 9/32" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant
4000	0-80 x 9/32" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant

*Qty**Description*

---

13000	0-80 x 5/16" Phillips 80/82° Flat Thread Rolling Screw (TRS) Steel Heat Treat Brite Zinc Chromate & Bake
13000	0-80 x 5/16" Struck Slotted Pan MS (2A) 302 Stainless Steel
20000	0-80 x 5/16" Struck Slotted Round MS (2A) 302 Stainless Steel
7000	0-80 x 5/16" Struck Slotted Bind MS (2A) 302 Stainless DFARS Compliant
13000	0-80 x 5/16" 6 - Lobe 80/82° Flat MS (2A) 302 Stainless DFARS Compliant
8000	0-80 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)
4000	0-80 x 5/16" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant
15000	0-80 x 3/8" Socket Flat Head Cap Screw MS 3A 4037 Alloy Steel Heat Treat
5000	0-80 x 3/8" Phillips Bind ( #1 Head ) M/S (2A) 302 HQ Stainless Steel
7000	0-80 x 3/8" Saw Slotted Fillister MS (2A) Steel 1022 Black Oxide
4000	0-80 x 3/8" Phillips Pan M/S 302 Stainless DFARS Compliant Passivated AMS QQP-35
3000	0-80 x 3/8" 6 - Lobe Button MS (2A) 302 Stainless DFARS Compliant
8000	0-80 x 3/8" Slotted Truss MS (2A) 302 Stainless DFARS Compliant
4000	0-80 x 3/8" Phillips Fillister MS (2A) 302 Stainless DFARS Compliant
3000	0-80 x 3/8" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant
18000	0-80 x 3/8" Struck Slotted Bind MS (2A) 302 Stainless DFARS Compliant
2000	0-80 x 3/8" Struck Slotted Round MS (2A) 302 Stainless DFARS Compliant
2000	0-80 x 3/8" Slotted Round MS (2A) Brass
268000	0-80 x 3/8" Saw Slotted Fillister MS (2A) 3A After Plate Brass Copper Electroplate .0002 Minimum w/Sealer
11000	0-80 x 3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)
2000	0-80 x 3/8" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
9000	0-80 x 7/16" Phillips 99/101° Flat MS (2A) 302 HQ Stainless Steel
4000	0-80 x 7/16" Saw Slotted Fillister MS (2A) Brass
7000	0-80 x 7/16" Phillips Pan MS (2A) Brass
3000	0-80 x 7/16" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant
6000	0-80 x 7/16" Struck Slotted Pan MS (2A) 302 Stainless DFARS Compliant
11000	0-80 x 7/16" Struck Slotted Pan MS (2A) 302 Stainless DFARS Compliant
58000	0-80 x 7/16" Struck Slotted Round MS (2A) 302 Stainless DFARS Compliant
2000	0-80 x 7/16" Slotted Round MS (2A) Brass
7000	0-80 x 1/2" 6 - Lobe Pan MS (2A) 302 Stainless Steel
11000	0-80 x 1/2" Struck Slotted Bind MS (2A) 302 Stainless Steel
9000	0-80 x 1/2" Struck Slotted Round MS (2A) 302 HQ Stainless Steel
12000	0-80 x 1/2" Struck Slotted Pan MS (2A) 302 Stainless DFARS Compliant

*Qty* *Description*

---

3000	0-80 x 0.5200" Phillips Pan MS (2A) 302 Stainless DFARS Compliant
2000	0-80 x 0.5310" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Plain
4000	0-80 x 5/8" Saw Slotted 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05
6000	0-80 x 5/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05
1000	0-80 x 7/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
16000	0-80 x 1" Phillips Round MS (2A) 18-8 Stainless Steel
150000	0-80 x 1" Phillips Pan MS (2A) 302 Stainless Steel
14000	0-80 x 1" Struck Slotted Pan MS (2A) 302 Stainless DFARS Compliant
6000	0-80 x 1" +/- .005 Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant
6000	0-80 x 1" Slotted Bind MS (2A) 302 Stainless DFARS Compliant
11000	0-80 x 1" Saw Slotted Fillister MS (2A) Brass

---

10-16

2000	10-16 x 1/2" Phillips Flat 100° Marked With One Dash Type B Stainless Steel 410 Brite Hardened Passivate SAE-AMS2700C Method 1, Type 2 Class 4
25000	10-16 x 5/8" Phillips Round Type 25 Steel 1022 Heat Treat Cad QQ-P-416, Type 1, Class 3

---

10-24

9000	10-24 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
4000	10-24 x 5/16" Phillips 99/101° Flat MS (2A) Steel 1022 SAE-AMS-QQ-P-416, Type II, Class 3 (Misc)
6000	10-24 x 5/16" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)
12000	10-24 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
6000	10-24 x 5/16" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
3000	10-24 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05e2 (Misc.)
2000	10-24 x 5/16" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
11000	10-24 x 0.3800" Phillips Pan MS (2A) Brass Black On Brass MIL-F-495
4000	10-24 x 7/16" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
7000	10-24 X 0.438 Phillips 80/82° Flat MS (2A) Steel 1022 SAE-AMS-QQ-P-416C, Type II, Class 3

---

**FULL CERTS**

13000	10-24 x 1/2" Phillips Pan MS (2A) Steel 1022 Zinc & Yellow .0002
10000	10-24 x 1/2" Phillips Pan MS (2A) Steel 1022 Zinc & Yellow .0002
7000	10-24 x 1/2" Phillips Pan Type F Steel 1022 Heat Treat Cadmium Plate Yellow Chromate Baked Type 2 Class 3 AMS-QQ-P-416B
2000	10-24 x 1/2" Saw Slotted Drilled Fillister M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05
2000	10-24 x 1/2" Phillips Pan MS 2A After Plate Steel 1022 Zinc Yellow SC3, Type II per ASTM B633, Fe/Zn 12 .0005" min
3000	10-24 x 1/2" Phillips 82/80° Flat U/C Type F Stainless Steel 410 Brite Hardened Passivate SAE-AMS2700C Method 1, Type 2 Class 4
3000	10-24 x 5/8" Phillips Pan MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05 (Misc)
7000	10-24 x 5/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
1000	10-24 x 5/8" +/- .005 Saw Slotted 80/82° Flat MS (2A) Brass
2000	10-24 x 5/8" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
2000	10-24 x 3/4" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B
11000	10-24 x 3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
2000	10-24 x 1" Phillips Pan Type 23 Steel 1022 Heat Treat Zinc Bake Black Trivalent
1000	10-24 x 1" Phillips Pan MS (2A) Brass Black On Brass MIL-F-495 (Misc)
1000	10-24 x 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
5000	10-24 x 1-1/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
9000	10-24 x 1-1/4" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)
3000	10-24 x 1-1/4" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
8000	10-24 x 1-1/2" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
2000	10-24 X 1 - 1/2" Phillips Pan MS (2A) Brass
7000	10-24 x 1-3/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)

**10-32**

13000	10-32 x 3/16" Saw Slotted Fillister MS (2A) 302 Stainless Steel ( Blanks only)
6000	10-32 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)

4000	10-32 x 1/4" Phillips Pan M/S (2A) Steel 1022 SAE-AMS-QQ-P-416,Type II,Class 3
10000	10-32 x 1/4" Marked Cruciform Pan UNJF-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 36-40 HRC Cadmium Plate Yellow Chromate Baked Type 2 Class 2 AMS-QQ-P-416B (Misc)
2000	10-32 x 1/4" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)
5000	10-32 x 1/4" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
3000	10-32 x 0.3100" Marked Cruciform Pan UNJF-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC Cadmium Plate Yellow Chromate Baked Type 2 Class 2 AMS-QQ-P-416B (Misc)
6000	10-32 x 5/16" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)
8000	10-32 x 5/16" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.) Requires secondaries please allow 10 week min. for deliveries
3000	10-32 x 5/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)
2000	10-32 x 5/16" Phillips 82/80° Flat U/C MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
4000	10-32 x 3/8" Phillips Special (Hd .401/.390) U/C (U'C dia. .310/.300 Depth .040/.035 Pan} MS (2A) 302 Stainless Steel Passivated AMS QQP-35 (Misc)
91000	10-32 x 3/8" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless Steel Passivated ASTM A967-05
5000	10-32 x 3/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)
2000	10-32 x 3/8" Phillips Fillister MS (2A) 302 Stainless DFARS Compliant
1000	10-32 x 3/8" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
1000	10-32 x 3/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)
5000	10-32 x 0.3800" Saw Slotted Drilled Fillister MS (2A) Steel 1022 SAE-AMS-QQ-P-416,Type II,Class 3
4000	10-32 x 0.3800" Phillips Pan MS (2A) Brass Black On Brass MIL-F-495
4000	10-32 x 7/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1 (Misc.)
24000	10-32 x 0.4380" Marked Cruciform 99/101° Flat UNJF-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC (AMS-H-6875/A) Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B (Misc)
11000	10-32 x 0.4400" Marked Cruciform Pan UNJF-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 36-40 HRC Cadmium Plate and Baked Type 1 Class 2 AMS-QQ-P-416 B (Misc)

<i>Qty</i>	<i>Description</i>
3000	10-32 x 1/2" Saw Slotted Drilled Fillister MS (2A) Steel 1022 ( PLAIN)
4000	10-32 x 1/2" Marked Cruciform 99/101° Flat UNJF-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B (Misc)
6000	10-32 x 1/2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)
5000	10-32 x 1/2" Phillips Special (Hd dia .401/.390) (U'C dia. .310/.300 depth .040/.035) Pan MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQP-35 (Misc)
1000	10-32 x 1/2" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)
37000	10-32 x 1/2" Combo Phil Square Truss #8 IFI Head Blank Steel 1022
2000	10-32 x 1/2" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
4000	10-32 x 1/2" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
177000	10-32 x 1/2" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
2000	10-32 x 1/2" Phillips 80/82° Flat MS (2A) Brass
3000	10-32 x 1/2" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
4000	10-32 x 3/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc)
6000	10-32 x 3/4" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)
7000	10-32 x 3/4" Saw Slotted Un-drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)
	<b>Requires secondaries please allow 10 week min. for deliveries</b>
12000	10-32 x 20.5mm Phillips Pan Captive & Pointed 302 HQ Stainless Steel Passivated ASTM A967-05 Plain
5000	10-32 x 1" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01
3000	10-32 x 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05
21000	10-32 x 1" Marked Cruciform 99/101° Flat UNJF-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B (Misc)
11000	10-32 x 1" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)
	<b>Requires secondaries please allow 10 week min. for deliveries</b>
3000	10-32 x 1" Phillips Flat 100° Marked With One Dash M/S 302HQ Stainless DFARS Compliant Burnished Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
1000	10-32 x 1" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)
3000	10-32 x 1" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)

<i>Qty</i>	<i>Description</i>
10000	10-32 x 1-1/8" Marked Cruciform 99/101° Flat UNJF-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B (Misc)
6000	10-32 x 1-1/4" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)
5000	10-32 x 1-1/4" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
8000	10-32 x 1-1/4" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.) <b>Requires secondaries, please allow 10 weeks min. for deliveries.</b>
6000	10-32 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)
11000	10-32 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)
8000	10-32 x 1-3/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)
5000	10-32 x 1-1/2" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
3000	10-32 x 1-1/2" Slotted Pan MS 2A Steel 1022 Copper Electroplate With .0003/.0004 Double Clear Chromate
2000	10-32 x 1-5/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)
2000	10-32 x 1-7/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)
12000	10-32 x 2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)

---

1-32

12000	1-32 x 3/16" Phillips Pan PTRS 60-1 Steel 1022 Heat Treat Zinc W/Black Chromate Baked Wax
1000	1-32 x 3/16" Phillips Pan PTRS 60-1 Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
10000	1-32 x 1/4" 6 - Lobe 80/82° Flat 48°-2 PTRS Steel 1022 Heat Treat Plain
8000	1-32 x 5/16" 6 - Lobe Pan PTRS 60-1 302 Stainless DFARS Compliant
3000	1-32 x 3/8" Phillips 80/82° Flat PTRS 60-1 Steel 1022 Heat Treat Brite Zinc / Bake & Chromate

---

1-42

8000	1-42 x 3/16" Slotted Pan Type B Brass Brite Nickel
8000	1-42 x 3/16" Phillips 82/80° Flat U/C Type AB Steel 1022 Heat Treat Black Oxide
2000	1-42 x 3/16" Phillips Pan Type B Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate

<i>Qty</i>	<i>Description</i>
17000	1-42 x 0.1880" +/- .030 Special Slotted Pan Type B Steel 1022 Heat Treat Nickel Plate & Bake
32000	1-42 x 0.1880" Phillips Pan Type B Steel 1022 Heat Treat Black Oxide & Oil
26000	1-42 x 7/32" Phillips Pan Type B 302 HQ Stainless Steel Black Oxide
5000	1-42 x 1/4" Phillips Pan Type AB 302 Stainless DFARS Compliant
5000	1-42 x 1/4" 6 - Lobe Pan Type B Steel 1022 Heat Treat Brite Zinc / Bake & Chromate
9000	1-42 x 0.2850" Phillips Flat Fillister (HD.101/.095 H.H .032/.024) Type AB (Major Dia. .072*/.069) 302 Stainless Steel Black Oxide
5000	1-42 x 5/16" Phillips 80/82° Flat Type AB Steel 1022 Heat Treat Brite Zinc / Bake & Chromate
3000	1-42 x 5/16" Phillips Pan Special Type B NO TAPER -PARTIAL 1/2 Threaded 302 Stainless DFARS Compliant Black Oxide
8000	1-42 x 3/8" Phillips Pan Type AB 302 Stainless Steel
14000	1-42 x 3/8" Phillips 80/82° Flat Type AB Steel 1022 Heat Treat Brite Zinc / Bake & Chromate
2000	1-42 x 3/8" Saw Slotted 80/82° Flat Type AB Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
10000	1-42 x 1/2" Phillips Pan Type AB Steel 1022 NO Brite Zinc / Bake & Chromate
2000	1-42 x 1/2" Slotted Round Type AB 316 Stainless Steel
3000	1-42 X 1/2" Phillips Pan Type AB 302HQ Stainless DFARS Compliant

1-64

7000	1-64 x 0.1100" +/- .005 Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
10000	1-64 x 0.1150" +/- .010 Saw Slotted Bind Dial MS (2A) Brass Zinc W/Black Chromate .0003 Satin or Semi Gloss
19000	1-64 x 1/8" Phillips 82/80° Flat U/C MS (2A) 302 Stainless Steel
21000	1-64 x 1/8" Phillips 82/80° Flat U/C MS (2A) 302 Stainless Steel
9000	1-64 x 1/8" Phillips 99/101° Flat M/S 302 HQ Stainless Steel Passivated ASTM A967-05
2000	1-64 x 1/8" Saw Slotted 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant
3000	1-64 x 1/8" Struck Slotted Round MS (2A) 302 HQ Stainless Steel
7000	1-64 x 1/8" Phillips 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
9000	1-64 x 1/8" Saw Slotted 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
10000	1-64 x 1/8" Phillips 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant
6000	1-64 x 1/8" 6 - Lobe Pan MS (2A) Steel 1022 Brite Zinc Trivalent Chromate
3000	1-64 x 1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate To ASTM A380 code F (Misc.)

<i>Qty</i>	<i>Description</i>
10000	1-64 x 1/8" Saw Slotted 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant
17000	1-64 X 1/8" Phillips Bind MS (2A) 302HQ Stainless DFARS Compliant
4000	1-64 x 0.1800" Phillips 80/82° Flat MS (2A) Brass Black Oxide NO OIL
19000	1-64 x 3/16" Saw Slotted 82/80° Flat U/C MS (2A) 302 Stainless Steel
25000	1-64 x 3/16" Struck Slotted Fillister MS (2A) 302 Stainless Steel
6000	1-64 x 3/16" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05
4000	1-64 x 3/16" Phillips Fillister MS (2A) Steel 1022 Brite Zinc Trivalent Chromate
2000	1-64 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant
4000	1-64 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate To ASTM A380 code F (Misc.)
8000	1-64 x 3/16" Saw Slotted 80/82° Flat MS (2A) 302 Stainless DFARS Compliant
26000	1-64 x 3/16" Saw Slotted 82/80° Flat MS (2A) 302 Stainless DFARS Compliant
6000	1-64 x 3/16" Phillips 80/82° Flat MS (2A) Steel 1022 Black Oxide & Wax
15000	1-64 x 3/16" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4
12000	1-64 x 1/4" Struck Slotted Pan MS (2A) 302 Stainless Steel
97000	1-64 x 1/4" Saw Slotted 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 1 (Misc)
5000	1-64 x 1/4" Socket Button Head Cap MS 3A 302 Stainless DFARS Compliant
8000	1-64 x 1/4" Phillips Pan MS (2A) Steel 1022 Bright Zinc Trivalent Chromate
5000	1-64 x 1/4" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	1-64 x 1/4" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
5000	1-64 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant
5000	1-64 X 9/32" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant
4000	1-64 x 3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant
3000	1-64 x 3/8" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant
3000	1-64 x 3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
8000	1-64 x 3/8" Struck Slotted Pan MS (2A) 302 Stainless DFARS Compliant
20000	1-64 x 3/8" Phillips Pan MS (2A) Steel 1022 Bright Zinc Trivalent Chromate
8000	1-64 x 1/2" Struck Slotted Round MS (2A) 302 HQ Stainless Steel
7000	1-64 x 5/8" Struck Slotted Pan MS (2A) 302 Stainless Steel
2000	1-64 x 1" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)

1-72

9000	1-72 x <b>**0.080/0.070</b> 6 - Lobe T-6 Button Head Cap MS 3A 18-8 Stainless Steel
8000	1-72 x <b>0.0930"</b> +/- <b>.005</b> 6 - Lobe Button Head Cap MS 3A 302 Stainless DFARS Compliant
4000	1-72 x <b>3/32"</b> Phillips Bind MS (2A) Steel 1022 Brite Nickel
11000	1-72 x <b>3/32"</b> Slotted Round MS (2A) Brass
5000	1-72 x <b>0.075"</b> +/- <b>.005"</b> 6 - Lobe T5 Wafer MS 3A 302 Stainless DFARS Compliant
10000	1-72 x <b>.103</b> +/- <b>.007</b> Slotted Bind MS (2A) 302 Stainless Steel Passivated ASTM A967-01
3000	1-72 x <b>1/8"</b> Saw Slotted Fillister MS (2A) Brass
11000	1-72 x <b>1/8"</b> Slotted Round M/S (2A) Steel 1022 Cad QQ-P-416,Type1,Class 3
12000	1-72 x <b>1/8"</b> Struck Slotted Bind MS (2A) 302 Stainless Steel
5000	1-72 x <b>1/8"</b> Phillips Bind MS (2A) 302 HQ Stainless Steel
6000	1-72 x <b>1/8"</b> Phillips 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant
7000	1-72 x <b>1/8"</b> Phillips Pan MS (2A) Steel 1022 Brite Zinc Trivalent Chromate
4000	1-72 x <b>1/8"</b> 6 - Lobe Flat Head Cap Screw MS 3A 302 Stainless DFARS Compliant Plain
58000	1-72 x <b>1/8"</b> Phillips 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant
5000	1-72 x <b>0.1300"</b> 6 - Lobe T-5 SPECIAL 80/82° Flat MS (2A) 302 Stainless DFARS Compliant
9000	1-72 x <b>0.1350"</b> +- <b>.005</b> 6 - Lobe Button Head Cap MS 3A 302 Stainless DFARS Compliant Burnished
5000	1-72 x <b>0.1350"</b> +- <b>.005</b> 6 - Lobe Button Head Cap MS 3A 302 Stainless DFARS Compliant
2000	1-72 x <b>5/32"</b> Phillips #1 Drive Pan MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQP-35
3000	1-72 x <b>5/32"</b> Saw Slotted 80/82° Flat MS (2A) 316L Stainless Steel
4000	1-72 X <b>3/16"</b> Slotted 99/101° Flat MS (2A) 18-8 Stainless Steel
7000	1-72 x <b>3/16"</b> Saw Slotted Fillister MS (2A) Brass
6000	1-72 x <b>3/16"</b> Saw Slotted 80/82° Flat MS (2A) Brass
3000	1-72 x <b>3/16"</b> Saw Slotted Fillister MS (2A) 302 HQ Stainless Steel
9000	1-72 x <b>3/16"</b> Struck Slotted Bind MS (2A) 302 Stainless Steel
4000	1-72 x <b>3/16"</b> Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQP-35
60000	1-72 x <b>3/16"</b> Saw Slotted 80/82° Flat MS (2A) 302 Stainless DFARS Compliant
12000	1-72 x <b>3/16"</b> Phillips 80/82° Flat MS (2A) Steel 1022 Brite Zinc & Clear
50000	1-72 x <b>3/16"</b> Socket Flat Head Cap Screw MS 3A Steel 1022
50000	1-72 x <b>3/16"</b> Socket Flat Head Cap Screw MS 3A Steel 1022

<i>Qty</i>	<i>Description</i>
4000	1-72 x 3/16" Phillips Pan MS (2A) Steel 1022 Brite Zinc Trivalent Chromate
59000	1-72 x 3/16" Saw Slotted 80/82° Flat MS (2A) 302 Stainless DFARS Compliant
18000	1-72 x 3/16" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI (Misc.)
34000	1-72 x .188+0/-.010 6 - Lobe Special T-6 80/82° Flat MS (2A) 302 Stainless Steel Less Patch <b>Special head...which smaller than standard. Call for spec's</b>
4000	1-72 x 0.2000"+/-.005 6 - Lobe T-6 Flat Head Cap Screw MS 2A Stainless Steel 410 Passivated Air Dried
16000	1-72 x 7/32" Phillips 82/80° Flat U/C MS (2A) Steel 1022 Black Zinc Trivalent Chromate
10000	1-72 x 7/32" Phillips Pan MS (2A) 302 Stainless Steel Patch
5000	1-72 x 0.2200" Slotted Pan MS 3A 316 Stainless Steel
3000	1-72 x 1/4" Saw Slotted 80/82° Flat MS (2A) 302 Stainless Steel
2000	1-72 x 1/4" Saw Slotted Oval MS (2A) 302 HQ Stainless Steel
7000	1-72 x 1/4" Struck Slotted Round MS (2A) 302 HQ Stainless Steel
19000	1-72 x 1/4" Socket Button Head Cap MS 3A 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4
3000	1-72 x 1/4" 6 - Lobe T-5 Flat Head Cap Screw MS 3A 302 Stainless DFARS Compliant
3000	1-72 x 1/4"+/-.005 Phillips 99/101° Flat (HD: .135 MAX) MS (2A) 302 Stainless DFARS Compliant
6000	1-72 x 1/4" Slotted Pan MS (2A) 302 Stainless DFARS Compliant
15000	1-72 x 1/4" Phillips Pan MS (2A) Steel 1022 Brite Zinc Trivalent Chromate
7000	1-72 x 1/4" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant
7000	1-72 x 1/4" Slotted Round MS (2A) Brass
7000	1-72 x 1/4" Slotted Round MS (2A) Steel 1022 Bright Zinc Trivalent Chromate
8000	1-72 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant
2000	1-72 x 0.281" +/-0.007" Phillips Special Flat Top Pan MS With Header Point 302 Stainless DFARS Compliant
26000	1-72 x 5/16" Phillips 80/82° Flat MS (2A) 302 Stainless Steel
7000	1-72 x 5/16" Saw Slotted 80/82° Flat MS (2A) 302 Stainless DFARS Compliant
11000	1-72 x 5/16" Struck Slotted Bind MS (2A) 302 Stainless DFARS Compliant
13000	1-72 x 5/16" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant
4000	1-72 x 0.328"/0.312" Unslotted Wafer MS (2A) 302 Stainless DFARS Compliant Passivated Air Dried
4000	1-72 x 11/32" Phillips Pan MS (2A) Steel 1022 Bright Zinc Trivalent Chromate

*Qty* *Description*

---

7000	1-72 x 3/8" 6 - Lobe Button M/S (2A) 302 Stainless DFARS Compliant
20000	1-72 x 3/8" Struck Slotted Fillister MS (2A) 302 Stainless DFARS Compliant
5000	1-72 x 3/8" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant
35000	1-72 x 3/8" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant
10000	1-72 x 7/16" Slotted Round M/S (2A) Steel 1022 Cad QQ-P-416,Type1,Class 3
6000	1-72 x 1/2" Saw Slotted Fillister MS (2A) Steel 1022 Brite Zinc & Clear
8000	1-72 x 1/2" Struck Slotted Pan MS (2A) 302 Stainless Steel
4000	1-72 x 1/2" Phillips Round MS (2A) 302 Stainless DFARS Compliant
3000	1-72 x 1/2" Slotted Round MS (2A) Brass Brite Zinc Trivalent Chromate
2000	1-72 x 1/2" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant
5000	1-72 x 9/16" Phillips Fillister MS (2A) 302 HQ Stainless Steel
5000	1-72 x 5/8" Struck Slotted Fillister MS (2A) 302 Stainless Steel
10000	1-72 x 3/4" Struck Slotted Pan MS (2A) 302 Stainless Steel
5000	1-72 x 3/4" Socket Flat Head Cap Screw MS 3A 302 Stainless DFARS Compliant Black Oxide

---

2-28

9000	2-28 x 0.1870" +0 -.030 6 - Lobe Pan 48°-2 PTRS Steel 1022 HT Brite Zinc / Bake & Chromate
28000	2-28 x 1/4" Phillips Pan 48°-2 PTRS Twin Lead Steel Heat Treat Brite Zinc & Bake .0002 min Wax
3000	2-28 x 1/4" 6 - Lobe T-7 Pan PTRS 60-1 302 HQ Stainless Steel
3000	2-28 x 1/4" 6 - Lobe Pan PTRS 60-1 302 HQ Stainless Steel
7000	2-28 x 1/4" Phillips 80/82° Flat PTRS 60-1 302 HQ Stainless Steel
2000	2-28 x 1/4" Phillips Pan PTRS 48-2 302 Stainless DFARS Compliant Passivated Air Dried
9000	2-28 x 5/16" Phillips Pan N-PLT 60° Twin Lead Steel 1022 Heat Treat(Standard) Zinc/Bake & Wax
2000	2-28 x 5/16" 6 - Lobe Pan PTRS 60-1 302 HQ Stainless Steel
4000	2-28 x 5/16" Phillips Pan PTRS 48-2 302 Stainless DFARS Compliant Passivated Air Dried
6000	2-28 x 3/8" 6 - Lobe Pan PTRS 48-2 Steel 1022 Heat Treat Zinc W/Black Chromate Baked
2000	2-28 x 3/8" 6 - Lobe T-7 Pan PTRS 60-1 302 HQ Stainless Steel Black Oxide
5000	2-28 x 0.410/.390 Phillips 80/82° Flat PTRS 60-1 302 Stainless DFARS Compliant
28000	2-28 x 7/16" Phillips Pan PTRS 48-2 Steel 1022 Heat Treat Zinc/Bake & Wax (Misc)

**Qty****Description**

---

7000	2-28 x 0.4500" 6 - Lobe Pan#1 Head PTRS 48-2 302 Stainless Steel
8000	2-28 x 1/2" 6 - Lobe Pan 48°-2 PTRS Twin Lead Steel Heat Treat Black Oxide <b>BLACK OXIDE</b>
4000	2-28 x 1/2" 6 - Lobe Pan PTRS 48-2 Steel 1022 Heat Treat Zinc & Blue Chromate
2000	2-28 x 1/2" Phillips 80/82° Flat PTRS 60-1 302 HQ Stainless Steel Black Oxide

---

2-32

52000	2-32 x 1/8" Phillips Pan Type AB Steel 1022 Heat Treat Zinc/Black
14000	2-32 x 1/8" Phillips 99/101° Flat Type AB Steel 1022 Heat Treat Black Oxide
2000	2-32 x 1/8" Slotted Round Type B 302 Stainless DFARS Compliant
5000	2-32 x 1/8" Slotted Round Type AB 302 Stainless DFARS Compliant
5000	2-32 x 1/8" Phillips 82/80° Flat U/C Type AB 302 Stainless DFARS Compliant Black Oxide
22000	2-32 x 3/16"+.030/-0 Phillips Truss Full Crown Type AB Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
3000	2-32 x 3/16" Phillips Pan High-Low Stainless Steel 410 Soft And Plain
6000	2-32 x 3/16" Phillips 82/80° Flat U/C Type B 302 HQ Stainless Steel
1000	2-32 x 0.2290" Phillips Special Pan Type B Steel 1022 Heat Treat Black Oxide
2000	2-32 x 1/4" Phillips Pan Type B 4037 Alloy Steel Heat Treat RC 39-42 ASTM F835 Brite Zinc / Bake & Chromate .0003 PER QQ-Z-325 TYPE 1 CLASS 2
3000	2-32 x 1/4" Phillips Pan Type B 302 Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI Black Oxide Mil-DTL-13924D CL 2 Wax
7000	2-32 x 9/32" Phillips 80/82° Flat Type B 302HQ Stainless DFARS Compliant Burnished Passivated Air Dried
30000	2-32 x 5/16" Phillips Pan Type AB (MD: .086-.090) 302 Stainless Steel Passivated Air Dried Double Roll Sort (88.5 dia. length .314)
4000	2-32 x 5/16" Phillips Round Type B 302 HQ Stainless Steel
8000	2-32 x 5/16" Phillips Pan Type B 302 HQ Stainless Steel
2000	2-32 x 5/16" Phillips Pan Type B Partial Half Thread 302 Stainless DFARS Compliant Black Oxide
3000	2-32 x 5/16" Phillips 80/82° Flat Type B Partial Half Thread 302 HQ Stainless Steel Black Oxide
47000	2-32 x 3/8" Phillips Round Type AB Brass
3000	2-32 x 3/8" Saw Slotted Oval Type AB 302 Stainless DFARS Compliant Burnished
2000	2-32 x 7/16" Phillips Pan High/Low Shank Slotted Steel 1022 Heat Treat Brite Zinc / Bake & Chromate
3000	2-32 x 7/16" Phillips Pan Washer Type AB 302HQ Stainless DFARS Compliant
12000	2-32 x 1/2" Phillips Round Type AB Brass

*Qty**Description*

10000	2-32 x 1/2" Combo Phil Slot 80/82° Flat Type AB Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
27000	2-32 x 5/8" Phillips Pan Type AB 18-8 Stainless Zinc W/Black Chromate
2000	2-32 x 5/8" Saw Slotted Oval Type AB 302 Stainless DFARS Compliant Burnished
6000	2-32 x 3/4" 6-Lobe T-8 Tamper Proof Pan Type 25 302 HQ Stainless Steel Passivated Air Dried

2-56

6000	6-32 x 5/8" Phillips Special (Hd .293/.283) (U'C dia. .238/.228 depth .038/.030) Pan MS (2A) 316 Stainless Steel Passivated AMS QQP-35 (Misc)
12000	2-56 X 3/32" Slotted Bind MS (2A) Steel 1022 Locking Element - Nylon Strip Type. Cert. Required
15000	2-56 X 3/32" Slotted Bind U/C MS (2A) Steel 1022 Locking Element - Nylon Strip Type. Cert. Required
8000	2-56 x 3/32" Slotted U/C Bind MS (2A) Brass Nickel Plate
3000	2-56 x 3/32" Slotted Pan MS (2A) Steel 1022 Brite Zinc & Clear
4000	2-56 x 3/32" Phillips Pan MS (2A) Steel 1022 Bright Zinc Trivalent Chromate
5000	2-56 x 0.1050"+0/-.010 Phillips Pan MS (2A) Steel 1022 Brite Zinc & Clear
4000	2-56 x 0.1050" Phillips Truss MS (2A) 302HQ Stainless DFARS Compliant Plain
9000	2-56 x 0.1090"+/-.005 6 - Lobe 82/80° Flat U/C MS (2A) 302 HQ Stainless Steel
10000	2-56 x 7/64" Slotted Round MS (2A) 302 HQ Stainless Steel
10000	2-56 x 0.1150" Slotted Round MS (2A) SHARP, NO CHAMFER ON THREAD - CRITICAL PER PRINT- Steel 1022 Brite Nickel
3000	2-56 x 0.1200" Slotted Special Pan MS (2A) 302 Stainless Steel Passivated Air Dried
8000	2-56 x 0.1200" Saw Slotted Pan MS (2A) Brass
2000	2-56 x 0.1200" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)
5000	2-56 X 3.15MM Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant
20000	2-56 x 1/8" 6 - Lobe Pan MS (2A) 302 Stainless Steel Black Oxide Patch <b>BLACK-OX / PATCH</b>
21000	2-56 x 1/8" Phillips Pan Type F 302 HQ Stainless Steel
7000	2-56 x 1/8"+.015/-.000 Phillips 99/101° Flat MS (2A) 302 HQ Stainless Steel
8000	2-56 x 1/8" 6 - Lobe 82/80° Flat U/C MS (2A) 302 HQ Stainless Steel
5000	2-56 x 1/8" Socket Button Head Cap MS 3A 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4
4000	2-56 x 1/8" Slotted Bind MS (2A) Brass
4000	2-56 x 1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)

<i>Qty</i>	<i>Description</i>
8000	2-56 x 1/8" Saw Slotted Fillister M/S Brass Brite Ni Chrome
30000	2-56 x 1/8" Struck Slotted Fillister MS (2A) 302 Stainless DFARS Compliant
7000	2-56 x 1/8" +/-0.005 Phillips 82/80° Flat U/C Special MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQ-P-35
2000	2-56 x 1/8" Phillips Pan Type F Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416C
2000	2-56 x 1/8" Saw Slotted Fillister MS (2A) 302 HQ Stainless Steel Burnished Passivate To ASTM A380 code F
16000	2-56 x 1/8" Phillips 82/80° Flat U/C M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)
3000	2-56 x 1/8" Saw Slotted 82/80° Flat U/C MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
3000	2-56 x 1/8" Slotted Bind MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
5000	2-56 x **0.1260"+/-0.010 6 - Lobe Flat Head Cap Screw (NOT U/C) MS 2A 302 HQ Stainless Steel Black Oxide
8000	2-56 x 0.1300" +- .005 6 - Lobe Button Head Cap MS 3A 302HQ Stainless DFARS Compliant
14000	2-56 x 0.1400" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant
4000	2-56 x 9/64" Slotted Bind MS (2A) 302 HQ Stainless Steel
9000	2-56 x 0.1500" Phillips Pan MS (2A) 302 Stainless DFARS Compliant
6000	2-56 x 0.1560" Phillips 99/101° Flat MS (2A) Brass Plain (Misc)
5000	2-56 x 0.1560" +/-0.005" 6 - Lobe Flat Head Cap Screw MS 3A 302HQ Stainless DFARS Compliant
11000	2-56 x 5/32" Struck Slotted Fillister MS (2A) 302 HQ Stainless Steel
9000	2-56 x 5/32" Saw Slotted Fillister MS (2A) Steel 1022 Zinc & Yellow .0003
14000	2-56 x 0.1600" +- .005 6 - Lobe T6 Button MS (2A) 302 Stainless Steel BLACK OXIDE
50000	2-56 x 0.1600" +/-0.005 6 - Lobe Button M/S (2A) 18-8 Stainless Black Oxide
6000	2-56 x 0.160+0/-0.020 Phillips 80/82° Flat (HD .155 min) M/S (2A) 302 HQ Stainless Steel
8000	2-56 x 0.1700" Slotted Bind MS (2A) Brass
9000	2-56 x 0.1780" +/-0.005 Phillips 82/80° Flat U/C M/S Partial Thread 302 HQ Stainless Steel
5000	2-56 x 0.1870" 6 - Lobe Pan MS (2A) Steel 1022 Plain
13000	2-56 x 3/16" Phillips 80/82° Flat Thread Rolling Screw Steel Heat Treat Zinc/Bake & Wax

**Qty****Description**

---

60000	2-56 x 3/16" 6 - Lobe Pan M/S Steel Heat Treat SAE J933 Brite Zinc & Bake STM B 633-85 (Misc)
17000	2-56 x 3/16" 1A Special Pan MS With Header Point Steel 1022 Soft Black Oxide
5000	2-56 x 3/16" Phillips Pan Type F Stainless Steel 410 Brite Hardened Zinc & Bake Trivalent Chromate
11000	2-56 x 3/16" Phillips 82/80° Flat U/C TRS 302 Stainless Steel Passivated Air Dried Wax (Misc)
6000	2-56 x 3/16" Slotted Round MS (2A) Brass Black Oxide
6000	2-56 x 3/16" Phillips Pan MS (2A) Stainless Steel 410
40000	2-56 x 3/16" Phillips Pan M/S (2A) 302 Stainless Steel Passivated ASTM A967-05
8000	2-56 x 3/16" Phillips Pan Type F Steel Heat Treat ( Plain )
5000	2-56 x 3/16" Phillips Pan Special U/C {Depth .010 ref. / Diameter .125/.118 MS (2A) 302 HQ Stainless Steel Passivated AMS QQP-35
6000	2-56 x 3/16" Saw Slotted Fillister MS (2A) Steel 1022 Cad SAE-AMS-QQ-P-416,Type1,Class 3
5000	2-56 x 3/16" Saw Slotted 82/80° Flat U/C MS (2A) 302 HQ Stainless Steel
59000	2-56 x 3/16" Phillips 99/101° Flat M/S (2A) 302 HQ Stainless Steel Passivated ASTM A967-05 (Misc)
4000	2-56 x 3/16" Phillips Bind MS (2A) Steel 1022 Brite Nickel
6000	2-56 x 3/16" Slotted Pan MS (2A) Brass
4000	2-56 x 3/16" Phillips 80/82° Flat MS (2A) Steel 1022 Brite Zinc Trivalent Chromate
5000	2-56 x 3/16" Phillips 80/82° Flat MS (2A) Brass Brite Zinc Trivalent Chromate
54000	2-56 x 3/16" 6 - Lobe Flat Head Cap Screw MS 3A 302 Stainless DFARS Compliant
3000	2-56 x 3/16" Phillips Pan MS (2A) 316 Stainless Steel
3000	2-56 x 3/16" Phillips Bind MS (2A) Steel 1022 Brite Zinc Trivalent Chromate
5000	2-56 x 3/16" Saw Slotted U/C 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivated Air Dried
2000	2-56 x 3/16" Conventional Pan MS (2A) 302 Stainless DFARS Compliant
2000	2-56 x 3/16" Saw Slotted 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05e2
60000	2-56 x 3/16" Phillips 80/82° Flat MS (2A) Steel 1022
3000	2-56 x 3/16" Saw Slotted Fillister MS (2A) Steel 1022 Cad SAE-AMS-QQ-P-416C,Type1,Class 3
6000	2-56 x 3/16" Conventional Indented Hex MS (2A) 302 Stainless DFARS Compliant
2000	2-56 x 3/16" Phillips Truss MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
6000	2-56 x 3/16" 6 - Lobe T-7 Pan MS (2A) 302 HQ Stainless Steel
20000	2-56 x 3/16" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)
8000	2-56 x 3/16" 6 - Lobe 99/101° Flat MS (2A) Steel 1022 Bright Zinc Trivalent Chromate
216000	2-56 x 3/16" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1 (Misc.)
9000	2-56 x 3/16" 6 - Lobe 80/82° Flat MS (2A) Steel 1022 Bright Zinc Trivalent Chromate

**Qty****Description**

6000	2-56 x 3/16" Phillips 80/82° Flat MS (2A) A286 Alloy DFAR A-286 Heat Treat AMS5737 Passivated AMS QQ-P-35 Type VI
376000	2-56 x 3/16" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
9000	2-56 x 3/16" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1 (Misc.)
43000	2-56 x 3/16" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
2000	2-56 x 0.1880" Saw Slotted Drilled Fillister MS (2A) 302 Stainless Steel Passivated ASTM A967-01
2000	2-56 x 0.1880" Saw Slotted Drilled Fillister MS (2A) 302 Stainless Steel Passivated ASTM A967-05
2000	2-56 x 0.1880" +/- .010 Saw Slotted Special Fillister MS (2A) Brass Black On Brass MIL-F-495
3000	2-56 x 0.1900" Saw Slotted Drilled Fillister MS (2A) Steel 1022 SAE-AMS-QQ-P-416, Type II, Class 3
23000	2-56 x 0.2000" +- .005 6 - Lobe Button Head Cap MS 3A 302 Stainless Steel Black Oxide Dry
9000	2-56 x 0.2000" +/- .005 6 - Lobe T-6 Button Head Cap MS 3A 302 Stainless DFARS Compliant
4000	2-56 x 7/32" Phillips Fillister MS (2A) 302 Stainless DFARS Compliant
3000	2-56 x 7/32" Slotted Bind MS (2A) 302 Stainless DFARS Compliant
4000	2-56 x 7/32" Phillips Pan MS (2A) Steel 1022 Brite Zinc Trivalent Chromate Patch
10000	2-56 x 0.2200" -.212 Saw Slotted Fillister MS (2A) 302 HQ Stainless Steel
14000	2-56 x 1/4" 6 - Lobe T8 80/82° Flat Cap Screw 3A 4037 Alloy Steel Heat Treat RC37-45
20000	2-56 x 1/4" Phillips Pan HH:.055-.045 TRS Steel 1022 HT Brite Zinc / Bake & Chromate
13000	2-56 x 1/4" Phillips Pan (.090 +/- .010 Unthreaded) Type F Steel 1022 Heat Treat (Standard) Black Phosphate & DRY
6000	2-56 x 1/4" Phillips Pan M/S (2A) 302 Stainless Steel Passivated ASTM A967-05 Patch
4000	2-56 x 1/4" Slotted Pan MS (2A) 302 Stainless Steel
3000	2-56 x 1/4" Phillips Round MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05
3000	2-56 x 1/4" Phillips 80/82° Flat Special Head Dia .147-.155 MS (2A) 302 Stainless DFARS Compliant
3000	2-56 x 1/4" Saw Slotted 80/82° Flat MS (2A) 302 Stainless DFARS Compliant
5000	2-56 x 1/4" Phillips 80/82° Flat Type F Stainless Steel 410 Brite Hardened
1000	2-56 x 1/4" 1A Pan Sems Blank Brass
25000	2-56 x 1/4" Saw Slotted Fillister MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05 (Misc.)

**Requires secondaries please allow 10 week min. for deliveries**

<i>Qty</i>	<i>Description</i>
3000	2-56 x 1/4" 6 - Lobe 80/82° Flat TRS 302 HQ Stainless Steel
4000	2-56 x 1/4" Slotted Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4
2000	2-56 x 1/4" Saw Slotted Fillister M/S (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416C
5000	2-56 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
5000	2-56 x 1/4" Phillips 99/101° Flat M/S (2A) 302 HQ Stainless Steel Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
200000	2-56 x 1/4" Phillips 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1 (Misc.)
3000	2-56 x 1/4" 6 - Lobe Button Head Cap MS (2A) 302HQ Stainless DFARS Compliant
25000	2-56 x 1/4" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
4000	2-56 x 1/4" Phillips Truss MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
103000	2-56 x 1/4" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
8000	2-56 x 9/32" Slotted Pan MS (2A) 302 HQ Stainless Steel Passivated Air Dried
1000	2-56 x 9/32" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated Air Dried
6000	2-56 x 0.2850" Conventional Indented Hex MS (2A) Steel 1022 Phosphate & Oil
8000	2-56 x 0.286/0.276" 6 - Lobe (T6) Button 3A 18-8 Stainless (302 HQ) Black Oxide on SS
15000	2-56 x 5/16" 6 - Lobe Pan TRS Steel 1022 Heat Treat Zinc/Bake & Yellow Wax
15000	2-56 x 5/16" Phillips Pan Sems Blank 2A 302 Stainless Steel
15000	2-56 x 5/16" Phillips 99/101° Flat MS (2A) 4037 Alloy Steel Heat Treat
11000	2-56 x 5/16" Saw Slotted Fillister MS (2A) Brass Plain
26000	2-56 x 5/16" Socket Flat Head Cap Screw MS 3A 302 Stainless Steel
125000	2-56 x 5/16" Socket Flat Head Cap Screw MS 3A 302 Stainless Steel
100000	2-56 x 5/16" Socket Button Head Cap MS 3A 302 Stainless Steel
4000	2-56 x 5/16" 6 - Lobe Flat Head Cap Screw MS 3A 302 HQ Stainless Steel
7000	2-56 x 5/16" 6 - Lobe Flat Head Cap Screw MS 3A 302 HQ Stainless Steel Passivated Air Dried
3000	2-56 x 5/16" Phillips 99/101° Flat MS (2A) 316 Stainless Steel
2000	2-56 x 5/16" Phillips Pan Sems Blank 302 Stainless DFARS Compliant
21000	2-56 x 5/16" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)
	<b>Requires Secondaries allow 10 weeks min. for delivery</b>
2000	2-56 x 5/16" Conventional Indented Hex MS (2A) Steel 1022 Brite Zinc & Clear
2000	2-56 x 5/16" Slotted Bind MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
4000	2-56 x 5/16" Phillips Oval MS (2A) Brass Bright Zinc Trivalent Chromate

2000	2-56 x 0.3130" Phillips(#1 Head) Pan M/S (2A) 302 HQ Stainless Steel
4000	2-56 x 0.3130" Phillips Truss MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
3000	2-56 x 21/64" Slotted Pan MS (2A) 302 Stainless DFARS Compliant Passivate To ASTM A380
2000	2-56 x 11/32" Phillips 82/80° Flat U/C MS (2A) 302 HQ Stainless Steel
4000	2-56 x 0.3600" +- .005 6 - Lobe Button Head Cap MS 3A 302 HQ Stainless Steel Plain
5000	2-56 x 3/8" Phillips Fillister MS (2A) Brass
3000	2-56 x 3/8" Slotted Pan MS (2A) Brass (NON MAG)
50000	2-56 x 3/8" Socket Flat Head Cap Screw MS 3A 302 Stainless Steel
9000	2-56 x 3/8" Phillips Round MS (2A) 302 HQ Stainless Steel
26000	2-56 x 3/8" Phillips 99/101° Flat U/C MS (2A) 302 HQ Stainless Steel Passivated AMS QQP-35
4000	2-56 x 3/8" Saw Slotted (0.024/.030 depth) Special Bind M/S 302 HQ Stainless Steel
21000	2-56 x 3/8" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.) Requires secondaries, allow 10 week min. for delivery
1000	2-56 X 3/8" Slotted Pan MS (2A) 302HQ Stainless DFARS Compliant
4000	2-56 x 3/8" Phillips Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
5000	2-56 x 3/8" Saw Slotted (0.024/.030 depth) Special Bind M/S 302HQ Stainless DFARS Compliant
3000	2-56 x 3/8" Slotted Bind MS (2A) 302HQ Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
4000	2-56 x 0.3850" +- .005 6 - Lobe Button Head Cap MS 3A 302 HQ Stainless Steel Plain
3000	2-56 x 0.3950" +/- .010 Phillips Pan MS (2A) 302 HQ Stainless Steel
11000	2-56 x 0.4000" +- .005 6 - Lobe Button Head Cap MS 3A 302 HQ Stainless Steel
6000	2-56 x 13/32" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant
3000	2-56 x 7/16" Slotted Round MS (2A) Brass rohs
2000	2-56 x 7/16" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)
91000	2-56 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
91000	2-56 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
4000	2-56 x 7/16" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)

2000	2-56 x 0.4650"/0.4500" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide
35000	2-56 X 1/2" Phillips 80/82° Flat MS (2A) 302 Stainless Steel Passivated AMS QQ-P-35 Type VI
4000	2-56 x 1/2" Saw Slotted Drilled Fillister M/S (2A) 302 Stainless Steel Passivated ASTM A967-01
3000	2-56 x 1/2" 6 - Lobe T-8 80/82° Flat MS (2A) 302 HQ Stainless Steel
20000	2-56 x 1/2" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.) Requires Secondaries please allow 10 weeks min. for delivery
12000	2-56 x 9/16" Phillips Pan Sems Blank 302 Stainless Steel
4000	2-56 x 9/16" Phillips 99/101° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
40000	2-56 x 5/8" Socket Flat Head Cap Screw MS 3A 302 Stainless Steel
46000	2-56 x 5/8" Phillips Pan MS (2A) Steel 1022 Cad QQ-P-416,Type11,Class 3
5000	2-56 x 5/8" Socket Flat Head Cap Screw MS 3A 302 Stainless Steel
1000	2-56 x 5/8" Saw Slotted 80/82° Flat MS (2A) Brass
65000	2-56 x 5/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
1000	2-56 x 11/16" Phillips 99/101° Flat MS (2A) 302 HQ Stainless Steel
3000	2-56 x 3/4" Phillips Truss MS (2A) 302 HQ Stainless Steel
14000	2-56 x 3/4" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)
20000	2-56 x 3/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
3000	2-56 x 7/8" Phillips Fillister MS (2A) 302 Stainless Steel
4000	2-56 x 7/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
10000	2-56 x 7/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)
5000	2-56 x 1" Saw Slotted 80/82° Flat MS (2A) 302 Stainless Steel
1000	2-56 x 1-3/32" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant
3000	2-56 x 1-1/4" Phillips Round MS (2A) 302 HQ Stainless Steel
2000	2-56 x 1-3/8" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant
25000	2-56 X 1 - 1/2" Phillips 99/101° Flat MS (2A) Brass

<i>Qty</i>	<i>Description</i>
15000	2-64 x 1/8" Saw Slotted 82/80° Flat U/C MS (2A) 302 Stainless Steel
2000	2-64 x 1/8" Phillips 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant
3000	2-64 x 1/8" +/- .005 Phillips Pan MS (2A) 302 Stainless DFARS Compliant
3000	2-64 x 1/8" Phillips 82/80° Flat U/C MS (2A) 302 HQ Stainless Steel
2000	2-64 x 1/8" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant
3000	2-64 x 0.1560" Saw Slotted 80/82° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
2000	2-64 x 5/32" Slotted Pan MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05
6000	2-64 x .176 +/- .005 Special Slotted Pan M/S (Class 2 Fit) With 45 Degree Chamfer Stainless Steel 410 Plain
2000	2-64 x 3/16" Slotted Pan MS (2A) 302 HQ Stainless Steel
5000	2-64 x 3/16" Saw Slotted 80/82° Flat MS (2A) Brass Black Oxide
3000	2-64 x 3/16" Slotted Pan MS (2A) 302 Stainless DFARS Compliant
5000	2-64 x 3/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant
4000	2-64 x 3/16" Phillips Round MS (2A) 302HQ Stainless DFARS Compliant PELL-IT
2000	2-64 x 1/4" Saw Slotted Fillister MS (2A) 302 HQ Stainless Steel
11000	2-64 x 1/4" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C

---

2-8

6000	2-8 x 1/8" Conventional Round Type U 302HQ Stainless DFARS Compliant
3000	2-8 x 1/8" Conventional Round Type U 302HQ Stainless DFARS Compliant
4000	2-8 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416C (Misc.)
2000	2-8 x 3/16" Conventional Round Type U 302 Stainless DFARS Compliant
3000	2-8 x 3/16" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416C (Misc.)
8000	2-8 x 1/4" Conventional Round Type U Steel 1022 Heat Treat Cad QQ-P-416, Type II, Class 3
4000	2-8 x 1/4" Conventional Special Round Type U 302HQ Stainless DFARS Compliant

---

3/16

9000	3/16 x 3/8" Conventional 90/92° Flat Rivet 302 Stainless Steel
8000	3/16 x 3/8" Conventional 90/92° Flat Rivet 302 Stainless Steel
26000	3/16 x 1/2" Conventional Rivet Button (Round) Rivet 302 Stainless Steel
10000	3/16 x 5/8" Conventional Rivet Flat (Wafer) Rivet 302 Stainless Steel

---

3/32

<i>Qty</i>	<i>Description</i>
22000	3/32 x 3/8" Conventional Round Rivet 302 HQ Stainless Steel
<hr/>	
3-24	
4000	3-24 x 1/4"+/-.020 Phillips 82/80° Flat U/C Plastic 60°-1 (PTRS) 302 HQ Stainless Steel
<hr/>	
3-28	
9000	3-28 x .150-.133 Phillips Pan Type B Steel 1022 Heat Treat Nickel QQ-N-290 Cl.1 Type 1
4000	3-28 x 3/8" Slotted Pan Type 25 Steel 1022 Heat Treat Zinc/Bake & Yellow
9000	3-28 x 3/8" Phillips Round Type AB Brass
4000	3-28 x 3/8" Phillips Round Type AB Steel 1022 Heat Treat Nickel Plate & Bake
6000	3-28 x 9/16" Phillips Pan Type AB 302HQ Stainless DFARS Compliant
<hr/>	
3-48	
17000	3-48 x 1/8" Saw Slotted 82/80° Flat U/C MS (2A) 18-8 Stainless Steel
2000	3-48 x 1/8" Slotted Pan M/S (2A) Brass
14000	3-48 x 0.1650" Phillips Special Shoulder 83/81° Flat M/S Partial Thread Steel 1022 Bright Zinc Trivalent Chromate
3000	3-48 x 0.145 /.138* Combo Phil Slot Pan MS With Header Point 302 Stainless DFARS Compliant Double Roll Sort (Misc.)
16000	3-48 x 5/32" Slotted Bind MS (2A) Brass
3000	3-48 x 5/32" Slotted Pan MS (2A) Stainless Steel 410
5000	3-48 x 5/32" Slotted Pan MS (2A) 302 Stainless DFARS Compliant
25000	3-48 x 5/32" Slotted Pan MS (2A) 302 Stainless DFARS Compliant
8000	3-48 x 3/16" Phillips Round MS (2A) Steel 1022 Brite Nickel
2000	3-48 x 3/16" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant
4000	3-48 x 3/16" Phillips Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4
2000	3-48 x 0.2150" Saw Slotted Fillister MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05
4000	3-48 x 0.2280"+/-.008 [OVERALL LENGTH] No Drive Fillister MS With CHAMFER Stainless Steel 410
3000	3-48 x 0.2400"+0/-.020" THREAD LENGTH UNDER HEAD Phillips 80/82° Flat TRS Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
3000	3-48 x 1/4" Phillips 80/82° Flat MS (2A) 316 Stainless Steel
2000	3-48 x 1/4" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant
3000	3-48 x 1/4" Phillips Pan TRS Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate

*Qty* *Description*

---

3000	3-48 x 1/4" Phillips Round MS (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416C
12000	3-48 x 0.2600" +/-008 OVERALL LENGTH No Drive Flat Fillister MS With Header Point Stainless Steel 410
4000	3-48 x 0.2890" +.016/-0 Combo Phil Slot Pan MS (2A) Steel 1022 Bright Zinc Trivalent Chromate
10000	3-48 x .304-.288 Combo Phil Slot Pan MS (2A) 302HQ Stainless DFARS Compliant
2000	3-48 x 3/8" Phillips 99/101° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
5000	3-48 x 3/8" Phillips Pan MS (2A) Steel 1022 Heat Treat RC 38-44Zinc/Bake Yellow Trivalent per ASTM B633 Cl3 Typ2 .0002
5000	3-48 X 7/16" Phillips Round MS (2A) 302HQ Stainless DFARS Compliant
5000	3-48 x 15/32" Combo Phil Slot Pan MS (2A) 302 Stainless Steel
3000	3-48 x 1/2" Saw Slotted 80/82° Flat MS (2A) 302 Stainless DFARS Compliant
1000	3-48 x 1/2" Phillips Round Captive 302 Stainless DFARS Compliant Passivated Air Dried
2000	3-48 x 9/16" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant
40000	3-48 x 5/8"+.031/-0 Saw Slotted 80/82° Flat MS (2A) Steel 1022
2000	3-48 x 5/8" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cad SAE-AMS-QQ-P-416,Type1,Class 3
2000	3-48 x 3/4" Phillips Round MS (2A) Steel 1022 Brite Zinc & Clear

---

3-56

3000	3-56 x 0.2020" Saw Slotted Fillister MS (2A) Brass
4000	3-56 x 1/4" Phillips Round M/S (2A) 302HQ Stainless DFARS Compliant

---

4-14

8000	4-14 x 5/16" Phillips Pan NPLT 30 Steel 1022 Heat Treat(Standard) Zinc W/Black Chromate Baked
------	--

---

4-20

2000	4-20 x 3/16" Phillips 82/80° Flat U/C PTRS 60-1 Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
5000	4-20 x 0.2190" Phillips Pan Push Type Steel 1022 Commercial Heat Treat Zinc & Bake Trivalent Chromate
42000	4-20 x 5/16" 6 - Lobe Pan PTRS 60-1 18-8 Stainless Steel

**Qty****Description**

---

4000 4-20 x 1/2" 6 - Lobe Pan PTRS 48-2 302 HQ Stainless Steel Passivated Air Dried Wax

---

**4-24**

2000 4-24 x 3/16" Phillips Truss Type B Steel 1022 Heat Treat Nickel Plate & Bake

12000 4-24 x 1/4" Phillips 82/80° Flat U/C Type AB 302 HQ Stainless Steel

10000 4-24 x 5/16" Slotted Pan Type 25 302 Stainless DFARS Compliant

4000 4-24 x 3/8" 6 - Lobe Pan Type 25 302 Stainless DFARS Compliant

8000 4-24 x 3/8" Phillips Pan High-Low 302 Stainless DFARS Compliant Cad Yellow SAE-AMS-QQ-P-416C, Type 2, Class 2

3000 4-24 x 3/8" Phillips 99/101° Flat Type AB Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate

95000 4-24 x 7/16" Phillips Pan High-Low Shank Slotted Steel 1022 Heat Treat Black Zinc Bake Trivalent

5000 4-24 x 7/16" Phillips 80/82° Flat Type AB Brass

4000 4-24 x 7/16" 1A Special Concaved Radius 80/82° Flat Type AB Stainless Steel 410 Brite Hardened Nickel Plate & Bake

12000 4-24 x 7/16" 1A Special Concaved Radius 80/82° Flat Type AB Stainless Steel 410 Brite Hardened Nickel Plate & Bake

6000 4-24 x 5/8" 6 - Lobe Pan Type AB Steel Heat Treat Black Oxide

2000 4-24 x 5/8" Slotted Round Type AB 316 Stainless Steel

12000 4-24 x 3/4" 6 - Lobe Pan Type B Steel 1022 Heat Treat Black Oxide Wax

2000 4-24 x 3/4" Slotted Round Type AB 316 Stainless Steel

1000 4-24 x 1" Slotted Round Type AB 316 Stainless Steel

5000 4-24 x 1.1750" Phillips #2 Driver Pan Type AB PARTIAL THREAD 302 Stainless DFARS Compliant Passivated Air Dried

6000 4-24 X 1 - 1/2" Phillips Pan Type AB 302 HQ Stainless Steel

1000 4-24 x 1-1/2" Phillips Pan Type AB Steel 1022 None Black Oxide

19000 4-24 x 1.7501" Phillips Pan Type B 302 Stainless Steel

---

**4-36**

14000 4-36 x 3/16" Saw Slotted Fillister MS (2A) Steel 1022

27000 4-36 x 3/8" Phillips Oval MS (2A) Steel 1022 Plain

---

**4-40**

27000 4-40 x 1/2" Phillips 99/101° Flat MS (2A) Steel 1022 Cad QQ-P-416, Type 11, Class 3 With Locking Element

---

<i>Qty</i>	<i>Description</i>
3000	4-40 X 1/8" Slotted Drilled Fillister MS (2A) Steel 1022 SAE-AMS-QQ-P-416C, Type II, Class 3
17000	4-40 x 1/8" Phillips Special (Hd .236/.225) (U'C dia. .185/.175 depth .030/.021) Pan MS (2A) 302 Stainless DFARS Passivated AMS QQP-35 (Misc) <b>UNDERCUT DIAMETER .185/.175</b>
9000	4-40 x 1/8" 6 - Lobe Pan MS (2A) Steel 1022 Zinc & Bake Trivalent Chromate
3000	4-40 x 1/8" Struck Slotted Fillister MS (2A) 302 HQ Stainless Steel
2000	4-40 x 1/8" Struck Slotted Round MS (2A) 302 HQ Stainless Steel
2000	4-40 x 1/8" +/- .010 Phillips 99/101° Flat MS (2A) 302 HQ Stainless Steel
13000	4-40 x 1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
8000	4-40 x 1/8" Phillips Pan TRS Steel 1022 Heat Treat Brite Zinc / Bake & Chromate
25000	4-40 x 1/8" +/- .010 Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant
4000	4-40 x 1/8" 6 - Lobe Button Head Cap MS 3A Stainless Steel 410 Brite Hardened
5000	4-40 x 5/32" Phillips Pan MS (2A) 302 HQ Stainless Steel Passivated Air Dried
20000	4-40 x 5/32" Phillips 82/80° Flat U/C MS (2A) Steel 1022 Brite Zinc Trivalent Chromate
55000	4-40 x 0.1820" +/- .010 Saw (overall length .230 +/- 010) Slotted Special Pan Captive W/ Header Point 18-8 Stainless Steel
11000	4-40 x 0.1870" One-Way Slot Special Pan MS (2A) Steel 1022 Zinc W/Black Chromate Baked
6000	4-40 x 3/16" Saw Slotted Pan w/Serrations Type C Stainless Steel 410 Brite Hardened Brite Hardened
21000	4-40 x 3/16" Phillips 82/80° Flat U/C MS (2A) Steel 1022 Heat Treat Zinc W/Black Chromate Baked
5000	4-40 x 3/16" Phillips 99/101° Flat M/S (2A) 302 Stainless Steel Passivated ASTM A967-05 (Misc)
9000	4-40 x 3/16" Phillips 99/101° Flat M/S (2A) 302 Stainless Steel Passivated ASTM A967-05 (Misc)
17000	4-40 x 3/16" Phillips 82/80° Flat U/C TRS 302 Stainless DFARS Compliant Passivated ASTM A967-05
3000	4-40 x 3/16" +/- .015 Slotted Special Pan MS (2A) 302 HQ Stainless Steel Passivated Air Dried
11000	4-40 x 3/16" Phillips 82/80° Flat U/C M/S (2A) 302 HQ Stainless Steel Passivated ASTM A967-05 (Misc)
12000	4-40 x 3/16" Saw Slotted Fillister MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05 (Misc)
5000	4-40 x 3/16" Phillips 99/101° Flat U/C MS (2A) Special 302 Stainless DFARS Compliant Passivated AMS QQP-35
7000	4-40 x 3/16" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.) <b>Requires secondaries, allow 10 week min. for delivery</b>
2000	4-40 x 3/16" 6-Lobe Tamper Proof U/C 82/80° Flat U/C MS (2A) Steel 1022 Black Oxide ROHS

**Qty****Description**

3000	4-40 x 3/16" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
358000	4-40 x 3/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
50000	4-40 x 3/16" Phillips 82/80° Flat U/C M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1 (Misc.)
10000	4-40 x 3/16" Phillips 82/80° Flat U/C M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)
31000	4-40 x 3/16" Saw Slotted 82/80° Flat U/C MS (2A) Steel 1022
6000	4-40 x 0.1880" 6 - Lobe T-9 99/101° Flat #6 Head M/S (2A) Steel Cad & Clear .0002 <b>CAD / CLEAR</b>
2000	4-40 x 0.1880" Slotted Truss MS (2A) 302 HQ Stainless Steel Passivated AMS QQ-P-35 Type VI
3000	4-40 x 0.1880" Slotted Special Pan MS (2A) 302 Stainless DFARS Compliant
3000	4-40 x 0.1900" Phillips JIS Recess #1 Pan MS (2A) Steel 1022 Brite Zinc & Clear
4000	4-40 x 0.2300" +- .005 6 - Lobe T6 Button Head Cap MS 3A 302 Stainless Steel Black Oxide
109000	4-40 x 1/4" Phillips Pan TRS Steel 1022 Heat Treat
18000	4-40 X 1/4" Conventional Indented Hex Washer Type F Stainless Steel 410 Heat Treat
18000	4-40 x 1/4" Slotted Pan MS (2A) Brass Nickel Plate
24000	4-40 x 1/4+0/-0.020 Phillips Fillister Captive Thread (2A) 302 Stainless Steel Passivated AMS QQP-35
4000	4-40 x 1/4"+/-0.005 Phillips Pan MS (2A) 302 Stainless Steel
8000	4-40 x 1/4" Conventional Pan MS (2A) 302 Stainless Steel
2000	4-40 x 1/4" Phillips Pan MS (2A) Steel 1022 SAE-AMS-QQ-P-416,Type II,Class 3
2000	4-40 x 1/4" 6 - Lobe 99/101° Flat MS (2A) 302 Stainless DFARS Compliant
2000	4-40 x 1/4" 6 - Lobe 99/101° Flat MS (2A) 302 Stainless DFARS Compliant
3000	4-40 x 1/4"+/-0.015 Phillips Pan MS (2A) Stainless Steel 410 Patch
5000	4-40 x 1/4" 6 - Lobe 99/101° Flat TRS Steel 1022 Heat Treat Brite Zinc / Bake & Chromate
5000	4-40 x 1/4" Mortorq ® Flat Head Cap Screw MS 3A 4037 Alloy Steel Heat Treat RC 39-42 ASTM F835 Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416B
2000	4-40 x 1/4" Saw Slotted Bind MS (2A) 302 HQ Stainless Steel Burnished
9000	4-40 x 1/4" Socket Head Cap MS 3A A-8740 Alloy Steel DFARS H/T to AMS-H-6875/A; AMS 2759/1D Cadmium Plate Yellow Chromate Baked Type 2 Class 2 AMS-QQ-P-416C
2000	4-40 x 1/4" 6 - Lobe 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant
1000	4-40 x 1/4" 1A 99/101° Flat MS (2A) Steel 1022 Brite Zinc Trivalent Chromate
1000	4-40 x 1/4" 6 - Lobe T-8 80/82° Flat MS (2A) Steel 1022 Black Zinc Trivalent Chromate .0002-.0003
3000	4-40 x 1/4" Phillips Fillister MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI

*Qty* *Description*

---

4000	4-40 x 1/4" Saw Slotted 80/82° Flat MS 3A 302 Stainless DFARS Compliant
50000	4-40 x 1/4" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)
3000	4-40 x 1/4" Phillips 99/101° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS- Locking Element - Nylon Patch Type. Cert. Required (Misc.)
675000	4-40 x 1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
1000	4-40 x 0.2810" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated AMS 2700 Nadcap Certified Passivation
2000	4-40 x 9/32" Slotted Bind MS (2A) 302 Stainless DFARS Compliant
9000	4-40 x .31+/-0.10 Phillips Full Contour Truss M/S (2A) 18-8 Stainless Passivated Air Dried Less Patch
8000	4-40 x 0.3100" Marked Cruciform Pan UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 36-40 HRC Cadmium Plate and Baked Type 1 Class 2 AMS-QQ-P-416 B (Misc)
13000	4-40 x 0.3100" Phillips Pan MS (2A) Brass Black On Brass MIL-F-495
11000	4-40 x .313+0/-0.030 6 - Lobe T6 Button MS 3A 18-8 Stainless Steel Black Oxide
	<b>BLACK OXIDE PLATED</b>
137000	4-40 x 5/16" Phillips 80/82° Flat MS (2A) 302 Stainless Steel Passivated ASTM A967-05 (Misc)
243000	4-40 x 5/16" Phillips 80/82° Flat MS (2A) 302 Stainless Steel Passivated ASTM A967-05 (Misc)
2000	4-40 x 5/16" Struck Slotted Fillister MS (2A) 302 Stainless DFARS Compliant
5000	4-40 x 5/16" Phillips Pan Type F Stainless Steel 410 Heat Treat Passivated ASTM A967-05e2
2000	4-40 x 5/16" Phillips Pan MS (2A) 316 Stainless Steel Passivated ASTM A967-05e2
3000	4-40 x 5/16" Phillips Truss MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
8000	4-40 x 5/16" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
54000	4-40 x 5/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
7000	4-40 x 3/8" 6 - Lobe Pan Type F 302 Stainless Steel
4000	4-40 x 3/8" 6 - Lobe Pan MS (2A) Steel 1022 Brite Zinc Trivalent Chromate
4000	4-40 x 3/8" Phillips 80/82° Flat M/S 302 HQ Stainless Steel Passivated ASTM A967-05
2000	4-40 x 3/8" Phillips 99/101° Flat MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05
6000	4-40 x 3/8" Phillips Pan MS (2A) Steel 1022 RC 28-32 Heat Treat Brite Zinc Trivalent Chromate
5000	4-40 x 3/8" Saw Slotted 80/82° Flat MS (2A) 302 Stainless DFARS Compliant
5000	4-40 x 3/8" Phillips 80/82° Flat MS (2A) Brass

**Qty****Description**

2000	4-40 x 3/8" Phillips Pan Captive 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc)
15000	4-40 x 3/8" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.) Requires secondaries, allow 10 weeks min. for delivery.
69000	4-40 x 3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
105000	4-40 x 3/8" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1 (Misc.)
3000	4-40 x 3/8" Phillips 90° Flat MS (2A) 4037 Alloy Steel Black Oxide LESS PATCH
3000	4-40 x 7/16" Slotted Pan Type F Stainless Steel 410 Brite Hardened
10000	4-40 x 7/16" Phillips 99/101° Flat MS (2A) 302 HQ Stainless Steel
8000	4-40 x 7/16" Phillips 99/101° Flat Captive 302 Stainless Steel Passivated AMS QQP-35 Vibratite
3000	4-40 x 7/16" Saw Slotted 80/82° Flat MS (2A) 302 Stainless DFARS Compliant
3000	4-40 x 7/16" Phillips 99/101° Flat MS (2A) Brass Plain (Misc)
14000	4-40 x 7/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
20000	4-40 x 7/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
4000	4-40 x 7/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
7000	4-40 x 0.4400" Phillips Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
8000	4-40 x 1/2" Phillips Pan Captive 302 HQ Stainless Steel Passivated AMS QQP-35 Vibratite
8000	4-40 x 1/2" Phillips 80/82° Flat MS (2A) Brass Non Mag
2000	4-40 x 1/2" Phillips Pan Captive 302 Stainless DFARS Compliant Passivated AMS QQP-35 Vibratite
14000	4-40 x 1/2" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.) Requires secondaries, allow 10 weeks min. for delivery.
2000	4-40 x 1/2" Saw Slotted Fillister MS (2A) Steel 1022 Brite Nickel
10000	4-40 x 1/2" Phillips Pan 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
2000	4-40 x 1/2" Slotted Pan Type 23 Steel 1022 Heat Treat - Case Harden RC 45 min.
5000	4-40 x 9/16" Phillips Pan M/S (2A) 302 HQ Stainless Steel Passivated ASTM A967-05
17000	4-40 X 5/8" Slotted Fillister MS (2A) 302 Stainless Steel Passivated ASTM A967-05e2 Nitric 2
13000	4-40 x 5/8" Phillips Special (Hd .236/.225) (U'C dia. .185/.175 depth .030/.025) Pan MS (2A) 302 Stainless Steel Passivated AMS QQP-35 (Misc)
9000	4-40 x 5/8" Phillips Pan MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05

<i>Qty</i>	<i>Description</i>
6000	4-40 x 5/8" Phillips Pan Type F Stainless Steel 410 Brite Hardened Passivated ASTM A967-05e2
6000	4-40 x 5/8" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
17000	4-40 x 5/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
5000	4-40 x 5/8" Phillips Pan Captive 302 Stainless DFARS Compliant Passivated ASTM A967-05 Vibratite
6000	4-40 x 0.6700"+0/-0.015 Phillips Pan MS (2A) 302 Stainless Steel
5000	4-40 x 3/4" Saw Slotted Drilled Fillister M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01 (Misc.)
6000	4-40 x 3/4" Phillips 99/101° Flat MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05 (Misc.)
10000	4-40 x 3/4" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.) Requires secondaries, allow 10 weeks min. for delivery.
1000	4-40 x 3/4" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
3000	4-40 x 3/4" Phillips Fillister MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
12000	4-40 x 3/4"+/-0.005 Phillips Pan MS (2A) 302 Stainless DFARS Compliant
3000	4-40 x 3/4" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant
10000	4-40 x 7/8" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
9000	4-40 x 1" Phillips Fillister MS (2A) 18-8 Stainless Steel
8000	4-40 x 1" Phillips 80/82° Flat MS (2A) Steel 1022 Cad QQ-P-416, Type II, Class 3
2000	4-40 x 1" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant
7000	4-40 x 1" Phillips 99/101° Flat MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
2000	4-40 x 1" Phillips Pan Captive 302 Stainless DFARS Compliant Passivate To Mil-F-14072-E300
26000	4-40 x 1" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
5000	4-40 x 1-1/4" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant
2000	4-40 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 (Misc.)
2000	4-40 x 1-1/4" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
3000	4-40 x 1-1/4" Phillips 99/101° Flat MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
28000	4-40 x 1-1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)

<i>Qty</i>	<i>Description</i>
1000	4-40 x 1-5/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
<hr/>	
4-48	
2000	4-48 x 3/16" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)
2000	4-48 x 1/4" Phillips 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
4000	4-48 x 1/4" Saw Slotted 80/82° Flat MS (2A) 302 Stainless DFARS Compliant
3000	4-48 x 3/8" Struck Slotted Round MS (2A) 302 HQ Stainless Steel
1000	4-48 x 3/8" Slotted Round M/S (2A) Steel 1022 Zinc & Yellow
7000	4-48 x 3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
<hr/>	
4-7	
6000	4-7 x 1/8" Conventional Round Type U Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416B (Misc)
110000	4-7 x 3/16" Conventional Round Type U 302 Stainless Steel Passivated Air Dried (Misc)
16000	4-7 x 1/4" Conventional Flat 60° Type U Drive (Pilot .096/.092 - 045/.055) Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate (Misc.)
6000	4-7 x 3/8" Conventional Round Type U 316 Stainless Steel
<hr/>	
5/32	
3000	5/32 x 3/4" Conventional Rivet Button (Round) Rivet 302 Stainless Steel
<hr/>	
5-40	
4000	5-40 x 0.1400" +-.005 Saw Slotted #4 IFI Fillister MS (2A) Header Point 302 HQ Stainless Steel Passivated AMS QQP-35
3000	5-40 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
1000	5-40 x 5/8" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
8000	5-40 x 3/4" Phillips Pan MS (2A) 302 HQ Stainless Steel
1000	5-40 x 3/4" Saw Slotted Fillister with *Slight Crown* MS (2A) with Type C Point Steel 1022 Brite Nickel
<hr/>	
6-19	
4000	6-19 x 1/4" Phillips Pan Plastic 60°-1 (PTRS) 18-8 Stainless Rinsed & Air Dried Passivated Wax
15000	6-19 x 3/8" 6 - Lobe Pan (Head Dia. .265/.246) PTRS 60-1 18-8 Stainless Steel Passivated AMS QQP-35

**Qty****Description****6-20**

52000	6-20 x 3/8" Square Pan Type 25 Steel 1022 Heat Treat Brite Zinc / Bake & Chromate
53000	6-20 x 3/8" 6 - Lobe Slot Combo Pan Type AB Stainless Steel 410 Brite Hardened
25000	6-20 x 1/2" Saw Slotted Indented Hex Washer Type AB 302 Stainless Steel
2000	6-20 x 1/2" Phillips Pan Type AB Steel 1022 Heat Treat Cad Yellow Baked Type 2 Class 3 AMS-QQ-P-416B
3000	6-20 x 11/16" Phillips Pan Type AB Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate

**6-32**

11000	6-32 x 1/8" Slotted U/C Bind MS (2A) 18-8 Stainless Steel
3000	6-32 x 1/8" Phillips Pan MS (2A) 302 Stainless Steel Passivated ASTM A967-05
5000	6-32 x 1/8" Mortorq ® Super Pan MS (2A) 302 Stainless DFARS Compliant
1000	6-32 x 0.1710" Saw Slotted Fillister MS With Header Point Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B
41000	6-32 x 3/16" Phillips Flat 100° Marked With One Dash MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05
11000	6-32 x 3/16" Phillips Fillister MS (2A) 302 Stainless DFARS Compliant
7000	6-32 x 3/16" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)
18000	6-32 x 3/16" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
2000	6-32 x 3/16" Phillips 120° Flat MS (2A) Steel 1022 Bright Zinc Trivalent Chromate
2000	6-32 x 0.1880" Saw Slotted Drilled Fillister M/S (2A) 302 Stainless Steel Passivated AMS QQP-35
350000	6-32 x 7/32" Phillips 99/101° Flat M/S (2A) Steel Brite Zinc Trivalent Chromate WIRE HEAT#E55117
2000	6-32 x 0.2190" Phillips Flat Top Truss Low Profile M/S (2A) 302 Stainless DFARS Compliant Passivated AMS QQ-P-35
75000	6-32 x 1/4" Phillips 99/101° Flat M/S (2A) Steel Bright Zinc & Clear Chromate
47000	6-32 x 1/4" Phillips 99/101° Flat TRS Steel 1022 Heat Treat Zinc/Bake Yellow Trivalent
46000	6-32 x 1/4" 6 - Lobe Pan MS (2A) 302 Stainless Steel
3000	6-32 x 1/4" Saw Slotted Fillister MS (2A) 302 Stainless Steel Passivated ASTM A967-05 (Misc)
23000	6-32 x 1/4" Phillips Pan MS (2A) 302 Stainless Steel Passivated ASTM A967-05
20000	6-32 x 1/4" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC (AMS-H-6875/A) Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B (Misc)

**Qty****Description**

97000	6-32 x 1/4" Phillips 80/82° Flat M/S 302 Stainless DFARS Compliant Passivated ASTM A967-05
7000	6-32 x 1/4" Phillips 80/82° Flat MS (2A) Brass Non Magnetic
12000	6-32 x 1/4" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.) <b>Requires secondaries, please allow 10 week deliveries.</b>
1000	6-32 x 1/4" Unslotted Indented Hex MS (2A) Steel 1022 Phosphate
2000	6-32 x 1/4" Saw Slotted Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
6000	6-32 x 1/4" Phillips Pan Type F Stainless Steel 410 Brite Hardened Passivated ASTM A967-05e2 Nitric 2
23000	6-32 x 17/64"+.005/-.015 Phillips Round Type F (MD: .139-.135) Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
2000	6-32 x 9/32" Phillips Pan MS (2A) Stainless Steel 410 Passivated ASTM A967-05 Patch
3000	6-32 x 5/16" Unslotted Indented Hex MS (2A) 302 Stainless Steel
11000	6-32 x 5/16" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel Heat Treated 26-32 HRC (AMS-H-6875/A) Cadmium Plate Yellow Chromate Type 2 Class 3 AMS- (Misc)
5000	6-32 x 5/16" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)
8000	6-32 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant
2000	6-32 x 5/16" Phillips 82/80° Flat U/C W/Nibs TRS Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
13000	6-32 x 5/16" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.) <b>Requires secondaries, please allow 10 weeks minimum for deliveries.</b>
2000	6-32 x 5/16" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05e2 (Misc.)
1000	6-32 x 5/16" Phillips 99/101° Flat MS (2A) 316 Stainless Steel Passivated Air Dried
216000	6-32 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
3000	6-32 x 5/16" Phillips Pan Captive w/chamfer 302 Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI Plain
5000	6-32 x .375 Phillips Pan (6 Dots on Head) M/S (2A) (Locking Patch) 18-8 Stainless Passivate Mil-F-14072-E300 Black Oxide Mil-C-13924 Cl. 3
2000	6-32 x 3/8" Phillips 99/101° Flat Marked Heads M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
2000	6-32 x 3/8" Phillips Pan MS (2A) Stainless Steel 410 Passivated Air Dried
2000	6-32 x 3/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B
1000	6-32 x 3/8" Conventional Indented Hex MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05
14000	6-32 x 3/8" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)

Qty	Description
	<b>Requires secondaries, please allow 10 weeks minimum for deliveries.</b>
11000	6-32 x 7/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)
7000	6-32 x 7/16" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)
	<b>Requires secondaries, please allow 10 weeks minimum for deliveries.</b>
1000	6-32 x 7/16" Phillips Pan Captive 302 Stainless DFARS Compliant Passivated AMS QQ-P-35 (Misc.)
2000	6-32 x 7/16" Saw Slotted 99/101° Flat MS (2A) Steel 1022 Cadmium Plate Type 1 Class 3 AMS-QQ-P-416C
10000	6-32 x 7/16" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
5000	6-32 x 1/2" Phillips 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant
8000	6-32 x 1/2" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)
	<b>Requires secondaries, allow 10 week min. for delivery</b>
4000	6-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
13000	6-32 x 1/2" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)
1000	6-32 x 1/2" Phillips Pan MS (2A) Steel 1022 Zinc Yellow per ASTM B633, Fe/Zn 5 Type II (Misc.)
12000	6-32 x 1/2" Phillips Pan Captive 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
3000	6-32 x 9/16" Phillips Pan M/S (2A) 302 Stainless Steel Passivated ASTM A967-05
4000	6-32 x 0.6200" Phillips Pan MS (2A) Brass Black On Brass MIL-F-495 (Misc)
9000	6-32 x 5/8" Saw Slotted Flat 100° MS (2A) 302 Stainless Steel Passivated ASTM A967-01
3000	6-32 x 5/8" Phillips Pan M/S 302 Stainless Steel Passivated ASTM A967-05 Black Oxide Mil-DTL-13924 CL 4
2000	6-32 x 5/8" Unslotted Unindented Hex MS (2A) Steel 1022 Plain
1000	6-32 x 5/8" Phillips Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05
3000	6-32 x 5/8" Phillips Pan Captive 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4
1000	6-32 x 5/8" Phillips Pan Captive 302 Stainless DFARS Compliant Passivate To Mil-F-14072-E300 (Misc.)
8000	6-32 x 5/8" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)
	<b>Requires secondaries, allow 10 week min. for delivery</b>
5000	6-32 x 5/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)
16000	6-32 x 5/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)

<i>Qty</i>	<i>Description</i>
12000	6-32 x 3/4" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B (Misc)
2000	6-32 x 3/4" Saw Slotted Fillister MS (2A) Brass
6000	6-32 x 3/4" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)
2000	6-32 x 3/4" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.) Requires secondaries , allow 10 week min. for delivery
3000	6-32 x 3/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
2000	6-32 x 3/4" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
4000	6-32 x 3/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
2000	6-32 x 7/8" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
5000	6-32 x 7/8" Phillips Pan MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05
6000	6-32 x 7/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
8000	6-32 x 7/8" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.) Requires secondaries, allow 10 week min. for delivery
5000	6-32 x 7/8" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
5000	6-32 X 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless Steel Passivated ASTM A967, Nitric 5
75000	6-32 X 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless Steel Passivated ASTM A967-05e2 Nitric 2
95000	6-32 x 1" Phillips Pan MS (2A) Steel 1022 SAE-AMS-QQ-P-416,Type II,Class 3
1000	6-32 x 1" Phillips Special (Hd .293/.282) (U'C dia. .238/.228 depth .034/.028) Pan MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQP-35 (Misc)
8000	6-32 x 1" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.) Requires secondaries, allow 10 week min. for delivery
3000	6-32 x 1" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4 (Misc.)
15000	6-32 x 1" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
2000	6-32 x 1-1/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05e2 (Misc.)
7000	6-32 x 1-1/4" Phillips 99/101° Flat MS (2A) Brass Black On Brass MIL-F-495 (Misc)
3000	6-32 x 1-1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)

<i>Qty</i>	<i>Description</i>
1000	6-32 x 1-3/8" Phillips Pan MS (2A) 302 Stainless Steel Passivated ASTM A967-01 (Misc)
10000	6-32 x 1-3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
1000	6-32 x 1-1/2" Phillips Pan M/S (2A) 302 Stainless Steel Passivated ASTM A967-05
4000	6-32 x 1-1/2" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
3000	6-32 x 1-1/2" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1 (Misc.)
3000	6-32 x 1-1/2" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1 (Misc.)
6000	6-32 x 1-3/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)
6000	6-32 x 1-3/4" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
10000	6-32 x 1-3/4" Phillips Pan M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)
13000	6-32 x 2" Phillips 80/82° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)

---

6-40

10000	6-40 x 1/8" Saw Slotted Bind M/S (2A) Brass
3000	6-40 x 0.2180" Saw Slotted 80/82° Flat MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05
6000	6-40 x 1/4" Phillips Flat 100° Marked With One Dash M/S 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
3000	6-40 x 1/4" Slotted Pan MS (2A) Steel 1022 Bright ZInc & Clear Trivalent .0002
4000	6-40 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
4000	6-40 x 5/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)
5000	6-40 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
1000	6-40 x 1/2" Phillips 99/101° Flat MS (2A) Brass Plain (Misc)
1000	6-40 x 5/8" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)
8000	6-40 x 3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01
7000	6-40 x 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01

<i>Qty</i>	<i>Description</i>
6-48	
1000	6-48 x 0.3000" +/- .010" Slotted Pan Special Serrated Captive Steel 1022 Heat Treat RC 28-38 Black Oxide
6-7	
25000	6-7 x 7/32" Conventional Round Type U 302 Stainless Steel
8-16	
2000	8-16 x 3/8" 6 - Lobe Pan PTRS 60-1 302 Stainless Steel ROHS
1000	8-16 x 3/8" Phillips Pan PTRS 60-1 316 Stainless Steel
8-18	
50000	8-18 x 1/2" Saw Slotted Indented Hex Type AB 302 Stainless Steel
3000	8-18 x 7/8" Phillips 80/82° Flat Type B 302 Stainless Steel
8-32	
4000	8-32 x 5/32" Slotted Special Low Profile Truss** MS (2A) Brass Nickel over Brass
8000	8-32 x 0.1650" 6 - Lobe Truss MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05
5000	8-32 x 3/16" Phillips 82/80° Flat U/C M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
12000	8-32 x 3/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
52000	8-32 x 1/4" Phillips 82/80° Flat U/C MS (2A) Steel 1022 <b>SOFT / PLAIN</b>
4000	8-32 x 1/4" 6 - Lobe Special (T10) Button Head Cap Screw 3A 302 Stainless Steel Black Oxide Dry
67000	8-32 x 1/4" Marked Cruciform Pan UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 36-40 HRC Cadmium Plate and Baked Type 1 Class 2 AMS-QQ-P-416 B (Misc)
1000	8-32 x 1/4" Combo Phil Slot Round MS (2A) 302 Stainless DFARS Compliant
1000	8-32 x 1/4" Phillips 99/101° Flat MS (2A) Steel 1022 Heat Treat Grade 5 Zinc/Bake & Yellow
5000	8-32 x 1/4" Phillips Pan W/Nibs Thread Rolling (TRS) Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
1000	8-32 x 1/4" Slotted Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05
7000	8-32 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)
14000	8-32 x 1/4" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)
2000	8-32 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
2000	8-32 x 1/4" Saw Slotted Drilled Fillister MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)

<i>Qty</i>	<i>Description</i>
21000	8-32 X 5/16" Phillips Pan MS (2A) Steel 1022 SAE-AMS-QQ-P-416C,Type II,Class 3 <b>CAD PLATED</b>
21000	8-32 x 5/16" Saw Slotted Bind MS (2A) 302 Stainless Steel
3000	8-32 x 5/16" Phillips Pan MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05
1000	8-32 x 5/16" Phillips 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant Black Oxide PER MIL-C-13924 CLASS 4
5000	8-32 x 5/16" Phillips Pan MS (2A) 316 Stainless Steel Passivated ASTM A967-05 (Misc)
2000	8-32 x 5/16" Phillips Special (Hd .346/.336) (U'C dia. .265/.255 depth .040/.030) Pan MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQP-35 (Misc)
2000	8-32 x 5/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
6000	8-32 x 5/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
2000	8-32 x 5/16" Phillips Pan MS (2A) Brass Plain
5000	8-32 x 5/16" Saw Slotted UN- Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.) <b>Requires secondaries, allow a min. of 10 weeks for delivery</b>
6000	8-32 x 5/16" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
6000	8-32 x 0.3280" +- .005 Socket Flat Head Cap Screw MS 3A 302 Stainless DFARS Compliant
53000	8-32 x 3/8" Phillips 80/82° Flat MS (2A) Steel 1022 Brite Zinc & Clear <b>ZINC / CLEAR</b>
9000	8-32 x 3/8" Saw Slotted Indented Hex MS (2A) 302 Stainless Steel Passivate ASTM A380
53000	8-32 x 3/8" Saw Slotted Indented Hex Washer Type F 302 Stainless Steel
5000	8-32 x 3/8" Phillips Pan M/S (2A) 302 HQ Stainless Steel Passivated ASTM A967-05
7000	8-32 x 3/8" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
2000	8-32 x 3/8" Saw Slotted Special Low Profile Truss** M/S (2A) Brass Brite Nickel
12000	8-32 x 3/8" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.) <b>Requires secondaries, allow min. of 10 weeks for delivery</b>
6000	8-32 x 3/8" 6 - Lobe Button Head Cap MS 2A 4037 Alloy Steel Heat Treat Plain
7000	8-32 x 3/8" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)
3000	8-32 x 3/8" Phillips 80/82° Flat MS (2A) Brass NON MAG
5000	8-32 x 3/8" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
54000	8-32 x 3/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
2000	8-32 x 0.3800" Combo Phil Slot Bind MS (2A) Steel 1022 Zinc & Yellow
4000	8-32 x 0.3800" Saw Slotted Drilled Fillister MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)

3000	8-32 x 7/16" Phillips Pan M/S 302 Stainless Steel Passivated ASTM A967-05 (Misc)
112000	8-32 x 7/16" Phillips Pan MS (2A) 302 Stainless Steel Passivated ASTM A967-05
8000	8-32 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 Black Oxide Mil-DTL-13924 CL 4 (Misc)
3000	8-32 x 7/16" Phillips Pan MS (2A) 302 Stainless Steel Passivated ASTM A967-05 Black Oxide Mil-DTL-13924 CL 4 (Misc)
10000	8-32 x 7/16" ACR® Phillips II Round MS (2A) 302 Stainless DFARS Compliant
14000	8-32 x 7/16" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.) Requires secondaries, allow 10 week min. for delivery
9000	8-32 x 7/16" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1 (Misc.)
2000	8-32 x 7/16" Phillips 82/80° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)
2000	8-32 x 1/2" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01 Black Oxide Mil-DTL-13924 CL 4
69000	8-32 x 1/2" Phillips 99/101° Flat M/S 302 Stainless Steel Passivated ASTM A967-05
50000	8-32 x 1/2" Phillips Pan TRS Steel 1022 Heat Treat Brite Zinc / Bake & Chromate
4000	8-32 x 1/2" Saw Slotted Indented Hex MS (2A) Stainless Steel 410 Brite Hardened Passivate Mil-F-14072-E300 RC 36-45 (Misc)
4000	8-32 x 1/2" Phillips 82/80° Flat MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)
2000	8-32 x 1/2" Phillips #1 Drive 99/101° Flat MS (2A) 316 Stainless Steel Passivated Air Dried
9000	8-32 x 1/2" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.) Requires secondaries, allow 10 weeks min. for delivery.
2000	8-32 x 1/2" Conventional Indented Hex MS (2A) 302 Stainless DFARS Compliant Passivated AMS QQ-P-35 Type VI
2000	8-32 x 1/2" Conventional Indented Hex MS (2A) 302 Stainless DFARS Compliant Passivated Air Dried
2000	8-32 x 1/2" Phillips 80/82° Flat M/S (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 1 (Misc.)
6000	8-32 x 1/2" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
5000	8-32 x 5/8" Conventional Pan MS (2A) 302 Stainless Steel
5000	8-32 x 5/8" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC Cadmium Plate Yellow Chromate Type 2 Class 2 AMS-QQ-P-416 B
5000	8-32 x 5/8" Marked Cruciform 99/101° Flat UNJC-3A Fully Threaded A-8740 Alloy Steel DFARS Heat Treated 26-32 HRC Cadmium Plate Type 1 Class 2 AMS-QQ-P-416 B (Misc)
8000	8-32 x 5/8" Phillips Pan M/S (2A) Brass Black On Brass MIL-F-495 (Misc)
4000	8-32 x 5/8" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)

<i>Qty</i>	<i>Description</i>
2000	8-32 x 5/8" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
22000	8-32 x 5/8" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
4000	8-32 x 5/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
9000	8-32 x 5/8" Phillips Pan Captive 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
4000	8-32 x 5/8" Phillips Flat 100° Marked With One Dash MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
2000	8-32 x .640-.610 Saw Slotted Special Fillister M/S Partial Thread 302 Stainless Steel Plain (Misc)
2000	8-32 x 11/16" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated Air Dried
11000	8-32 x 3/4" Phillips Round MS (2A) 302 Stainless DFARS Compliant
3000	8-32 x 3/4" Phillips Fillister Captive 316 Stainless Steel
9000	8-32 x 3/4" Saw Slotted Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)
	<b>Requires drill secondary, allow 10 weeks min. for delivery.</b>
2000	8-32 x 3/4" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
	<b>Requires secondaries, allow 10 weeks Min. for delivery</b>
5000	8-32 x 7/8" Phillips Pan MS (2A) Brass Brite Nickel QQ-N-290 .0001 thick CL 1 TY VII
10000	8-32 x 7/8" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)
	<b>Requires Secondaries allow 10 weeks min. for delivery</b>
4000	8-32 x 7/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
7000	8-32 X 1" Phillips Pan MS (2A) Steel 1022 SAE-AMS-QQ-P-416C,Type II,Class 3
45000	8-32 x 1" Phillips Pan MS (2A) Steel 1022 PLAIN
9000	8-32 x 1" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
6000	8-32 x 1" Saw Slotted UN-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)
	<b>Requires secondaries, allow 10 week min. for delivery</b>
2000	8-32 x 1" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
4000	8-32 x 1" 6 - Lobe Wafer Special MS (2A) Steel 1022 Heat Treat ROHSBlack Oxide & Wax
2000	8-32 x 1.1200" Phillips Pan MS (2A) Brass Black On Brass MIL-F-495 (Misc)
25000	8-32 x 1-1/8" Phillips 99/101° Flat W/Dash M/S (2A) 302 Stainless Steel Passivated ASTM A967-01 (Misc)

<i>Qty</i>	<i>Description</i>
6000	8-32 x 1-1/8" Saw Slotted Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05e2 (Misc.)
1000	8-32 x 1-1/4" Saw Slotted Un-Drilled Fillister MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05e2 (Misc.) Requires secondaries, please allow 10 weeks minimum for deliveries.
4000	8-32 x 1-1/4" Phillips 99/101° Flat M/S (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416C (Misc.)
3000	8-32 x 1-1/4" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
14000	8-32 x 1-3/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 4 (Misc.)
6000	8-32 x 1-1/2" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
11000	8-32 x 1-3/4" Phillips Flat 100° Marked With One Dash MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
8000	8-32 x 1-3/4" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)
2000	8-32 x 2" Phillips Pan MS (2A) Steel 1022 SAE-AMS-QQ-P-416,Type II,Class 3
4000	8-32 x 2" Phillips Pan MS (2A) Steel 1022 Cadmium Plate Yellow Chromate Type 2 Class 3 AMS-QQ-P-416 B (Misc)
3000	8-32 x 2" Phillips 80/82° Flat M/S (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
6000	8-32 x 2" Phillips Pan MS (2A) 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)
2000	8-32 x 2" Phillips Pan MS (2A) 316L Stainless Steel Passivate SAE-AMS2700E Method 1 Type 6 Class 4 (Misc.)

---

8-36

6000	8-36 x 5/32" Slotted Pan MS (2A) 302 Stainless DFARS Compliant
5000	8-36 x 1/4" Phillips 82/80° Flat U/C MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc.)
2000	8-36 x 3/8" Unslotted Indented Hex MS (2A) 302 HQ Stainless Steel
5000	8-36 x 7/16" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)
6000	8-36 x 3/4" Phillips Flat 100 (Marked With One Dash) MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-01
6000	8-36 x 7/8" Phillips Pan MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05 (Misc)

---

8-40

18000	8-40 x 1/4" +/- .005" 6 - Lobe T-8 82/80° Flat MS (2A) Stainless Steel 410 Brite Hardened RC 28-32
-------	--

<i>Qty</i>	<i>Description</i>
6000	8-40 x 3/4"+0/-0.10 Saw Slotted Oval #6 Head MS (2A) 302 HQ Stainless Steel Passivated ASTM A967-05
4000	8-40 x 3/4"+0/-0.10 Saw Slotted Oval #6 Head MS (2A) 302 Stainless DFARS Compliant Passivated ASTM A967-05
<hr/>	
8-8	
4000	8-8 x 3/8" Conventional Round Type U 302 Stainless DFARS Compliant Passivated ASTM A967-05
<hr/>	
M1.2	
9000	M1.2 x .25 X 3 MM Phillips Pan M/S (6g) 18-8 Stainless
21000	M1.2 x .25 X 4 MM Phillips 90/92° Flat MS (6g) Steel 1022 Brite Zinc & Clear ZINC / CLEAR
<hr/>	
M1.4	
18000	M1.4 x .3 x 18mm Saw Slotted Cheese MS (6g) Steel 1022 Heat Treat Grade 8.8 Zinc & Bake Trivalent Chromate .00015 MIN THK
<hr/>	
M1.6	
2000	M1.6 x .35 x 2mm Phillips JCIS Special Pan MS (6g) 302 Stainless Steel Passivated Air Dried
28000	M1.6 x .35 x 2.5mm Phillips 90/92° Flat MS (6g) 18-8 Stainless Steel
160000	M1.6 x .35 x .098 +0/-0.008 Phillips Pan M/S (6g) 302 Stainless Steel Less Patch
16000	M1.6 x .35 3 MM Slotted Cheese M/S (6g) 18-8 Stainless Oil Finish
9000	M1.6 x .35 x 3mm Saw Slotted Cheese MS (6g) 302 Stainless DFARS Compliant
14000	M1.6 x .35 x 3mm 6 - Lobe T-5 Special (HD 2.95 +0 -.31mm)(HH 1.12 +0 -.21mm) Pan TRS Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
11000	M1.6 x .35 x 3.5mm (+0 -.0157) 6 - Lobe T-5 Special (HD 2.95 +0 -.31mm)(HH 1.12 +0 -.21mm) Pan TRS 302 Stainless Steel Passivate ASTM A380
10000	M1.6 x .35 x 4mm Saw Slotted Cheese M/S (6g) 18-8 Stainless
38000	M1.6 x .35 X 4 MM Phillips 90/92° Flat MS (6g) 302 Stainless Steel
27000	M1.6 x .35 x 4mm 6 - Lobe Button MS (6G) 302 Stainless Steel Nylon Patch Nylon Patch
11000	M1.6 x .35 x 4mm+/-0.1mm Phillips Pan (JCIS 10.7 Type 1) MS (6g) 302 HQ Stainless Steel
6000	M1.6 x .35 x 4mm 6 - Lobe Pan MS (6g) 302 Stainless DFARS Compliant Less Passivate
5000	M1.6 x .35 x 4mm Saw Slotted 90/92° Flat MS (6g) 302 Stainless DFARS Compliant
6000	M1.6 x .35 x 4mm 6 - Lobe 90/92° Flat MS (6g) Steel 1022 Brite Zinc Trivalent Chromate
3000	M1.6 x .35 X 5 MM 1A 90/92° Flat MS (6g) 302 Stainless DFARS Compliant
4000	M1.6 x .35 X 5 MM Phillips Cheese MS (6g) 316 Stainless Steel

*Qty* *Description*

---

9000	M1.6 x .35 x 5.5mm +0/- .4mm 6 - Lobe Special Pan TRS 302 Stainless Steel Passivate ASTM A380
3000	M1.6 x .35 x 5.5mm +0/- .4mm 6 - Lobe Special Pan TRS 302 Stainless DFARS Compliant Passivate ASTM A380
3000	M1.6 x .35 x 5.5mm Phillips 90/92° Flat MS (6g) Steel 1022 Brite Zinc Trivalent Chromate
30000	M1.6 x .35 X 6 MM Phillips Pan MS (6g) 18-8 Stainless Steel
8000	M1.6 x .35 x 6mm Phillips JCIS Special Cheese MS (6g) Steel 1022 Zinc W/Black Chromate
3000	M1.6 x .58 x 6mm Phillips Pan Type B Steel 1022 Heat Treat Brite Zinc / Bake & Chromate
1000	M1.6 x .35 x 6mm Phillips Pan w/18 Locking Serrations MS (6g) 302 Stainless DFARS Compliant
5000	M1.6 x .35 x 6mm 6 - Lobe Pan TRS 302 Stainless DFARS Compliant Passivated Air Dried
2000	M1.6 x .35 X 6 MM 6 - Lobe Pan MS (6g) 302HQ Stainless DFARS Compliant
2000	M1.6 x .35 x 6.7mm +/- .24mm Saw Slotted Cheese MS (6g) 302 Stainless DFARS Compliant Passivated Air Dried
6000	M1.6 x .35 X 8 MM 1A 90/92° Flat MS (6g) 302 Stainless DFARS Compliant
9000	M1.6 x .35 x 9mm Phillips JCIS Special Cheese MS (6g) Steel 1022 Zinc W/Black Chromate
10000	M1.6 x .35 x 9mm Phillips Special Flat Fillister MS (6g) 302 Stainless DFARS Compliant
2000	M1.6 x .35 x 9.4mm Phillips Special Pan MS (6g) 302HQ Stainless DFARS Compliant Burnished Passivated AMS QQ-P-35 Type VI
5000	M1.6 x .35 x 10mm Saw Slotted 90/92° Flat MS (6G) 18-8 Stainless Steel
2000	M1.6 x .35 x 13mm Saw Slotted Cheese MS (6g) Steel 1022 Heat Treat Grade 8.8 Black Oxide ROHS
2000	M1.6 x .35 X 18 MM Phillips Pan MS (6g) 302 Stainless DFARS Compliant

---

**M1.6x.64**

14000	M1.6x.64 x 3mm 6 - Lobe Pan PTRS 60-1 302 Stainless Steel
3000	M1.6x.64 x 4mm Phillips 90/92° Flat PTRS 60-1 302 Stainless DFARS Compliant

---

**M1.7**

10000	M1.7 x .58 x 3.5mm Phillips Wafer Special Type B Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
3000	M1.7 x .35 x 4.5mm Phillips Pan MS (6g) 302 HQ Stainless Steel
10000	M1.7 x .35 x 18mm Phillips Pan Special MS (6g) Partial Thread 302 Stainless DFARS Compliant

---

**M1.9**

31000	M1.91 x .79 x 6mm 6 - Lobe Pan PTRS 60-1 302 Stainless DFARS Compliant Wax lubricant
8000	M1.8 x .8 x 6mm 6 - Lobe Pan (FLAT TOP) PTRS 48-2 Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate .00015-.00035 (Misc.)

**M2**

5000	M2 x .4 x 2.5mm 6 - Lobe Pan MS (6g) Steel 1022 Black Zinc Trivalent Chromate
5000	M2 x .4 x 2.5mm 6 - Lobe Pan MS (6g) Steel 1022 Black Zinc Trivalent Chromate
4000	M2 x .4 x 2.5mm Phillips Pan MS (6g) Steel 1022 Bright Zinc Trivalent Chromate
3000	M2 x .4 x 3mm Phillips 90/92° Flat JCIS10-70 MS (6g) 302 Stainless DFARS Compliant
5000	M2 x .4 x 3mm Phillips Wafer MS (6g) W/ CHAMFER 302 Stainless DFARS Compliant Black Oxide
110000	M2 x .4 x 3mm Phillips Cheese MS (6g) Steel 1022 Brite Nickel
37000	M2 x .4 x 4mm 6 - Lobe Pan Flat Top TRS 302 Stainless Steel Black Oxide Mil-DTL-13924 CL 4
2000	M2 x .4 x 4mm 6 - Lobe Pan MS (6g) 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4
2000	M2 x .4 x 4mm Phillips Pan W/Locking Serrations MS (6g) Steel 1022 Black Oxide & Oil ROHS dry to touch
5000	M2 x .4 x 4mm Phillips Pan W/Locking Serrations MS (6g) Steel 1022 Black Oxide & Oil ROHS dry to touch
12000	M2 x .4 x 5mm Phillips Pan JISB1111 MS (6g) 302 HQ Stainless Steel
5000	M2 x .91 x 5mm 6 - Lobe (T5) Pan PTRS 60-1 Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
7000	M2 x .4 X 5 MM 6 - Lobe Button Head Cap MS (6g) 302 Stainless DFARS Compliant
3000	M2 x .4 x 5mm 6 - Lobe 90/92° Flat TRS 302 Stainless DFARS Compliant Passivated ASTM A967-05 Black Oxide Mil-DTL-13924D CL 4 & WAX
4000	M2 x .4 x 5mm Phillips Pan MS (6g) 302 Stainless DFARS Compliant Passivate To ASTM A380
4000	M2 x .4 x 5mm Phillips Pan MS (6g) 302 Stainless DFARS Compliant Passivate To ASTM A380
2000	M2 x .4 X 5 MM Phillips Pan Sems Blank 302 Stainless DFARS Compliant
1000	M2 x .4 x 5mm 6 - Lobe Pan MS (6g) Steel 1022 Brite Zinc Trivalent Chromate
14000	M2 x .4 x 5.5mm Phillips 90/92° Flat MS (6g) Steel 1022 Bright Zinc Trivalent Chromate
6000	M2 x .4 x 6 mm (.235/.225) Phillips Pan Sems Blank 302 Stainless DFARS Compliant
5000	M2 x .4 x 6mm Phillips Pan Special U/C MS (6g) 302 HQ Stainless Steel Passivated AMS QQP-35
4000	M2 x .4 X 6 MM Phillips Pan TRS 302 Stainless DFARS Compliant

<i>Qty</i>	<i>Description</i>
5000	M2 x .4 x 6mm #1 Drive Phillips 90/92° Flat MS (6g) 302 Stainless DFARS Compliant (Misc.)
5000	M2 x .4 x 6mm Phillips Pan Special U/C MS (6g) 302 Stainless DFARS Compliant Passivated AMS QQP-35
1000	M2 x .4 x 6mm Phillips Pan MS (6g) Partial Half Threaded 302 Stainless DFARS Compliant Black Oxide
9000	M2 x .79 x 6mm 6 - Lobe Pan PTRS 60-1 302 Stainless DFARS Compliant Black Oxide ROHS
10000	M2 x .4 x 7.5mm Phillips Pan Wafer Special MS (6g) 302 Stainless DFARS Compliant
4000	M2 x .4 x 8mm Phillips 80°/82° Flat Shank Slot Type 23 Steel 1022 Black Oxide
6000	M2 x .4 x 8mm Phillips Pan MS (6g) Partial Half Threaded 302 Stainless DFARS Compliant Black Oxide
2000	M2 x .4 x 8mm Phillips Pan MS (6g) 316 Stainless Steel Passivate SAE-AMS2700C Method 1 Type 6 Class 1
5000	M2 x .4 x 10mm +0 -.6mm Phillips Pan MS (6g) 302 Stainless DFARS Compliant Passivated Air Dried Less Patch
3000	M2 x .4 x 10mm Phillips Pan (Flat Top) MS (6g) 302 Stainless DFARS Compliant Passivate SAE-AMS2700C Method 1 Type 6 Class 1
5000	M2 x .4 x 10mm 6 - Lobe Pan MS (6g) 316 Stainless Steel Passivated Air Dried
3000	M2 x .4 x 12mm 6 - Lobe Pan MS (6g) Steel 1022 Bright Zinc Trivalent Chromate
1000	M2 x .79 x 12mm 6 - Lobe Pan PTRS 60-1 302HQ Stainless DFARS Compliant Passivate SAE-AMS2700E Method 1 Type 6 Class 4
8000	M2 x .4 x 14.7mm Saw Slotted Fillister Special MS (6g) Stainless Steel 410 Brite Hardened RC 38-43
90000	M2 x .4 X 20 MM Phillips Pan MS (6g) Steel 1022 Brite Zinc & Clear <b>BRIGHT ZINC PLATED/ W- PATCH</b>
6000	M2 x .4 x 20mm Phillips Pan JIS B1111 MS (6g) 302 Stainless DFARS Compliant
2000	M2 x .4 x 20mm Phillips Pan (Flat Top) MS (6g) 302 Stainless DFARS Compliant Passivated ASTM A967, Nitric 5

---

**M2.2**

14000	M2.2 x .8 X 5 MM Phillips 90/92° Flat Type B 302 HQ Stainless Steel
7000	M2.2 x .98 x 6mm 6 - Lobe HPT Oval Plastic H-PT 30 degree Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
5000	M2.2 x .79 x 7.5mm Slotted Special One Way Pan Head Type AB Steel 1022 Heat Treat(Standard) Zinc & Bake Trivalent Chromate (Misc)
18000	M2.2 x .45 x 8mm Phillips Pan MS (6g) 302 Stainless Steel Black Oxide Mil-DTL-13924 CL 4
9000	M2.2 x .45 x 8mm Phillips Pan MS (6g) 302 Stainless Steel Passivated AMS QQP-35

---

**M2.3**

**Qty****Description**

---

**6000 M2.3 x .4 x 3mm Phillips Wafer MS (6G) Steel 1022 Black Zinc Trivalent Chromate****10000 M2.3 x .4 x 24mm Phillips Pan {JIS B1111} MS (6g) Steel 1022 Brite Zinc Trivalent Chromate**

---

**M2.5****4000 M2.5 x .45 x 3mm Phillips 90/92° Flat Special Undercut .88mm +/- .05mm Height MS (6g) Steel 1022 Bright Zinc Trivalent Chromate****5000 M2.5 x .45 x \*\*4mm 1A 90/92° Flat TRS Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate .0003****7000 M2.5 x .45 x 4mm 6 - Lobe 90/92° Flat MS (6g) Steel 1022 Brite Zinc Trivalent Chromate****3000 M2.5 x .45 x 4mm Phillips Pan TRS 302 Stainless DFARS Compliant****4000 M2.5 x .45 x 4mm Phillips Pan TRS 302HQ Stainless DFARS Compliant****5000 M2.5 x .45 x 5mm Saw Slotted 90/92° Flat MS (6g) 18-8 Stainless Steel****5000 M2.5 x 1.06 x 5mm Special 6 - Lobe T6 Truss PTRS 60-1 302 Stainless DFARS Compliant Wax lubricant****3000 M2.5 x .45 X 5 MM Phillips Cheese MS (6g) 302HQ Stainless DFARS Compliant****4000 M2.5 x .45 x 5mm 1A Pan MS (6g) 302HQ Stainless DFARS Compliant****3000 M2.5 x .45 x 5mm Phillips 90/92° Flat Special Undercut .88mm +/- .05mm Heigh MS (6g) Steel 1022 Bright Zinc Trivalent Chromate****4000 M2.5 x .45 X 6 MM Phillips Pan TRS 302 HQ Stainless Steel****2000 M2.5 x .45 x 6mm Phillips Pan MS (6g) 302 Stainless DFARS Compliant Passivated Air Dried Black Oxide****2000 M2.5 x .45 X 6 MM Phillips Pan MS (6g) 302 Stainless DFARS Compliant****4000 M2.5 x .45 x 6mm Phillips Special Cheese (flat top-see print) MS (6g) 302 Stainless DFARS Compliant****3000 M2.5 x .45 x 7.5mm 6 - Lobe SPECIAL 60° Flat MS (6g) 4037 Alloy Steel Phosphate & Oil****3000 M2.5 x .45 x 10mm Phillips 90/92° Flat MS (6g) Stainless Steel 410 Brite Hardened****10000 M2.5 x .45 x 12mm Phillips Pan EXTERNAL TOOTH SEMS WASHER MS (6g) Steel 1022 Brite Zinc & Clear****2000 M2.5 x 1.06 x 12mm 6 - Lobe Pan PTRS 60-1 Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate****6000 M2.5 x .45 x 14mm 1A 90/92° Flat MS (6g) Steel 1022 Brite Zinc Trivalent Chromate****2000 M2.5 x .45 X 1.2598 Phillips Pan MS (6g) Steel 1022****5000 M2.5 x .45 x 35mm Phillips Pan MS (6g) Steel 1022 Brite Zinc & Clear**

---

**M2.6****2000 M2.6 x .45 x 5mm Phillips Pan JCIS 10-70 MS (6g) 302 Stainless DFARS Compliant**

---

**Qty****Description**

---

<b>M2.9</b>	
4000	M2.9 x 1.27 X 8 MM 6 - Lobe Pan PTRS 48-2 302 Stainless DFARS Compliant
16000	M2.9 x 1.27 x 13mm 6 - Lobe 90/92° Flat PTRS 48-2 302 HQ Stainless Steel

---

**M3**

3000	M3 x .5 x 3mm 6 - Lobe Button Head Cap MS (6g) 4037 Alloy Steel Heat Treat Grade 8.8 Zinc & Bake Trivalent Chromate
1000	M3 x .5 x 3mm 6 - Lobe T-10 Button Head Cap MS (6g) 4037 Alloy Steel Heat Treatment 4037 Alloy Heat Treat Grade 8.8 Zinc & Bake Trivalent Chromate
10000	M3 x .5 x 4mm Phillips 90/92° Flat HH: 1.00 - 1.04mm HD:4.8/4.5mm MS (6g) Steel 1022 Brite Zinc & Clear
4000	M3 x .5 X 4mm Phillips 90/92° Flat MS (6g) 302 Stainless DFARS Compliant
4000	M3 x .5 x 4mm Saw Slotted Cheese MS (6g) 302 Stainless DFARS Compliant
4000	M3 x .5 x 4mm Phillips U/C 90/92° Flat MS (6g) 302 Stainless DFARS Compliant Passivated Air Dried
12000	M3 x .5 x 4mm 1A 90/92° Flat MS (6g) Steel 1022 Bright Zinc Trivalent Chromate (Misc.)
3000	M3 x .5 X 5 MM Combo Phil Slot Pan MS (6g) Steel 1022 Brite Nickel <b>NICKLE PLATED</b>
9000	M3 x .5 X 5 MM 6 - Lobe Pan MS (6g) 18-8 Stainless Steel Passivated Air Dried
13000	M3 x .5 X 6 MM 6 - Lobe Pan MS (6g) 18-8 Stainless Steel
10000	M3 x .5 x 6mm 6 - Lobe T-8 U/C Special 80/82° Flat MS (6g) Steel 1022 Bright Zinc & Clear Trivalent .0002 48 hour salt spray test w/certs (Misc)
4000	M3 x .5 x 6mm 1A U/C 90/92° Flat MS (6g) 302 HQ Stainless Steel
2000	M3 x .5 x 6mm Phillips Pan MS (6g) Stainless Steel 410 Passivated Air Dried
2000	M3 x .5 x 6mm 6 - Lobe Pan Flat Top TRS 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924 CL 4 Wax lubricant
4000	M3 x .5 x 6mm 1A 90/92° Flat TRS 302 Stainless DFARS Compliant Passivated Air Dried Wax lubricant RoHS Compliant
3000	M3 x .5 x 6mm 6 - Lobe Pan Flat Top TRS 302 Stainless DFARS Compliant Black Oxide Mil-DTL-13924D CL 4 Wax lubricant
2000	M3 x .5 x 6mm Square 90/92° Flat MS (6g) 302 Stainless DFARS Compliant
3000	M3 x .5 x 6mm 1A U/C 90/92° Flat MS (6g) 302 Stainless DFARS Compliant
9000	M3 x .5 x 6mm Phillips 90/92° Flat MS (6g) 302HQ Stainless DFARS Compliant Passivated Air Dried
45000	M3 x 1.34 x 8mm Phillips HPT Oval Plastic H-PT 30 degree Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
2000	M3 x .5 x 8mm Slotted Round (#4 IFI) MS (6g) 302 HQ Stainless Steel
2000	M3 x .5 x 8mm Phillips Pan MS (6g) Stainless Steel 410 Passivated Air Dried
2000	M3 x .5 x 8mm Pozi-1A Special 89/91° Flat MS (6g) Steel 1022 Brite Zinc & Clear
6000	M3 x 1.34 x 8mm 6 - Lobe HPT Oval Plastic H-PT 30 degree Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate

**Qty****Description**


---

3000	M3 x .5 x 9mm 6 - Lobe Pan TRS Steel 1022 Heat Treat Brite Zinc / Bake & Chromate Wax
11000	M3 x 1.34 x 10mm 6 - Lobe (H.D. 5/4.7mm H.H. 2/1.8mm) HPT Oval Plastic H-PT 30 degree 18-8 Stainless Steel Passivated Air Dried
4000	M3 x 1.34 x 10mm+/- .75mm 1A Flat HPT Plastic H-PT 30 degree Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
2000	M3 x .5 x 10mm Phillips Pan MS (6g) Stainless Steel 410 Passivated Air Dried
1000	M3 x .5 x 10mm 6 - Lobe 90/92° Flat MS (6g) Steel 1022 Brite Zinc Trivalent Chromate Blue Patch (ND Ind) 180 3-5 Thread Patching; 1-1 1/2 Thread Offset
6000	M3 x 1.34 x 10mm 6 - Lobe HPT Oval Plastic H-PT 30 degree Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
9000	M3 x 1.34 x 12mm Phillips HPT Oval Plastic H-PT 30 degree Steel 1022 None Zinc & Bake Trivalent Chromate
5000	M3 x 1.34 x 12mm 6 - Lobe Tamperproof Flat HPT Plastic H-PT 30 degree 302 Stainless DFARS Compliant
3000	M3 x 1.34 x 12mm Phillips HPT Oval Plastic H-PT 30 degree Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate .0003
3000	M3 x 1.34 x 12mm 6 - Lobe HPT Oval Plastic H-PT 30 degree Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
16000	M3 x .5 X 18 MM Phillips 90/92° Flat MS (6g) Steel 1022
25000	M3 x .5 x 19mm Saw Special Slotted Fillister shank slotted Steel 1022 HT Brite Ni Chrome

---

**M4**

14000	M4 x .7 x 6mm Phillips 90/92° Flat U/C MS (6g) W/Chamfer Steel 1022 Brite Zinc Trivalent Chromate
1000	M4 x .7 X 6 MM Phillips Pan MS (6g) 302 Stainless DFARS Compliant
2000	M4 x .7 x 6mm Phillips Special #1 Drive U/C 90/92° Flat MS (6g) 302HQ Stainless DFARS Compliant
5000	M4 x .7 x 8mm 6 - Lobe Button MS (6g) 302 HQ Stainless Steel Passivated Air Dried
1000	M4 x .7 X 8 MM 6 - Lobe Button MS (6g) 302HQ Stainless DFARS Compliant
5000	M4 x .7 X 9 MM Socket Button Head Cap MS (6g) 302HQ Stainless DFARS Compliant
3000	M4 x .7 x 10mm Phillips Pan MS (6g) 302 Stainless Steel Passivated AMS QQP-35
8000	M4 x .7 x 10mm Phillips Oval 90° MS (6g) Steel 1022 Black Oxide
2000	M4 x .7 x 10mm Phillips 90/92° Flat MS (6g) Steel 1022 Grade 4.8 Zinc Yellow .0002 B6.3.3 Fe/Zn 5 Type II
1000	M4 x .7 X 10 MM Phillips Truss MS (6g) 302HQ Stainless DFARS Compliant
28000	M4 x .7 x 12mm Phillips Pan U/C Special MS (6g) 302 Stainless DFARS Compliant Passivated AMS QQP-35
3000	M4 x .7 x 12mm 6 - Lobe T-20 Pan MS (6g) Steel 1022 Heat Treat Grade 5 Zinc & Bake Trivalent Chromate

*Qty*

*Description*

---

2000	M4 x 1.79 x 12mm 6 - Lobe HPT Oval Special Plastic H-PT 30 degree Steel 1022 Heat Treat Zinc & Bake Trivalent Chromate
2000	M4 x .7 x 13mm 6 - Lobe 90/92° Flat MS (6g) Steel 1022 Brite Zinc Trivalent Chromate
3000	M4 x .7 x 13mm 6 - Lobe Pan MS (6g) 302 Stainless Steel Black Oxide Mil-DTL-13924 CL 4
1000	M4 x .7 x 18mm Phillips Pan (JIS B1111) MS (6g) 302HQ Stainless DFARS Compliant
2000	M4 x .7 x 20mm Combo 1A Phil Slot Pan Sems Blank Steel 1022

---